IEE Proceedings

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 136 1989

The *IEE Proceedings* is published in ten Parts, as follows:

Part A: Covering physical science, management and instrumentation, management and education

Part B: Electric Power Applications

Part C: Generation, Transmission and Distribution

Part D: Control Theory and Applications

Part E: Computers and Digital Techniques

Part F: Radar and Signal Processing

Part G: Circuits, Devices and Systems

Part H: Microwaves, Antennas and Propagation

Part I: Communications, Speech and Vision

Part J: Optoelectronics

Six issues of each Part are published during the year.

COPYRIGHT AND COPYING

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Single copies may be made for the purpose of research or private study.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELDN G; facsimile: 01 240 7735.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1989: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Bernard Dunkley; *Senior Assistant Editor:* Stephen Cokeham
Assistant Editors: Kathryn Thurston, Rosalind Hann, Paul Staniforth, Dominic Lenton
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom
Black Bear Press, Cambridge, United Kingdom

IEE Proceedings

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 136 1989

The *IEE Proceedings* is published in ten Parts, as follows:

Part A: Covering physical science, management and instrumentation, management and education

Part B: Electric Power Applications

Part C: Generation, Transmission and Distribution

Part D: Control Theory and Applications

Part E: Computers and Digital Techniques

Part F: Radar and Signal Processing

Part G: Circuits, Devices and Systems

Part H: Microwaves, Antennas and Propagation

Part I: Communications, Speech and Vision

Part J: Optoelectronics

Six issues of each Part are published during the year.

COPYRIGHT AND COPYING

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Single copies may be made for the purpose of research or private study.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELDN G; facsimile: 01 240 7735.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1989: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Bernard Dunkley; *Senior Assistant Editor:* Stephen Cokeham
Assistant Editors: Kathryn Thurston, Rosalind Hann, Paul Staniforth, Dominic Lenton
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom
Black Bear Press, Cambridge, United Kingdom

Index

IEE Proceedings

Vol. 136, 1989

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abd-El-Barr, M.H., and Vranesic, Z.G. Charge-coupled device implementation of multivalued logic systems E p306
Abdalla, O.H., Walker, P.A.W., and Serag, A.M. see Walker, P.A.W.
Abdulaziz, N.K., and Marougi, S.D. Effect of an AGC amplifier on the performance of a gene:-alised PLL in the presence of a large interfering signal G p178
Abdullah, S.N., Clark, A.P., and Hau, S.F. see Clark, A.P.
Aberle, J.T., and Pozar, D.M. Analysis of infinite arrays of probe-fed rectangular microstrip patches using a rigorous feed model H p110
Abeyratne, U.R., and Ekanayake, N. see Ekanayake, N.
Abo, T., Hata, Y., Ikeura, K., and Morita, T. see Hata, Y.
Aboelsaad, M.M., Shafai, L., and Rashwan, M. Numerical assessment of unipolar corona ionised field quantities using the finite-element method A p79
Aboelsaad, M.M., Shafai, L., and Rashwan, M.M. Improved analytical method for computing unipolar DC corona losses A p33
Aborhey, S. Autocorrelation testing of combinational circuits E p57 E e100
Aborhey, S. Binary decision graph reduction E p277
Aboul-Saoud, A.K., Kheirallah, N.H., and Rashwan, H.M. see Kheirallah, N.H.
Abrahams, M.S., Salmon, J.V, and Pitty, E.B. see Salmon, J.V
Abuelma'atti, M.T. Harmonic and intermodulation generation due to hot electrons in semiconductors G p323
Abuelma'atti, M.T. Harmonic and intermodulation performance of differential source-coupled pair using scaled MOS transistors G p95
Abuelma'atti, M.T. Multipole approximation of capacitively loaded VLSI interconnection G p118
Abuelma'atti, M.T. Spectrum of a nonlinearly quantised sinusoid G p313
Acarnley, P.P., and Clarkson, P.J. see Clarkson, P.J.
Accatino, L., and Bertin, G. see Bertin, G.
Acha, E., Arrillaga, J., Medina, A., and Semlyen, A. General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities C p271
Adams, M.J. Theory of twin-guide Fabry–Perot laser amplifiers J p287
Adams, N.K., and Williamson, S. see Williamson, S.
Adibi, A., and Eshraghian, K. Generalised model for GaAs MESFET photodetectors G p337
Aftelak, A., and Clark, A.P. see Clark, A.P.
Agarwal, S.K., Billinton, R., and Khan, E. see Billinton, R.
Agathoklis, P., and Sreeram, V. Lower bounds for the stability margin of linear continuous systems based on weighted performance criteria D p63
Aggarwal, S., and Bhattacharyya, A.B. see Bhattacharyya, A.B.
Aghvami, A.H., and Gemikonakli, O. see Gemikonakli, O.
Ahmadi, M., Lee, H.J.J., Shridhar, M., and Ramachandran, V. Design of 2-D recursive digital filters with noncircular, symmetric cutoff boundary and constant group-delay responses G p255
Ahmed, M.S., and Sait, N. State-space adaptive control through a modified bootstrap algorithm for parameter and state estimation D p215
Ainslie, B.J., Davey, S.T., Williams, D.L., Rothwell, W.J.M., and Wakefield, B. see Davey, S.T.
Al-Charchafchi, S.H., and Dawson, C.P. Varactor tuned microstrip ring resonators H p165
Al-Fuhaid, A.S., Bahnasawi, A.A., and Mahmoud, M.S. see Bahnasawi, A.A.
Al-Jalili, Y.O., and Lockhart, G.B. Towards real-time implementation of a radio-data system for AM sound broadcasting I p20
Al-Mothafar, M.R.D., and Evans, P.D. see Evans, P.D.
Al Zahawi, B.A.T., Jones, B.L., and Drury, W. Analysis and simulation of static Kramer drive under steady-state conditions B p281
Albanese, R., and Rubinacci, G. On certain properties of the electric vector potential in eddy-current problems. Part 2 A d255
Alcubilla, R., Blasco, E., and Correig, X. Iterative solutions for highly doped emitters under illumination G p126
Alexander, M.J. Capactive matching of microstrip patch antennas H p172
Alexandridis, A.T., and Galanos, G.D. Design of an optimal current regulator for weak AC/DC systems using Kalman filtering in the presence of unknown inputs C p57
Alexopoulos, N.G., Nakano, H., Hirose, K., Suzuki, T., and Kerner, S.R. see Nakano, H.
Allan, D., Duffy, N., and Herd, J.T. see Duffy, N.
Allen, J.E. Digital-pulse approach to electromagnetism A d113
Allen, J.E. Electromagnetic energy and power in terms of charges and potentials instead of fields A d261
Alping, A. Waveguide *pin* photodetectors: theoretical analysis and design criteria J p177
Amaratunga, G.A.J., and Biswas, R. see Biswas, R.
Amoruso, V., Savino, M., and Sylos Labini, M. Analysis of large grounding systems for earth-resistance measurements in two-layer soils C p314
Anderson, A.P., Cook, G.G., and Turnbull, A.S. see Cook, G.G.
Anis, H., and Morcos, M. see Morcos, M.
Ankiewicz, Adrian Design features for an optical fibre transistor J p111
Antoniou, G.E., Varoufakis, S.J., and Paraskevopoulos, P.N. Multidimensional continued fraction inversion G p307
Apsley, N., Guy, D.R.P., Besgrove, D.D., Taylor, L.L., and Bass, S.J. see Guy, D.R.P.
Arai, H., Hirokawa, J., and Goto, N. see Hirokawa, J.
Arbab, M.N., and Auckland, D.W. Growth of electrical trees in solid insulation A p73
Archer, B., Finkelstein, L., Schwarz, K.K., and Constable, G.E.P. see Finkelstein, L.
Ariki, Y., Mizuta, S., Nagata, M., and Sakai, T. Spoken-word recognition using dynamic features analysed by two-dimensional cepstrum I p133
Arkell, C.A., Galloway, S.J., Parsons, E.B., Woodcock, B.G., and Woolmer, D.E. Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection C p121
Arnold, C.P., Watson, N.R., and Arrillaga, J. see Watson, N.R.
Arnold, J.M., and Dendane, A. Intrinsic mode theory of conical corrugated horns H p250
Arora, R.K., and Gupta, M.N. Bidirectional ring-based termination detection algorithms for distributed computations E p415
Arrillaga, J., Acha, E., Medina, A., and Semlyen, A. see Acha, E.
Arrillaga, J., Watson, N.R., and Arnold, C.P. see Watson, N.R.
Arrillaga, J., and Callaghan, C.D. Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals C p319
Arvas, E., Qian, Y., Sarkar, T.K., and Aslan, F. TE scattering from a conducting cylinder of arbitrary cross-section covered by multiple layers of lossy dielectrics H p425
Aslan, F., Arvas, E., Qian, Y., and Sarkar, T.K. see Arvas, E.
Auchterlonie, L.J., and Hume, A.L. see Hume, A.L.
Auckland, D.W., Omoigui, M.O., and Shuttleworth, R. Improvement of power system stability by crosscoupling generator control systems C p289
Auckland, D.W., and Arbab, M.N. see Arbab, M.N.
Auda, H.A., and Elsherbeni, A.Z. see Elsherbeni, A.Z.
Austin, M., and Benson, T.M. see Benson, T.M.
Azit, A.H., Jasmon, G.B., and Sairan, S.B. see Jasmon, G.B.

B

Beifot, A.M. Broadband method for measuring dielectric constant of liquids using an automatic network analyser H p492
Badar, A.H., Maclean, T.S.M., Gazey, B.K., Miller, J.F., and Ghafoori-Shiraz, H. Radiation from circular bends in multimode and single-mode optical fibres J p147
Baden Fuller, A.J., and Runham, M. Computer design of microwave IC transistor amplifiers H p182
Bahgat, A., Sakr, M.M.F., and El-Shafei, A.R. Two level dynamic state estimator for electric power systems based on nonlinear transformation C p15
Bahnasawi, A.A., Al-Fuhaid, A.S., and Mahmoud, M.S. Linear feedback approach to the stabilisation of uncertain discrete systems D p47
Baker, D.C., and Lambert, S. Range estimation for SSL HFDF systems by means of a multi-quasiparabolic ionospheric model H p120
Bao, Y.L., Shieh, L.S., and Chang, F.R. see Shieh, L.S.
Bar-Lev, A., Dreifuss, J., and Madjar, A. see Dreifuss, J.
Barakat, E.H., and Eissa, M.A.M. Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model C p35
Baran, D., Jamieson, R.D., Bodger, M.P., and Bodger, P.S. see Jamieson, R.D.
Barkat, M., Himonas, S.D., and Varshney, P.K. CFAR detection for multiple target situations F p193
Barnes, M.J., and Swift, F.J. Digital Walsh-Fourier spectral conversion for periodic waves F p89
Barr, D.A., and Laverty, S.J. Efficiency and response time of a DCEL ZnS: Mn Cu powder display determined by sinusoidal frequency analysis G p173
Barton, M. Approximate sample variance analysis of exponential channel derived from SVD-based algorithm I p381
Bass, S.J., Guy, D.R.P., Besgrove, D.D., Taylor, L.L., and Apsley, N. see Guy, D.R.P.
Batchelor, B.G., and Wilson, G.R. see Wilson, G.R.
Bate, S.D., Honary, B., and Farrell, P.G. Error control techniques applicable to HF channels H p57
Bayoumi, M.A., and Yang, C.H. Reconfigurable testable bit-serial multiplier for DSP applications E p517
Beck, M.S., Xie, C.G., and Plaskowski, A. see Xie, C.G.
Beckmann, M. Interference detection and suppression in Loran-C receivers F p255
Bedford, T.J., Jack, A.G., and Meng, L.G. see Jack, A.G.
Belahrache, D., and Murgatroyd, P.N. see Murgatroyd, P.N.
Bellot, P. Very fast reduction machine for variable-less functional programming E p443
Belmont, M.R. Taylor discrete Fourier transforms F p101
Benelli, G. Two concatenated coding schemes for ARQ protocols I p213
Bennett, J.C., and Farhat, K.S. Near-field measurements on plane-polar facility H p202
Benson, T.M., Kendall, P.C., Stern, M.S., and Quinney, D.A. New results for rib waveguide propagation constants J p97
Benson, T.M., and Austin, M. 'Insight' courses for encouraging more young women to become professional engineers A p95
Berger, C.S. Robust control of discrete systems D p165
Berry, P.E., and Dunnett, R.M. Contingency constrained economic dispatch algorithm for transmission planning C p238
Bertin, G., and Accatino, L. Analysis of power dissipation and energy storage inside a dielectric loaded cavity H p405
Besgrove, D.D., Guy, D.R.P., Taylor, L.L., Apsley, N., and Bass, S.J. see Guy, D.R.P.
Bestaoui, Y. Decentralised PD and PID robotic regulators D p133
Bettinger, M., Milutinović, V., and Helbig, W. see Milutinović, V.
Bhadra Chaudhuri, S.R., Bhattacharjee, A.K., Poddar, D.R., and Chowdhury, S.K. see Bhattacharjee, A.K.
Bhardwaj, J.K., Carter, A.J., Thomas, B., Morgan, D.V., McQuarrie, A.M., and Stephens, M.A. see Carter, A.J.
Bhargava, V.K., Wang, Q., Gulliver, T.A., and Felstead, E.B. see Wang, Q.
Bhattacharjee, A.K., Bhadra Chaudhuri, S.R.,

Poddar, D.R., and Chowdhury, S.K. Equivalence of impedance and radiation properties of square and circular microstrip patch antennas H p338
Bhattacharyya, A.B., and Aggarwal, S. Variability reduction in CMOS operational amplifiers through layout modification G p79
Bhattacharyya, B.B., and Rathore, T.S. see Rathore, T.S.
Bhoopathy Bagan, K., and Prabhu, K.M.M. see Prabhu, K.M.M.
Bien, Z., and Huh, K.M. Higher-order iterative learning control algorithm D p105
Biey, M., and Coco, S. Design of third-order notch *RC*-active filter sections G p32
Bigorgne, D., Mercier, G., Miclet, L., Le Guennec, L., and Querre, M. see Mercier, G.
Billinton, R., Khan, E., and Agarwal, S.K. Contingency cut-off criteria in transmission system adequacy assessment C p215
Binns, K.J., and Vourdas, A. see Vourdas, A.
Bishay, S., Cornbleet, S., and Hilton, J. Lens antennas with amplitude shaping or sine condition H p276
Biswas, R., and Amaratunga, G.A.J. Parallel computational techniques for simulating dopant diffusion in silicon G p135
Bladon, J.A.B., Prosser, M.E., Schwarz, K.K., and Dobie, W.C. Manufacturing — the role of the IEE Centres A p151
Blair, G.M., and Denyer, P.B. Content addressability: an exercise in the semantic matching of hardware and software design E p41
Blanchini, F. New canonical form for pole placement D p314
Blasco, E., Alcubilla, R., and Correig, X. see Alcubilla, R.
Bodger, M.P., Jamieson, R.D., Bodger, P.S., and Baran, D. see Jamieson, R.D.
Bodger, P.S., Jamieson, R.D., Bodger, M.P., and Baran, D. see Jamieson, R.D.
Bodger, P.S., and Norriss, T.B. see Norriss, T.B.
Boix, R.R., and Horno, M. Modal quasistatic parameters for coplanar multiconductor structures in multilayered substrates with arbitrary transverse dielectric anisotropy H p76
Boone, W., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., and Kuiper, J. see Broughton, R.C.
Bossavit, A. Magnetostatics with scalar potentials in multiply connected regions A d260
Boswell, A.G.P. Analysis of curtain arrays for HF broadcasting H p179
Bourne, R. No load method of estimating stray load loss in small cage induction motors B p92
Boussakta, S., and Holt, A.G.J. Prime-factor Hartley and Hartley-like transform calculation using transversal filter-type structures G p269
Boussakta, S., and Holt, A.G.J. Relationship between the Fermat number transform and the Walsh-Hadamard transform G p191
Bowers, B. Alexander Trotter — a well-connected electrician A p337
Bowes, S.R., and Bullough, R.I. Novel PWM controlled series-connected current-source inverter drive B p69
Boys, J.T., and Green, A.W. see Green, A.W.
Boys, J.T., and Green, A.W. Current-forced single-phase reversible rectifier B p205
Brameller, A., Yang, T.-C., and Munro, N. see Yang, T.-C.
Brand, G., Madisetti, V., and Messerschmitt, D.G. Multilevel range/NEXT performance in digital subscriber loops I p169
Breen, A.P., and Goodyear, C.C. Digital filter sets for frequency shift keyed modems G p14
Brennan, P.V. Investigation into the multipath performance of self-phased array H p47
Brickell, F., and Westcott, B.S. see Westcott, B.S.
Bronfman, A. Influence of the fluctuation of the ambient temperature on the lifetime of metal oxide arresters C p55
Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., Boone, W., and Kuiper, J. Investigation of temperature and oil flow in EHV sealing ends C p230
Brown, A.D., and Thomas, P.R. see Thomas, P.R.
Brown, A.D., and Thomas, P.R. Design of a language for IC mask verification and net extraction G p67
Brule, M.R., Ribeiro, J.C.D.F., Stormon, C.D., and Oldfield, J.V. see Ribeiro, J.C.D.F.
Brunton, L.J. Earth-leakage problems and solutions on the Tyne and Wear Metro B p152
B e204
Büyükaksoy, A., Uzgören, G., and Serbest, A.H. see Uzgören, G.
Buggy, B., and Marlow, S. see Marlow, S.
Bullough, R.I., and Bowes, S.R. see Bowes, S.R.
Burdon, I.P., and Vogel, M.H. New ticketing system for the London Underground B d59
Burnley, K.G. High-voltage stator insulation assessment by measurement of loss tangent and capacitance B p229
Burns, R.W. Aspects of UK air defence from 1914 to 1935: some unpublished Admiralty contributions A p267
Burns, R.W. History of electrical engineering (Editorial) A p265
Burr, A.G. Performance limits for block-coded modulation I p267

C

COST 217 Group, . Interlaboratory measurement campaign on single-mode fibres J p307
Cai, X.-D., and Li, Y.-Y. Analysis of asymmetric TEM cell and its optimum design of electric field distribution H p191
Callaghan, C.D., and Arrillaga, J. see Arrillaga, J.
Calvo Cantera, J.M.C., Do Coutto Filho, M.B., Leite da Silva, A.M., and da Silva, R.A. see Do Coutto Filho, M.B.
Campabadal, F., Sarrabayrouse, G., and Prom, J.L. see Sarrabayrouse, G.
Cannon, P.S. Morphology of the high latitude ionosphere and its implications for HF communications systems I p1
Carossino, A., Vicenzi, C., Favareto, C., Sciarra, D., Colla, A.M., Scargliola, C., and Pedrazzi, P. see Vicenzi, C.
Carpenter, C.J. Comparison of the practical advantages of alternative descriptions of electromagnetic momentum A p101
Carpenter, C.J. Digital-pulse approach to electromagnetism A d113
Carpenter, C.J. Electromagnetic energy and power in terms of charges and potentials instead of fields A p55 A e114 A d261
Carroll, J.E., Davies, D.A.O., and White, I.H. see Davies, D.A.O.
Carroll, J.E., and Probert, P.J. see Probert, P.J.
Carter, A.J., Thomas, B., Morgan, D.V., Bhardwaj, J.K., McQuarrie, A.M., and Stephens, M.A. Dry etching of GaAs and InP for optoelectronic devices J p2
Carter, I.M. Symmetry of electromagnetism A d100
Castella, F.R., and Rudie, S.A. Detection performance of phase-coded radar waveforms with various types of limiting F p118
Cattermole, K.W., and Muñoz-Rodriguez, D. see Muñoz-Rodriguez, D.
Celentano, G., and Maria, G. De New linear parameterisation of all stabilising compensators for single-input/single-output plants D p225
Chakraborty, A., Das, B.N., and Rao, P.V.D.S. see Das, B.N.
Cham, W.-K. Development of integer cosine transforms by the principle of dyadic symmetry I p276
Chambers, W.G., and Smeets, B.J.M. On windmill *pn*-sequence generators E p401
Chan, C.-K., and Tsui, H.-T. see Tsui, H.-T.
Chan, C.L., and Kwan, H.K. see Kwan, H.K.
Chan, C.L., and Kwan, H.K. Multidimensional ellipsoidally and spherically symmetric recursive digital-filter design with reduced number of optimised coefficients G p301
Chan, M.-H., and Tsui, H.-T. Recognition of partially occluded 3D objects E p124
Chan, S.C., and Ho, K.L. Prime-factor algorithm and Winograd Fourier transform algorithm for real symmetric and antisymmetric sequences G p87
Chan, W.C., and Wu, J.S. see Wu, J.S.
Chandra, ., Leong, M.S., Kooi, P.S., and Yeo, T.S. see Leong, M.S.
Chang, C.S. Fast power system voltage prediction using knowledge-based approach and on-line box data creation C p87
Chang, F.R., Shieh, L.S., and Bao, Y.L. see Shieh, L.S.
Chang, S.M., and Wey, C.L. see Wey, C.L.
Chawdhry, P.K., and Hogg, B.W. Identification of boiler models D p261
Chen, B.-S., and Hwang, C.-L. see Hwang, C.-L.
Chen, B.-S., and Kuo, C.-T. Stability analysis of digital filters under finite word-length effects G p167
Chen, H.-H., and Liu, G.-S. see Liu, G.-S.
Chen, S.H., and Pan, J.S. Fast search algorithm for VQ-based recognition of isolated words I p391
Chen, W., Mavor, J., Denyer, P.B., and Renshaw, D. Yield estimation for serial superchip E p187
Chen, Z., and Gao, B. Full-wave analysis of multiconductor coupled lines in MICs by the method of lines H p399
Chen, Z., and Xu, W. see Xu, W.
Chenerie, I., Combes, P.F., and Pouit, C. Contactless and local measurement of temperature fluctuations at 60 GHz H p358
Cheung, H.N., and Wong, K.P. see Wong, K.P.
Cheung, S.W., and Clark, A.P. Influence of design on performance of a satellite modem transmitting coded PSK signals I p87
Chiorboli, G., and Ferrari, A. Influence of guiding testability measure on number of backtracks of ATPG program E p316
Cho, G.-H., Shin, D.-H., and Park, S.-B. see Shin, D.-H.
Chowdhury, S.K., Bhattacharjee, A.K., Bhadra Chaudhuri, S.R., and Poddar, D.R. see Bhattacharjee, A.K.
Choy, C.S., and Jones, P.L. Minimisation technique for series-gated emitter-coupled logic G p105
Chrissoulidis, D.P. EM wave scattering from statistically inhomogeneous and periodic random rough surfaces H p209
Christopoulos, C., Thomas, D.W.P., and Wright, A. Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves C p279
Chua, K.C., and Nguyen, D.T. Integrated voice/data multiplexer with adaptive flow control of data access I p369
Chung, P.S., and Millington, M.J. Post-baking characteristics of single-mode and multimode silver/sodium exchanged waveguides J p103
Civera, P., Del Corso, D., Gregoretti, F., Maddaleno, F., Conte, G., Zamboni, M., and Pasero, E. see Del Corso, D.
Climaco, J.C.N., Diogo, J.M.B., Nordeste, P.M.N., and Craveirinha, J.M.F. see Diogo, J.M.B.
Clark, A.P., Abdullah, S.N., and Hau, S.F. Improved time synchronisation for an HF radio modem I p47
Clark, A.P., and Aftelak, A. Carrier-phase synchronisation in the demodulation of UQPSK signals I p351
Clark, A.P., and Cheung, S.W. see Cheung, S.W.
Clark, M.J., and Siu, Y.T. see Siu, Y.T.
Clarkson, P.J., and Acarnley, P.P. Simplified approach to the dynamic modelling of variable-reluctance stepping motors B p1
Clarricoats, P.J.B, Parini, C.G, and Lau, A.K.K. see Parini, C.G
Claxton, P., Tipping, A.K., and Parry, G. see Tipping, A.K.
Cockshott, W.P., and Foulk, P.W. A low-cost text retrieval machine E p271
Coco, S., and Biey, M. see Biey, M.
Colla, A.M., Vicenzi, C., Favareto, C., Sciarra, D., Carossino, A., Scargliola, C., and Pedrazzi, P. see Vicenzi, C.
Collin, R.E., and Silvestro, J.W. see Silvestro, J.W.
Collins, R. Quadrature path-counting method for the disturbance decoupling problem in linear multivariable systems D p203
Colteanu, M., Gary, C., Drăgan, G., and Lungu, I. see Gary, C.
Combes, P.F., Chenerie, I., and Pouit, C. see Chenerie, I.
Conlon, M., Wilcox, D.J., and Hurley, W.G. see Wilcox, D.J.
Constable, G.E.P., Finkelstein, L., Archer, B., and Schwarz, K.K. see Finkelstein, L.
Conte, E., Longo, M., and Lops, M. Analysis of the excision CFAR detector in the presence of fluctuating targets F p290
Conte, G., Del Corso, D., Civera, P., Gregoretti, F., Maddaleno, F., Zamboni, M., and Pasero, E. see Del Corso, D.
Cook, G.G., Anderson, A.P., and Turnbull, A.S. Spectral incremental propagation (SIP) procedure for fast calculation of scattered fields from conducting bodies H p34
Corcoran, J.C.W., and Morrison, R.E. see Morrison, R.E.
Cornbleet, S. Dielectric corrected plane reflector: an unusual solution H p377
Cornbleet, S. Stereographic projection of axisymmetric nonuniform lens media H p499
Cornbleet, S., Bishay, S., and Hilton, J. see Bishay, S.
Cornick, K.J., and Tleis, A.N.D. Computer simulation of first pole-to-close multiple prestriking transients in motor systems B p213
Correig, X., Alcubilla, R., and Blasco, E. see Alcubilla, R.
Corsi, F., Martino, S., Muschitiello, M., Stucchi, M., and Zanoni, E. SPICE simulation of latch-up anomalous effects observed by electrical measurements and IR microscopy G p293
Cory, H., Einziger, P.D., and Sover, R. Reflection coefficient at the feed of a radome-covered reflector antenna: a geometrical optics approach H p241
Cowan, C.F.N., Gu, Z.Q., Duncan, C.N., Renshaw, E., Mugglestone, M.A., and Grant, P.M. see Gu, Z.Q.
Cracknell, A.P., and Paithoonwattanakij, K. Fast automatic registration for satellite imagery by using heuristic planning F p221
Craveirinha, J.M.F., Diogo, J.M.B., Climaco, J.C.N., and Nordeste, P.M.N. see Diogo, J.M.B.
Craveirinha, J.M.F., and Sumner, J.P. Application of the product graph to a large multiexchange digital network I p189
Cristina, S., and Feliziani, M. Numerical analysis of electric field generated by imperfectly insulated buried pipeline A p121
Crosnier, Y., Gerard, H., and Salmer, G. Analysis and understanding of GaAs MESFET behaviour in power amplification G e156
Cross, C.S., Mecrow, B.C., and Jack, A.G. see Mecrow, B.C.
Cunliffe, R., and Moruzzi, J.L. see Moruzzi, J.L.
Cuomo, D., Di Massa, G., Cutolo, A., and Delle Cave, G. see Di Massa, G.
Cusworth, S.D., and Senior, J.M. see Senior, J.M.
Cutolo, A., Di Massa, G., Cuomo, D., and Delle Cave, G. see Di Massa, G.

D

Dagless, E.L., Duller, A.W.G., Storer, R.H., Thomson, A.R., Pout, M.R., Marriot, A.P., and Goldfinch, J. see Duller, A.W.G.
Dahele, J.S., Hall, P.S., and James, J.R. see Hall, P.S.

Dai, H., and Sinha, N.K. Robust recursive least-squares method with modified weights for bilinear system identification D p122
da Silva, H.J.A., Fyath, R.S., and O'Reilly, J.J. Sensitivity degradation with laser wavelength chirp for direct-detection optical receivers J p209
da Silva, R.A., Do Coutto Filho, M.B., Leite da Silva, A.M., and Calvo Cantera, J.M.C. see Do Coutto Filho, M.B.
Damarla, T., and Karpovsky, M. Detection of stuck-at and bridging faults in Reed–Muller canonical (RMC) networks E p430
Damstra, G.C., van den Heuvel, W.M.C., and Janssen, A.L.J. see van den Heuvel, W.M.C.
Darnell, M., Zolghadr, F., and Honary, B. see Zolghadr, F.
Das, B.N., Rao, P.V.D.S., and Chakraborty, A. Analysis of T-junction between rectangular and circular waveguides by variational method H p475
Daum, W., and Lynch, A.C. A high-voltage high-frequency voltage divider A p254
Daunicht, W.J. Control of manipulators by neural networks E p395
Davey, S.T., Williams, D.L., Ainslie, B.J., Rothwell, W.J.M., and Wakefield, B. Optical gain spectrum of GeO_2–SiO_2 Raman fibre amplifiers J p301
Davies, D.A.O., White, I.H., and Carroll, J.E. Modal bistability in asymmetric twin ridge semiconductor lasers J p6
Davies, E.R., and Johnstone, A.I.C. Methodology for optimising cost/speed tradeoffs in real-time inspection hardware E p62
Davies, P.A., and Sherif, M. see Sherif, M.
Dawson, C.P., and Al-Charchafchi, S.H. see Al-Charchafchi, S.H.
De La Rue, R.M., Loni, A., Keys, R.W., Foad, M.A., and Winfield, J.M. see Loni, A.
de Oliveira, S.E.M. Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques C p264
Decoster, D., Ramdani, J., Vilcot, J.P., Gouy, J.P., and Razeghi, M. see Ramdani, J.
Decoster, D., Vinchant, J.F., Mallecot, F., and Vilcot, J.P. see Vinchant, J.F.
Del Re, E., and Fantacci, R. Joint carrier and clock recovery for QPSK and MSK digital communications I p208
Del Corso, D., Civera, P., Gregoretti, F., Maddaleno, F., Conte, G., Zamboni, M., and Pasero, E. TOMP project E p225
Del Re, E., and Fantacci, R. Multicarrier demodulator for digital satellite communication systems I p201
Delle Cave, G., Di Massa, G., Cuomo, D., and Cutolo, A. see Di Massa, G.
Demirbaş, K. Manoeuvring-target tracking with the Viterbi algorithm in the presence of interference F p262
Dendane, A., and Arnold, J.M. see Arnold, J.M.
Deng, R.H., Zhang, X.Y., and Tham, Y.K. New point-to-multipoint communication protocols I p312
Dennis, T.J., and Dessipris, N.G. Fractal modelling in image texture analysis F p227
Denyer, P.B., Chen, W., Mavor, J., and Renshaw, D. see Chen, W.
Denyer, P.B., and Blair, G.M. see Blair, G.M.
Desai, B.T., Gupta, H.O., and Vasantha, M.K. New one-cycle static blocking scheme for inrush in differential relay C p48
Deshpande, M.D., and Rao, Y.R. Analysis of reactively loaded microstrip disk antenna H p417
Dessipris, N.G., and Dennis, T.J. see Dennis, T.J.
Devoldere, P., Paraskevopoulos, A., Gilleron, M., Slempkes, S., Rose, B., and Robein, D. Design and fabrication of 1.3 μm buried ridge stripe lasers on semi-insulating InP substrate J p76
Dey, S., and Srimani, P.K. Fast parallel algorithm for all-pairs shortest path problem and it's VLSI implementation E p85
Dharmarajan, K.R., and El-Amawy, A. see El-Amawy, A.
Di Massa, G., Cuomo, D., Cutolo, A., and Delle Cave, G. Open resonator for microwave application H p159
Dias, L.G., and El-Hawary, M.E. Effects of active and reactive power modelling in optimal load flow studies C p259
Dias, L.G., and El-Hawary, M.E. Nonlinear parameter estimation experiments for static load modelling in electric power systems C p68
Dimolitsas, S. Objective speech distortion measures and their relevance to speech quality assessments I p317
Diogo, J.M.B., Climaco, J.C.N., Nordeste, P.M.N., and Craveirinha, J.M.F. Dynamic planning model for urban telephone networks and its applications I p324 I e324
Dlay, S.S., Iliev, V., McLaughlan, M.R., Koelmans, A.M., and Kinniment, D.J. see Iliev, V.
Do Coutto Filho, M.B., Leite da Silva, A.M., Calvo Cantera, J.M.C., and da Silva, R.A. Information debugging for real-time power systems monitoring C p145
Dobie, W.C., Bladon, J.A.B., Prosser, M.E., and Schwarz, K.K. see Bladon, J.A.B.
Dowd, M., Dowd, P.W., and Jabbour, K. see Dowd, P.W.
Dowd, P.W., Dowd, M., and Jabbour, K. Static interconnection network extensibility based on marginal performance/cost analysis E p9
Drăgan, G., Gary, C., and Lungu, I. see Gary, C.
Drăgan, G., Gary, C., Lungu, I., and Colteanu, M. see Gary, C.
Dreifuss, J., Madjar, A., and Bar-Lev, A. Novel method for calculating the noise figure of microwave MESFET mixers H p289
Drews, W., Laroia, R., Pandel, J., Schumacher, A., and Stölzle, A. CMOS processor for template-based speech-recognition system I p155
Drury, W., Al Zahawi, B.A.T., and Jones, B.L. see Al Zahawi, B.A.T.
Duffy, M.C. Mainline electrification and locomotive-electric systems A p279
Duffy, N., Allan, D., and Herd, J.T. Real-time collision avoidance system for multiple robots operating in shared work-space E p478
Duller, A.W.G., Storer, R.H., Thomson, A.R., Dagless, E.L., Pout, M.R., Marriot, A.P., and Goldfinch, J. Design of an associative processor array E p374
Duncan, C.N., Gu, Z.Q., Renshaw, E., Mugglestone, M.A., Cowan, C.F.N., and Grant, P.M. see Gu, Z.Q.
Dunnett, R.M., and Berry, P.E. see Berry, P.E.

E

Eccleston, K.W. Method for determination of parasitic resistances in microwave power MESFETs G p358
Economides, A.P., Gergely, S., and Walton, C. see Gergely, S.
Ediss, G.A., and Lawson, P.R. Fabry–Perot resonator diplexer at 230 GHz H p411
Edwards, D.J., Kenington, P.B., and McGeehan, J.P. see Kenington, P.B.
Edwards, D.J., and Hawkins, G.J. see Hawkins, G.J.
Edwards, J.A., Pejanović, M.M., and Stojanović, I.S. see Pejanović, M.M.
Einziger, P.D., Cory, H., and Sover, R. see Cory, H.
Eisler, S., and Leviatan, Y. Analysis of electromagnetic scattering from metallic and penetrable cylinders with edges using a multifilament current model H p431
Eissa, M.A.M., and Barakat, E.H. see Barakat, E.H.
Ekanayake, N., and Abeyratne, U.R. Efficient differential detection of digital FM signals in bandwidth restricted channels I p64
El-Amawy, A., and Dharmarajan, K.R. Parallel VLSI algorithm for stable inversion of dense matrices E p576
El-Dewieny, R.M., Farghal, S.A., and Riad, A.M. see Farghal, S.A.
El-Hawary, M.E., and Dias, L.G. see Dias, L.G.
El-Khazendar, M.A., and Stephenson, J.M. see Stephenson, J.M.
El-Masry, E.I., and Hix, E.G. Novel switched-capacitor integrator for high-frequency applications G p263
El-Moussaoui, A., and Hewson, D.P. Electronic tuning of a dielectric resonator at microwave frequencies H p502
El-Shafei, A.R., Bahgat, A., and Sakr, M.M.F. see Bahgat, A.
Elrazaz, Z.S., and Mazi, A.A. Unified weekly peak load forecasting for fast growing power system C p29
Elsherbeni, A.Z., and Auda, H.A. Electromagnetic diffraction by two perfectly conducting wedges with dented edges loaded with a dielectric cylinder H p225
Elsherbeni, A.Z., and Hamid, M. Scattering by a perfectly conducting strip loaded with a dielectric cylinder (TM case) H p185
Ender, J., and Klemm, R. Airborne MTI via digital filtering F p22
Eshraghian, K., and Adibi, A. see Adibi, A.
Evans, P.D., and Al-Mothafar, M.R.D. Harmonic analysis of a high frequency square wave cycloconvertor system B p19
Evans, P.D., and Mestha, L.K. see Mestha, L.K.
Evans, W.A., and Sykes, A.M. Characterisation of a phase-sensitive detector G p285

F

Fagan, A.D., and O'Connor, R.E. Measurements on the timing recovery performance of partial-response class-4 signalling J p254
Fahmy, M.M., and Wan, Y. New array processor architectures for two-dimensional FIR digital filters E p234
Fairney, W. Address as the Chairman of the IEE Power Division: The solution of scientific and engineering problems in the development of electrical generating plant C p1
Fantacci, R., and Del Re, E. see Del Re, E.
Fantacci, R., and Del Re, E. see Del Re, E.
Farghal, S.A., El-Dewieny, R.M., and Riad, A.M. Economic justification of cogeneration systems for industrial steam users and utility systems C p109
Farhat, K.S., and Bennett, J.C. see Bennett, J.C.
Farrell, P.G., Bate, S.D., and Honary, B. see Bate, S.D.
Farrell, P.G., and Wyrwas, R.R. see Wyrwas, R.R.
Farrier, D.R. High-performance signal subspace beamformer F p283
Favareto, C., Vicenzi, C., Sciarra, D., Carossino, A., Colla, A.M., Scargliola, C., and Pedrazzi, P. see Vicenzi, C.
Feher, K., Mathiopoulos, P., and Ohnishi, H. see Mathiopoulos, P.
Feliziani, M., and Cristina, S. see Cristina, S.
Felstead, E.B., Wang, Q., Gulliver, T.A., and Bhargava, V.K. see Wang, Q.
Feng, G. Simplified design approach for decentralised controllers of large-scale systems D p171
Ferrari, A., and Chiorboli, G. see Chiorboli, G.
Field, J.C.G. Electromagnetism and semantics A d257 A d259
Filicori, F., Iuculano, G., Menchetti, A., and Mirri, D. Random asynchronous sampling strategy for measurement instruments based on nonlinear signal conversion A p141
Filipski, P. Power components in a system with sinusoidal and nonsinusoidal voltage and/or currents B p90
Finkelstein, L., Archer, B., Schwarz, K.K., and Constable, G.E.P. The inter-relationship between systems engineering and engineering design A p159
Foad, M.A., Loni, A., Keys, R.W., De La Rue, R.M., and Winfield, J.M. see Loni, A.
Fong, C.C. Reliability evaluation of transmission and distribution configurations with duration dependent effects C p314 C e314
Fossi, M., Giuli, D., and Gherardelli, M. Cramér-Rao bounds and maximum-likelihood estimation of Doppler frequency of signals received by a polarimetric radar F p175
Foulk, P.W., and Cockshott, W.P. see Cockshott, W.P.
Freyer, J., Güttich, U., Wenger, J., and Zhang, X. Millimetre-wave planar oscillator on semi-insulating GaAs substrate G p84
Fujinaka, M., Goto, T., Ishida, T., Tabei, K., and Maehara, T. Characteristics of a coil wound with copper wire around YBaCuO superconductive thin wires G p279
Fukuchi, H., and Watson, P.A. Statistical stability of cumulative distributions of rainfall rate in the UK H p105
Fyath, R.S., McDonald, A.J., and O'Reilly, J.J. Sensitivity and power penalty considerations for laser preamplified direct detection optical receivers J p238
Fyath, R.S., and O'Reilly, J.J. Moment generating function of superlattice avalanche photodiodes as a basis for accurate optical receiver performance evaluation J p118
Fyath, R.S., and O'Reilly, J.J. Performance of optically preamplified direct detection receivers in presence of laser chirp: Part II: Near travelling-wave and Fabry-Perot amplifier cases J p256
Fyath, R.S., and O'Reilly, J.J. Performance of optically preamplified direct-detection receivers in the presence of laser chirp. Part 1: Ideal travelling-wave amplifier J p249
Fyath, R.S., da Silva, H.J.A., and O'Reilly, J.J. see da Silva, H.J.A.

G

Galanos, G.D., and Alexandridis, A.T. see Alexandridis, A.T.
Galloway, S.J., Arkell, C.A., Parsons, E.B., Woodcock, B.G., and Woolmer, D.E. see Arkell, C.A.
Gao, B., and Chen, Z. see Chen, Z.
Garrett, I., and Jacobsen, G. Phase noise in weakly coherent systems J p159
Gary, C., Drăgan, G., and Lungu, I. Several physical characteristics of impulse-corona discharge around conductors. Part 2: Onset voltage and delay time of corona discharge A p197
Gary, C., Drăgan, G., Lungu, I., and Colteanu, M. Several physical characteristics of impluse-corona discharge around conductors. Part 1: Streamer length and speed (discrete character of discharge) A p191
Gatenby, P.V. Broadband integrating Bragg cell receiver for electronic support measures F p63
Gater, C., Mackie, R.D.L., and Jordan, J.R. Fault-tolerant loops for distributed measurement systems E p485
Gazey, B.K., Badar, A.H., Maclean, T.S.M., Miller, J.F., and Ghafoori-Shiraz, H. see Badar, A.H.
Gemikonakli, O., and Aghvami, A.H. Impact of non-Gaussian noise on the performance of M-ary CPSK signalling transmitted through two-link nonlinear channels I p328
Gemikonakli, O., and Aghvami, A.H. M-ary CPSK transmission through a two-link bandlimited nonlinear satellite channel using an RF lineariser I p291
Gerard, H., Crosnier, Y., and Salmer, G. see Crosnier, Y.
Gergely, S., Walton, C., and Economides, A.P. Measurement of unipolar paced-evoked potentials A p202
Geyi, Wen, Xueguan, Liu, and Wanchun, Wu Solution of the characteristic impedance of an arbitrarily shaped TEM transmission line using

complex variable boundary element method (CVBEM) H p73
Gfoller, F.R. Gbit/s serialiser/deserialiser subsystem for GaAs large-scale optoelectronic integration G p221
Ghafoor, A., and Singh, A. Systolic architecture for finite field exponentiation E p465
Ghafoori-Shiraz, H., Badar, A.H., Maclean, T.S.M., Gazey, B.K., and Miller, J.F. see Badar, A.H.
Ghani, M.R. Ab., and Hindi, K.S. see Hindi, K.S.
Gherardelli, M., Fossi, M., and Giuli, D. see Fossi, M.
Ghosh, A., and Paparao, P. see Paparao, P.
Gilleron, M., Devoldere, P., Paraskevopoulos, A., Slempkes, S., Rose, B., and Robein, D. see Devoldere, P.
Giuli, D., Fossi, M., and Gherardelli, M. see Fossi, M.
Glew, R., Thorn, A.P., and Klipstein, P.C. see Thorn, A.P.
Gluskin, E. Discussion of the voltage/current characteristic of a fluorescent lamp A p229
Gönen, T., and Ramirez-Rosado, I.J. Review of distribution system planning models: a model for optimal multistage planning C p413
Goel, A.K., and Huang, Y.R. Modelling of crosstalk among the GaAs-based VLSI interconnections G p361
Goldfinch, J., Duller, A.W.G., Storer, R.H., Thomson, A.R., Dagless, E.L., Pout, M.R., and Marriot, A.P. see Duller, A.W.G.
Gomes, N.J., and Seeds, A.J. Tunnelling metal-semiconductor contact optically pumped mixer J p88
Gomez-Martin, R., Khouri-Ibrahim, S.Al, Muñoz-Delgado, F.J., and Ramirez-Gonzalez, V. see Khouri-Ibrahim, S.Al
Goodyear, C.C., Rahim, M., and Hughes, P.M. see Rahim, M.
Goodyear, C.C., and Breen, A.P. see Breen, A.P.
Gorton, I., Kerridge, J., and Jervis, B. Simulating microprocessor systems using occam and a network of transputers E p22
Goto, N., Hirokawa, J., and Arai, H. see Hirokawa, J.
Goto, T., Fujinaka, M., Ishida, T., Tabei, K., and Maehara, T. see Fujinaka, M.
Goutis, C.E., and Maras, A.M. see Maras, A.M.
Gouy, J.P., Ramdani, J., Decoster, D., Vilcot, J.P., and Razeghi, M. see Ramdani, J.
Granelli, G.P., Marannino, P., Montagna, M., and Silvestri, A. Fast and efficient gradient projection algorithm for dynamic generation dispatching C p295
Grant, P.M., Gu, Z.Q., Duncan, C.N., Renshaw, E., Mugglestone, M.A., and Cowan, C.F.N. see Gu, Z.Q.
Grantham, C., Sutanto, D., and Mismail, B. Steady-state and transient analysis of self-excited induction generators B p61
Gras, L.C.J.M., and Nijmeijer, H. Decoupling in nonlinear systems: from linearity to nonlinearity D p53
Green, A.W., and Boys, J.T. see Boys, J.T.
Green, A.W., and Boys, J.T. Hysteresis current-forced three-phase voltage-sourced reversible rectifier B p113
Green, R.J., and McNeill, M.G. Bootstrap transimpedance amplifier: a new configuration G p57
Green, T.C., and Williams, B.W. Derivation of motor line-current waveforms from the DC-link current of an inverter B p196
Gregoretti, F., Del Corso, D., Civera, P., Maddaleno, F., Conte, G., Zamboni, M., and Pasero, E. see Del Corso, D.
Griffiths, H.D., and Khan, M.R. Antenna beam steering technique using dielectric wedges H p126
Grimble, M.J. Generalised H_∞ multivariable controllers D p285
Grimble, M.J. Predictive H_∞ model reference optimal control law for SIMO systems D p273
Grossprietsch, K.E. Architectures for testability and fault tolerance in content-addressable systems E p366
Group I, COST 216, Working Comparison of different modelling techniques for longitudinally invariant integrated optical waveguides J p273
Gu, Z.Q., Duncan, C.N., Renshaw, E., Mugglestone, M.A., Cowan, C.F.N., and Grant, P.M. Comparison of techniques for measuring cloud texture in remotely sensed satellite meteorological image data F p236
Güttich, U., Freyer, J., Wenger, J., and Zhang, X. see Freyer, J.
Guissard, A. Electromagnetism and semantics A d257
Gulliver, T.A., Wang, Q., Bhargava, V.K., and Felstead, E.B. see Wang, Q.
Gupta, B., Malaiya, Y.K., Min, Y., and Rajsuman, R. On designing robust testable CMOS combinational circuits E p329
Gupta, Bidyut, Min, Yinghua, and Malaiya, Yashwant K. see Min, Yinghua
Gupta, H.O., Desai, B.T., and Vasantha, M.K. see Desai, B.T.
Gupta, M.M., Mori, T., Nikiforuk, P.N., and Hori, N. see Mori, T.
Gupta, M.N., and Arora, R.K. see Arora, R.K.
Guy, D.R.P., Besgrove, D.D., Taylor, L.L., Apsley, N., and Bass, S.J. Experimental study of InGaAs–InP MQW electro-absorption modulators J p46 J e158

H

Hadidi, A., and Hamid, M. Aperture field and circuit parameters of a cavity-backed slot radiator H p139
Halkias, G. Analysis and understanding of GaAs MESFET behaviour in power amplification G e156
Hall, P.S. Application of sequential feeding to wide bandwidth, circularly polarised microstrip patch arrays H p390
Hall, P.S., Dahele, J.S., and James, J.R. Design principles of sequentially fed, wide bandwidth circularly polarised microstrip antennas H p381
Hall, R.C., and Mosig, J.R. Vertical monopoles embedded in a dielectric substrate H p462
Hamdan, A.M.A., Hamdan, H.M.A., and Kahhaleh, B. see Hamdan, H.M.A.
Hamdan, H.M.A., Hamdan, A.M.A., and Kahhaleh, B. Damping of power system oscillations by excitation control using a current feedback signal C p137
Hamid, M., and Elsherbeni, A.Z. see Elsherbeni, A.Z.
Hamid, M., and Hadidi, A. see Hadidi, A.
Hammond, P. Upper and lower bounds in eddy-current calculations A p207
Hang, C.C., Lim, K.W., and Lee, C.H. see Lim, K.W.
Haque, M.H., and Rahim, A.H.M.A. Determination of first swing stability limit of multimachine power systems through Taylor series expansions C p373
Hari, K.V.S., and Rao, B.D. see Rao, B.D.
Harmer, D., Stansfield, E.V., and Kerrigan, M.F. see Stansfield, E.V.
Harris, S.E. Symmetry of electromagnetism A d100
Hassapis, G.D. Availability analysis of a certain class of distributed computer systems under the influence of hardware and software faults E p524
Hata, Y., Ikeura, K., Morita, T., and Abo, T. Engine control system using a cylinder pressure sensor D p84
Hau, S.F., Clark, A.P., and Abdullah, S.N. see Clark, A.P.
Hawary, M.E., and Ravindranath, K.M. correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems C p315
Hawkes, H.W. Study of adjacent channel AM interference suppression I p338 I e338
Hawkins, G.J., and Edwards, D.J. Operational analysis of electronic tracking schemes I p181
Heeralall, S., and Hughes, C.J. High capacity cellular patterns for land mobile radio systems using directional antennas I p75
Helbig, W., Milutinović, V., and Bettinger, M. see Milutinović, V.
Helszajn, J. Edge mode effect in the operations of waveguide twin-slab ferrite phase shifter H p257
Hempstead, C.A. The early years of oceanic telegraphy: technology, science and politics A p297
Henderson, A., James, J.R., Newham, P., and Morris, G. Analysis of gating errors in time domain antenna measurements H p311
Henkel, W. Another description of the Berlekamp-Massey algorithm I p197
Henry, W.M., and Love, J.D. Spot size variation in non-adiabatic single-mode fibre tapers J p219
Herd, J.T., Duffy, N., and Allan, D. see Duffy, N.
Heron, M.L., and Hughes, R.D. see Hughes, R.D.
Hershey, J.E., and Yarlagadda, R. see Yarlagadda, R.
Hewson, D.P., and El-Moussaoui, A. see El-Moussaoui, A.
Hewson-Browne, .C., Kendall, P.C., and Quinney, D.A. Roughness scattering into substrate radiation modes of rib waveguides J p281
Hicks, P.J., Tsalides, Ph., and York, T.A. see Tsalides, Ph.
Hilberg, W. Neural networks and conditional association networks: common properties and differences E p343
Hillen, S., and Murgatroyd, P.N. see Murgatroyd, P.N.
Hilton, J., Bishay, S., and Cornbleet, S. see Bishay, S.
Himonas, S.D., Barkat, M., and Varshney, P.K. see Barkat, M.
Hindi, K.S., and Ghani, M.R. Ab. Multiperiod secure economic dispatch for large-scale power systems C p130
Hindy, M.A. Optimisation and regularisation in microwave diagnostics of semiconductors having smooth and unsmooth functions H p293
Hirokawa, J., Arai, H., and Goto, N. Cavity-backed wide slot antenna H p29
Hirose, K., Nakano, H., Suzuki, T., Kerner, S.R., and Alexopoulos, N.G. see Nakano, H.
Hix, E.G., and El-Masry, E.I. see El-Masry, E.I.
Hiyama, T. Application of rule-base stabilising controller to electrical power system C p175
Ho, K.L., and Chan, S.C. see Chan, S.C.
Ho, S.C., Hong, C.G., and Hwang, G.J. Transient and steady-state performance of a squirrel-cage induction motor B p136
Ho, W.P.-C., Wu, J.-G., Hu, Y.H., and Yun, D.Y.Y. see Wu, J.-G.
Hoctor, R.T., Ji, C., and Kassam, S.A. see Ji, C.
Hogg, B.W., Ibrahim, A.S., and Sharaf, M.M. see Ibrahim, A.S.
Hogg, B.W., and Chawdhry, P.K. see Chawdhry, P.K.
Hogg, B.W., and Swidenbank, E. see Swidenbank, E.
Holloway, D.S., and Steele, D.J. see Steele, D.J.
Holt, A.G.J., and Boussakta, S. see Boussakta, S.
Honary, B., Bate, S.D., and Farrell, P.G. see Bate, S.D.
Honary, B., Zolghadr, F., and Darnell, M. see Zolghadr, F.
Hong, C.G., Ho, S.C., and Hwang, G.J. see Ho, S.C.
Hong, D., and Rappaport, S.S. Priority oriented channel access for cellular systems serving vertical and portable radio telephones I p339
Hong, Jia-Sheng Design of E-plane filters made easy H p215
Hooper, R.C. Optimum equalisers for binary digital transmission systems and their application to optical receivers J p137
Hori, N., Mori, T., Nikiforuk, P.N., and Gupta, M.M. see Mori, T.
Horne, N.W. Address as Chairman of the IEE Computing and Control Division: Changes of light E p1
Horno, M., and Boix, R.R. see Boix, R.R.
Hosticka, B., and Rothermel, A. see Rothermel, A.
Hsieh, C.-S., and Hwang, C. Model reduction of continuous-time systems using a modified Routh approximation method D p151
Hsieh, C.H., Lu, P.C., and Liou, W.G. Adaptive predictive image coding using local characteristics I p385
Hsu, Y.-Y., and Wang, L. Modal control of an HV DC system for the damping of subsynchronous oscillations C p78
Hu, Y.H., Wu, J.-G., Ho, W.P.-C., and Yun, D.Y.Y. see Wu, J.-G.
Huang, Y.R., and Goel, A.K. see Goel, A.K.
Huertas, J.L., and Quintana, J.M. Efficiency of state assignment methods for PLA-based sequential circuits E p247
Huey, H.E., Sun, J., Reed, I.S., and Truong, T.K. see Sun, J.
Hughes, C.J., and Heeralall, S. see Heeralall, S.
Hughes, P.M., Rahim, M., and Goodyear, C.C. see Rahim, M.
Hughes, R.D., and Heron, M.L. Approximate Fourier transform using square waves A p223
Huh, K.M., and Bien, Z. see Bien, Z.
Hume, A.L., and Auchterlonie, L.J. Detailed measurement of scattering by a spheroidal particle having varying proportions of ice and water H p351
Humpage, W.D., and Nguyen, T.T. see Nguyen, T.T.
Humphrey, A. New ticketing system for the London Underground A d59
Hurley, W.G., Wilcox, D.J., and Conlon, M. see Wilcox, D.J.
Hurst, S.L. Use of linearisation and spectral techniques in input and output compaction testing of digital networks E p48
Hwang, C., and Hsieh, C.-S. see Hsieh, C.-S.
Hwang, C.-L., and Chen, B.-S. Model reference adaptive control via the minimisation of output error and weighting control input D p231
Hwang, G.J., Ho, S.C., and Hong, C.G. see Ho, S.C.

I

Ibrahim, A.S., Hogg, B.W., and Sharaf, M.M. Self-tuning automatic voltage regulators for a synchronous generator D p252
Ibrahim, A.S., Hogg, B.W., and Sharaf, M.M. Self-tuning controllers for turbogenerator excitation and governing systems D p238
Ikeura, K., Hata, Y., Morita, T., and Abo, T. see Hata, Y.
Iliev, V., Diay, S.S., McLauchlan, M.R., Koelmans, A.M., and Kinniment, D.J. Advanced VLSI validated input security device employing data and hardware validation features E p471
Ishida, T., Fujinaka, M., Goto, T., Tabei, K., and Maehara, T. see Fujinaka, M.
Ishizaka, K., and Itoh, R. see Itoh, R.
Itoh, R. Method of reducing computation in the analysis of PWM current-source GTO convertor B p105
Itoh, R. Stability of induction motor drive controlled by current-source inverter B p83
Itoh, R. Steady-state and transient characteristics of a single-way step-down PWM GTO voltage-source convertor with sinusoidal supply currents B p168
Itoh, R., and Ishizaka, K. Single-phase sinusoidal convertor using MOSFETs B p237
Iuculano, G., Filicori, F., Menchetti, A., and Mirri, D. see Filicori, F.

Ivančić, V., and Švedek, T. see Švedek, T.

J

Jabbour, K., Dowd, P.W., and Dowd, M. see Dowd, P.W.
Jabbour, K., and Vega-Riveros, J.F. see Vega-Riveros, J.F.
Jack, A.G., Mecrow, B.C., and Cross, C.S. see Mecrow, B.C.
Jack, A.G., Meng, L.G., and Bedford, T.J. Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current C p206
Jack, M.A., McInnes, F.R., and Laver, J. see McInnes, F.R.
Jacobs, O.L.R. Cost of uncertainty about controlled objects D p177
Jacobs, P. Electromagnetism and semantics A d259
Jacobsen, G., and Garrett, I. see Garrett, I.
James, G.L. Propagation and radiation from partly filled elliptical wave guide H p195
James, J.R. Address as Chairman of the IEE Electronics Division: Magical microwaves; the exploitation of the century H p1
James, J.R., Hall, P.S., and Dahele, J.S. see Hall, P.S.
James, J.R., Henderson, A., Newham, P., and Morris, G. see Henderson, A.
Jamieson, R.D., Bodger, M.P., Bodger, P.S., and Baran, D. Transfection by electroporation: cell gene transfer using electrical impulses, a new process in blood cancer research A p41
Janssen, A.L.J., van den Heuvel, W.M.C., and Damstra, G.C. see van den Heuvel, W.M.C.
Jasmon, G.B., Azit, A.H., and Sairan, S.B. Feeder load analysis for utility demand side management C p303
Jasmon, G.B., and Mohamed, A. see Mohamed, A.
Jazdzynski, W. Multicriterial optimisation of squirrel-cage induction motor design B p299
Jen, C.-W., and Liu, C.-M. see Liu, C.-M.
Jervis, B., Gorton, I., and Kerridge, J. see Gorton, I.
Jesshope, C.R., and Yantchev, J. see Yantchev, J.
Ji, C., Hoctor, R.T., and Kassam, S.A. Elliptical boundary arrays for coherent and incoherent imaging F p210
Jin, J.-M., and Liepa, V.V. Simple moment method program for computing scattering from complex cylindrical obstacles H p321
Johnston, J.A. Wigner distribution and FM radar signal design F p81
Johnstone, A.I.C., and Davies, E.R. see Davies, E.R.
Jones, B.L., Al Zahawi, B.A.T., and Drury, W. see Al Zahawi, B.A.T.
Jones, K.J. 2D systolic solution to discrete Fourier transform E p211
Jones, P.L., and Choy, C.S. see Choy, C.S.
Jordan, J.R., Gater, C., and Mackie, R.D.L. see Gater, C.
Jordan, J.R., and Stevenson, J.T.M. see Stevenson, J.T.M.
Joubert, J., and McNamara, D.A. Dyadic Green's function of electric type for inhomogeneously loaded rectangular waveguides H p469
Jovanović, V., Rabrenović, D., and Lutovac, M. see Rabrenović, D.
Jun, Y.-H., Lee, C.-W., Lee, K.-J., and Park, S.-B. Timing simulator by waveform relaxation considering the feedback effect G p38

K

Kaczmarski, P., Van de Capelle, J.-P., Lagasse, P.E., and Meynart, R. Design of an integrated electro-optic switch in organic polymers J p152
Kahhaleh, B., Hamdan, H.M.A., and Hamdan, A.M.A. see Hamdan, H.M.A.
Kanda, Taki, Nagashima, Yuji, and Nagashima, Hideyo see Nagashima, Yuji
Kanellakis, A.J., Paraskevopoulos, P.N., Theodorou, N.J., and Varoufakis, S.J. On the canonical state-space realisation of 3-D discrete systems G p19
Karpovsky, M., and Damarla, T. see Damarla, T.
Kassam, S.A., Ji, C., and Hoctor, R.T. see Ji, C.
Kaźmierkowski, M.P., and Nilsen, R. see Nilsen, R.
Kaźmierski, M., Krakowski, M.R., and Kersz, I. see Krakowski, M.R.
Kazimierczuk, M.K. Analysis and design of buck/boost zero-voltage switching resonant DC/DC convertor G p157
Kazimierczuk, M.K. Analysis of buck/boost zero-current-switching resonant DC/DC convertor B p127
Kazimierczuk, M.K. Class E low dv_D/dt rectifier B p277
Kendall, P.C., Benson, T.M., Stern, M.S., and Quinney, D.A. see Benson, T.M.
Kendall, P.C., Hewson-Browne, .C., and Quinney, D.A. see Hewson-Browne, .C.
Kenington, P.B., Edwards, D.J., and McGeehan, J.P. Receivers for an electronic 'beam-squint' tracking system I p305
Kerner, S.R., Nakano, H., Hirose, K., Suzuki, T., and Alexopoulos, N.G. see Nakano, H.
Kerridge, J., Gorton, I., and Jervis, B. see Gorton, I.
Kerrigan, M.F., Stansfield, E.V., and Harmer, D. see Stansfield, E.V.
Kersz, I., Krakowski, M.R., and Kaźmierski, M. see Krakowski, M.R.
Keys, R.W., Loni, A., De La Rue, R.M., Foad, M.A., and Winfield, J.M. see Loni, A.
Khan, E., Billinton, R., and Agarwal, S.K. see Billinton, R.
Khan, M.R., and Griffiths, H.D. see Griffiths, H.D.
Kheirallah, N.H., Rashwan, H.M., and Aboul-Saoud, A.K. Refractive multipath ray tracing model H p175
Khouri-Ibrahim, S.Al, Gomez-Martin, R., Muñoz-Delgado, F.J., and Ramirez-Gonzalez, V. Extraction of the poles of noisy rational signals by the continuation method F p57
Kikuma, N., and Takao, K. Broadband and robust adaptive antenna under correlation constraint H p85
Kilberg, S.M., Ricoy, M.A., and Volakis, J.L. see Ricoy, M.A.
Kildal, P.-S. Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas H p424
Kildal, P.-S. Laws of geometrical optics mapping in multi-reflector antennas with application to elliptical apertures H p445
Kim, S.W. Frequency-hopping multiple-access communications with concatenated diversity/Reed-Solomon coding I p81
Kinniment, D.J. Pseudoanalogue operation in digital circuits G p150
Kinniment, D.J., Iliev, V., Day, S.S., McLauchlan, M.R., and Koelmans, A.M. see Iliev, V.
Kishk, A.A. Simple primary focus feeds for deep reflectors H p169
Klemm, R., and Ender, J. see Ender, J.
Klipstein, P.C., Thorn, A.P., and Glew, R. see Thorn, A.P.
Ko, C.C. Broadband power inversion array with maximally flat response at null directions F p161
Ko, C.C. Simplified Gram–Schmidt preprocessor for broadband tapped delay-line adaptive array G p141
Koelmans, A.M., Iliev, V., Day, S.S., McLauchlan, M.R., and Kinniment, D.J. see Iliev, V.
Kooi, P.S., Leong, M.S., Chandra, ., and Yeo, T.S. see Leong, M.S.
Koopmans, G., van de Wiel, G.M.L.M., van Loon, L.J.M., and Palland, C.L. Soil physical route survey and cable thermal design procedure C p341
Korn, I. GMSK with limiter discriminator integrator detection in satellite mobile channel I p361
Korn, J. Systems and design as the basis of engineering knowledge A p87
Kostić, I.M. Pseudo error rate of a PSK system with hardware imperfections, noise and cochannel interference I p333
Kothari, D.P., Nanda, J., and Srivastava, S.C. see Nanda, J.
Kouvaritakis, B., and Rossiter, J.A. Multivariable Nyquist self-tuning: a general approach D p189
Kouvatsos, D.D., and Othman, A.T. Optimal flow control of end-to-end packet-switched network with random routing E p90
Krakowski, M.R. On certain properties of the electric vector potential in eddy-current problems. Part 2 A d255
Krakowski, M.R., Kaźmierski, M., and Kersz, I. Effect of current distribution in parallel bars on electromagnetic field at nearby steel wall B p161
Kuiper, J., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., and Boone, W. see Broughton, R.C.
Kumar, R. Fast frequency acquisition via adaptive least-squares algorithm F p155
Kuo, C.-T., and Chen, B.-S. see Chen, B.-S.
Kuribara, M., and Kurono, M. Passive optical multipoint sensing system for voltage measurement J p315
Kurono, M., and Kuribara, M. see Kuribara, M.
Kwan, H.K., and Chan, C.L. see Chan, C.L.
Kwan, H.K., and Chan, C.L. Circularly symmetric two-dimensional multiplierless FIR digital filter design using an enhanced McClellan transformation G p129
Kwok, H.L. Contact resistance measurements of a MOSFET G p138
Kwong, C.P. Performance and design of the dual sign algorithm with correlated input data F p269

L

Lagasse, P.E., Kaczmarski, P., Van de Capelle, J.-P., and Meynart, R. see Kaczmarski, P.
Lala, P.K., and Shen, S. Systematic procedure for test generation of PAL-based circuits E p142
Lambert, S., and Baker, D.C. see Baker, D.C.
Laroia, R., Drews, W., Pandel, J., Schumacher, A., and Stölzle, A. see Drews, W.
Lau, A.K.K., Parini, C.G, and Clarricoats, P.J.B see Parini, C.G
Laver, J., McInnes, F.R., and Jack, M.A. see McInnes, F.R.
Laverty, S.J., and Barr, D.A. see Barr, D.A.
Lawson, P.R., and Ediss, G.A. see Ediss, G.A.
Lawson, S.S., and Mirzai, A.R. Improved 2-port systolic adaptor for wave digital filters G p121
Le-Ngoc, T., and Shayan, Y.R. see Shayan, Y.R.
Le Guennec, L., Mercier, G., Bigorgne, D., Miclet, L., and Querre, M. see Mercier, G.
Lee, C.-W., Jun, Y.-H., Lee, K.-J., and Park, S.-B. see Jun, Y.-H.
Lee, C.H., Lim, K.W., and Hang, C.C. see Lim, K.W.
Lee, H.J.J., Ahmadi, M., Shridhar, M., and Ramachandran, V. see Ahmadi, M.
Lee, J.-H., and Wu, J.-F. Adaptive beam forming without signal cancellation in the presence of coherent jammers F p169
Lee, K.-J., Jun, Y.-H., Lee, C.-W., and Park, S.-B. see Jun, Y.-H.
Lee, L.S., and Nowrouzian, B. see Nowrouzian, B.
Leite da Silva, A.M., Do Coutto Filho, M.B., Calvo Cantera, J.M.C., and da Silva, R.A. see Do Coutto Filho, M.B.
Leong, M.S., Kooi, P.S., Chandra, ., and Yeo, T.S. Theoretical and experimental investigations of two-dimensional waveguide-excited short backfire antenna structure H p263
Levanon, N. Interferometry against differential Doppler: performance comparison of two emitter location airborne systems F p70
Leviatan, Y., and Eisler, S. see Eisler, S.
Li, Gang, and Yu, Kai-Bor Modelling and simulation of coherent Weibull clutter F p2
Li, H.F., and Morin, L. see Morin, L.
Li, Y.-Y., and Cai, X.-D. see Cai, X.-D.
Liepa, V.V., and Jin, J.-M. see Jin, J.-M.
Lim, K.W., Hang, C.C., and Lee, C.H. Self-tuning control in the presence of periodic disturbance D p98
Lim, T.C., Soh, C.B., and Lim, Y.H. see Soh, C.B.
Lim, Y.H., Soh, C.B., and Lim, T.C. see Soh, C.B.
Lin, C., and Qishan, G. see Qishan, G.
Lindell, I.V., and Oksanen, M.I. see Oksanen, M.I.
Linkens, D.A., and Mansour, N.E. see Mansour, N.E.
Liou, W.G., Hsieh, C.H., and Lu, P.C. see Hsieh, C.H.
Liu, C.-M., and Jen, C.-W. Design of algorithm-based fault-tolerant VLSI array processor E p539
Liu, G.-S., and Chen, H.-H. Parallel merge module for combining sorted lists E p161
Lo, K.W., and Vu, T.B. Directional constrained adaptive array using symmetric amplitude control H p90
Lobos, T. Nonrecursive methods for real-time determination of basic waveforms of voltages and currents C p347
Lockhart, G.B., and Al-Jalili, Y.O. see Al-Jalili, Y.O.
Longo, M., Conte, E., and Lops, M. see Conte, E.
Loni, A., Keys, R.W., De La Rue, R.M., Foad, M.A., and Winfield, J.M. Optical characterisation of Z-cut proton-exchanged $LiNbO_3$ waveguides fabricated using orthophosphoric and pyrophosphoric acid J p297
Lops, M., Conte, E., and Longo, M. see Conte, E.
Lops, M., and Orsini, M. Scan-by-scan averaging CFAR I p249
Love, J.D. Application of a low-loss criterion to optical waveguides and devices J p225
Love, J.D., and Henry, W.M. see Henry, W.M.
Lowery, A.J. Modelling spectral effects of dynamic saturation in semiconductor laser amplifiers using the transmission-line laser model J p320
Lowery, A.J. New dynamic multimode model for external cavity semiconductor lasers J p229
Lowery, A.J. New time-domain model for active mode locking, based on the transmission line laser model J p264
Lowery, A.J. Pulse compression mechanisms in semiconductor laser amplifiers J p141
Lu, F.-S. Optimisation of quantisation based on rth-power distortion measures F p276
Lu, P.C., Hsieh, C.H., and Liou, W.G. see Hsieh, C.H.
Luk, K.M., Tam, W.T., and Yip, C.L. Analysis of circular microstrip antennas with superstrate H p261
Lung, K.W., Selviah, D.R., Midwinter, J.E., and Rivers, A.W. see Selviah, D.R.
Lungu, I., Gary, C., Drăgan, G., and Colteanu, M. see Gary, C.
Lungu, I., Gary, C., and Drăgan, G. see Gary, C.
Luo, Jhy-Ming, Osiński, M., and McInerney, J.G. Side-mode injection locking of semiconductor lasers J p33
Lutovac, M., Rabrenović, D., and Jovanović, V. see Rabrenović, D.
Luttrell, S.P. Hierarchical vector quantisation I p405
Luttrell, S.P., and Pritchard, J.A.S. Rapid acquisition of low signal-to-noise carriers I p100
Lynch, A.C. Silvanus Thompson: teacher, researcher, historian A p306
Lynch, A.C., and Daum, W. see Daum, W.

M

Mackie, R.D.L., Gater, C., and Jordan, J.R. see Gater, C.

Maclean, T.S.M., Badar, A.H., Gazey, B.K., Miller, J.F., and Ghafoori-Shiraz, H. see Badar, A.H.
Maddaleno, F., Del Corso, D., Civera, P., Gregoretti, F., Conte, G., Zamboni, M., and Pasero, E. see Del Corso, D.
Madisetti, V., Brand, G., and Messerschmitt, D.G. see Brand, G.
Madjar, A., Dreifuss, J., and Bar-Lev, A. see Dreifuss, J.
Maehara, T., Fujinaka, M., Goto, T., Ishida, T., and Tabei, K. see Fujinaka, M.
Maghsoodi, Y. Design and computation of near-optimal stable observers for bilinear systems D p127
Mahieddine, F., and Morris, A.S. Decoupling multivariable self-tuning controller for varying time delays D p209
Mahmoud, M.S., Bahnasawi, A.A., and Al-Fuhaid, A.S. see Bahnasawi, A.A.
Makin, B. Address as the Chairman of the IEE Science, education and Technology Division: SET for Europe; discovering tomorrow's challenge A p16
Malaiya, Y.K., Gupta, B., Min, Y., and Rajsuman, R. see Gupta, B.
Malaiya, Yashwant K., Min, Yinghua, and Gupta, Bidyut see Min, Yinghua
Mallecot, F., Vinchant, J.F., Decoster, D., and Vilcot, J.P. see Vinchant, J.F.
Mansour, N.E., and Linkens, D.A. Pole-assignment self-tuning control of blood pressure in postoperative patients: a simulation study D p1
Marannino, P., Granelli, G.P., Montagna, M., and Silvestri, A. see Granelli, G.P.
Maras, A.M., and Goutis, C.E. Performance of optimum threshold incoherent diversity in non-Gaussian noise and fading I p233
Mardia, H.K. New technique for the deinterleaving of repetitive sequences F p149
Maria, G. De, and Celentano, G. see Celentano, G.
Mariani, J.J. Hamlet: a prototype of a voice-activated typewriter I p162
Markham, K.C. Comparison of segmentation processes for object acquisition in infrared images F p13
Marlow, S., and Buggy, B. Classified vector excitation speech coding I p325
Marougi, S.D., and Abdulaziz, N.K. see Abdulaziz, N.K.
Marriot, A.P., Duller, A.W.G., Storer, R.H., Thomson, A.R., Dagless, E.L., Pout, M.R., and Goldfinch, J. see Duller, A.W.G.
Marsh, J.F. Structure of measurement Jacobian matrices for power systems C p407
Martín, E., Sanchéz, M.C., and Zamarro, J.M. see Sanchéz, M.C.
Martino, S., Corsi, F., Muschitiello, M., Stucchi, M., and Zanoni, E. see Corsi, F.
Massara, R.E., and Younis, A.T. see Younis, A.T.
Mathew, A.V., and Unnikrishnan, R. Novel approach to modelling series resonant convertors G p99
Mathiopoulos, P., Ohnishi, H., and Feher, K. Study of 1024-QAM system performance in the presence of filtering imperfections I p175
Mathony, H.-J. Universal logic design algorithm and its application to the synthesis of two-level switching circuits E p171
Mavor, J., Chen, W., Denyer, P.B., and Renshaw, D. see Chen, W.
Mazi, A.A., and Elrazaz, Z.S. see Elrazaz, Z.S.
McCall, M.W., and Shore, K.A. see Shore, K.A.
McCormick, A.H.I., and Sangster, A.J. see Sangster, A.J.
McCrirrick, T.B. President's Inaugural Address: Colour Television; yesterday, today and tomorrow A p1
McDonald, A.J., Fyath, R.S., and O'Reilly, J.J. see Fyath, R.S.
McGeehan, J.P., Kenington, P.B., and Edwards, D.J. see Kenington, P.B.
McInerney, J.G., Luo, Jhy-Ming, and Osiński, M. see Luo, Jhy-Ming
McInnes, F.R., Jack, M.A., and Laver, J. Template adaptation in an isolated word-recognition system I p119
McLauchlan, M.R., Iliev, V., Diay, S.S., Koelmans, A.M., and Kinniment, D.J. see Iliev, V.
McNab, A., and Young, H.S. Knowledge-based approach to the formulation of ultrasonic nondestructive testing procedures A p134
McNamara, D.A. Generalised Villeneuve ñ distribution H p245
McNamara, D.A., and Joubert, J. see Joubert, J.
McNeill, M.G., and Green, R.J. see Green, R.J.
McQuarrie, A.M., Carter, A.J., Thomas, B., Morgan, D.V., Bhardwaj, J.K., and Stephens, M.A. see Carter, A.J.
McWhirter, J.G., and Shepherd, T.J. Systolic array processor for MVDR beamforming F p75
Mecrow, B.C., Jack, A.G., and Cross, C.S. Electromagnetic design of turbogenerator stator end regions C p361
Medina, A., Acha, E., Arrillaga, J., and Semlyen, A. see Acha, E.
Mehler, M.J., and Parkinson, J.R. see Parkinson, J.R.
Mehler, M.J., and Sharples, P.A. see Sharples, P.A.
Mellitt, B., Taufiq, J.A., and Xiaoping, J. see Taufiq, J.A.
Mellitt, B., Taufiq, J.A., and Xiaoping, J. Input impedance of chopper equipment and its significance in low-frequency track circuits B p37
Menchetti, A., Filicori, F., Iuculano, G., and Mirri, D. see Filicori, F.
Meng, L.G., Jack, A.G., and Bedford, T.J. see Jack, A.G.
Mercier, G., Bigorgne, D., Miclet, L., Le Guennec, L., and Querre, M. Recognition of speaker-dependent continuous speech with KEAL I p145
Messerschmitt, D.G., Brand, G., and Madisetti, V. see Brand, G.
Mestha, L.K., and Evans, P.D. Analysis of on-state losses in PWM inverters B p189
Meynart, R., Kaczmarski, P., Van de Capelle, J.-P., and Lagasse, P.E. see Kaczmarski, P.
Miclet, L., Mercier, G., Bigorgne, D., Le Guennec, L., and Querre, M. see Mercier, G.
Midwinter, J.E., Selviah, D.R., Rivers, A.W., and Lung, K.W. see Selviah, D.R.
Mibirig, A.M., and Wyong, M.D. Transient stability analysis of multimachine power systems by catastrophe theory C p254
Miller, J.F., Badar, A.H., Maclean, T.S.M., Gazey, B.K., and Ghafoori-Shiraz, H. see Badar, A.H.
Millington, M.J., and Chung, P.S. see Chung, P.S.
Milutinović, V., Bettinger, M., and Helbig, W. Impact of GaAs and Si technologies on adder characteristics E p217
Min, Y., Gupta, B., Malaiya, Y.K., and Rajsuman, R. see Gupta, B.
Min, Yinghua, Malaiya, Yashwant K., and Gupta, Bidyut Computational complexity of test generationfor ETG PLAs E p107
Mirri, D., Filicori, F., Iuculano, G., and Menchetti, A. see Filicori, F.
Mirzai, A.R., and Lawson, S.S. see Lawson, S.S.
Mismail, B., Grantham, C., and Sutanto, D. see Grantham, C.
Mitchell, C., and Selby, A. see Selby, A.
Miyazawa, S., and Nakamura, F. New cycloconvertor with static induction transistors B p293
Mizuta, S., Ariki, Y., Nagata, M., and Sakai, T. see Ariki, Y.
Mohamed, A., and Jasmon, G.B. Voltage contingency selection technique for security assessment C p24
Mohanty, B.P., and Todd, T.D. Dynamic single-connection channel access in multichannel networks E p76
Montagna, M., Granelli, G.P., Marannino, P., and Silvestri, A. see Granelli, G.P.
Morcos, M., and Anis, H. Random energisation transients in EHV systems C p325
Morgan, D.V., Carter, A.J., Thomas, B., Bhardwaj, J.K., McQuarrie, A.M., and Stephens, M.A. see Carter, A.J.
Mori, T., Nikiforuk, P.N., Gupta, M.M., and Hori, N. A class of discrete-time models for a continuous-time system D p79
Morin, L., and Li, H.F. Design of synchronisers: a review E p557
Morita, T., Hata, Y., Ikeura, K., and Abo, T. see Hata, Y.
Morris, A.S., and Mahieddine, F. see Mahieddine, F.
Morris, G., Henderson, A., James, J.R., and Newham, P. see Henderson, A.
Morrison, R.E., and Corcoran, J.C.W. Specification of an overvoltage damping filter for the National Railways of Zimbabwe B p249
Moruzzi, J.L., and Cunliffe, R. Low-cost optical alignment system A p45
Mosig, J.R., and Hall, R.C. see Hall, R.C.
Mourad, S., and Wang, L.T. see Wang, L.T.
Müller, N., and Quintana, V.H. Line and shunt switching to alleviate overloads and voltage violations in power networks C p246
Mugglestone, M.A., Gu, Z.Q., Duncan, C.N., Renshaw, E., Cowan, C.F.N., and Grant, P.M. see Gu, Z.Q.
Muñoz-Delgado, F.J., Khouri-Ibrahim, S.Al, Gomez-Martin, R., and Ramirez-Gonzalez, V. see Khouri-Ibrahim, S.Al
Muñoz-Rodríguez, D., and Cattermole, K.W. Code interleaving for high speed digital transmission I p71
Munro, N., Yang, T.-C., and Bramel'ar, A. see Yang, T.-C.
Murakami, K., Seki, K., and Shida, J. see Seki, K.
Murgatroyd, P.N. Calculation of proximity losses in multistranded conductor bunches A p115
Murgatroyd, P.N., and Belahrache, D. D-shaped toroidal cage inductors B p96
Murgatroyd, P.N., and Hillen, S. Minimum loss sections of flat conductors A p127
Musa, L., and Smith, M.S. Microstrip port design and sidewall absorption for printed Rotman lenses H p53
Muschitiello, M., Corsi, F., Martino, S., Stucchi, M., and Zanoni, E. see Corsi, F.

N

Nagashima, Hideyo, Nagashima, Yuji, and Kanda, Taki see Nagashima, Yuji
Nagashima, Yuji, Kanda, Taki, and Nagashima, Hideyo Improvement on Aberth's method for choosing initial approximations to zeros of polynomials E p101
Nagata, M., Ariki, Y., Mizuta, S., and Sakai, T. see Ariki, Y.
Naishadham, K. Computation of a branch-cut integral arising in transient electromagetic scattering by a perfectly conducting cylinder H p367
Nakamura, F., and Miyazawa, S. see Miyazawa, S.
Nakano, H., Hirose, K., Suzuki, T., Kerner, S.R., and Alexopoulos, N.G. Numerical analyses of printed line antennas H p98
Nakaoka, K. Experiments of circularly polarised printed slot array antenna H p70
Nanda, J., Kothari, D.P., and Srivastava, S.C. New optimal power-dispatch algorithm using Fletcher's quadratic programming method C p153
Naredo, J.L., and Soudack, A.C. Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines C p353
Narraway, J.J. Diagnosis of multiple bus faults E p29
Navarro, A., Ruiz, J., Núñez, M.J., Sánchez, M.C., and Zammaro, J.M. see Ruiz, J.
Nevels, R.D., and Wheeler, J.E. see Wheeler, J.E.
Newham, P. Coupling across gap in thick microstrip line H p64
Newham, P., Henderson, A., James, J.R., and Morris, G. see Henderson, A.
Nguyen, D.T., and Chua, K.C. see Chua, K.C.
Nguyen, T.T., and Humpage, W.D. TCR and SR compensators in composite electromagnetic transient simulation C p195
Nieznański, J. Maximum pulse-position and counting errors of binary rate multipliers E p296
Nijhuis, J.A.G., and Spaanenburg, L. Fault tolerance of neural associative memories E p389
Nijmeijer, H., and Gras, L.C.J.M. see Gras, L.C.J.M.
Nikiforuk, P.N., Mori, T., Gupta, M.M., and Hori, N. see Mori, T.
Nikolopoulos, P.N., and Topalis, F.V. Accurate method of representation of high-voltage measuring systems and its application in high-impulse-voltage measurements A p66
Nilsen, R., and Kaźmierkowski, M.P. Reduced-order observer with parameter adaption for fast rotor flux estimation in induction machines D p35
Nordeste, P.M.N., Diogo, J.M.B., Climaco, J.C.N., and Craveirinha, J.M.F. see Diogo, J.M.B.
Norriss, T.B., and Bodger, P.S. Ripple control signal interference due to a lightly loaded rural distribution line C p401
Nowrouzian, B., and Lee, L.S. Minimal multiplier realisation of bilinear-LDI digital allpass networks G p114
Núñez, M.J., Ruiz, J., Sánchez, M.C., Navarro, A., and Zammaro, J.M. see Ruiz, J.

O

O'Connor, R.E., and Fagan, A.D. see Fagan, A.D.
O'Reilly, J., and Owens, T.J. see Owens, T.J.
O'Reilly, J.J., Fyath, R.S., and McDonald, A.J. see Fyath, R.S.
O'Reilly, J.J., and Fyath, R.S. see Fyath, R.S.
O'Reilly, J.J., and Schumacher, K. see Schumacher, K.
O'Reilly, J.J., da Silva, H.J.A., and Fyath, R.S. see da Silva, H.J.A.
Oakes, F., and Watson, I.A. see Watson, I.A.
Ohnishi, H., Mathiopoulos, P., and Feher, K. see Mathiopoulos, P.
Oksanen, M.I. Space-harmonic analysis of multi-depth corrugated waveguides H p151
Oksanen, M.I., and Lindell, I.V. Complex-valued functionals in variational analysis of waveguides with impedance boundaries H p281
Oldfield, J.V., Ribeiro, J.C.D.F., Stormon, C.D., and Brule, M.R. see Ribeiro, J.C.D.F.
Oliver, A.J., Broughton, R.C., Soulsby, D.R., Stephenson, P.L., Boone, W., and Kuiper, J. see Broughton, R.C.
Olver, A.D. Millimetrewave systems — past, present and future F p35
Omani, F.K. Adaptive pole-polacement control with filtered states and steady-state disturbance rejection D p12
Omoigui, M.O., Auckland, D.W., and Shuttleworth, R. see Auckland, D.W.
Orlowska-Kowalska, T. Application of extended Luenberger observer for flux and rotor time-constant estimation in induction motor drives D p324
Ormondroyd, R.F., Pennington, P.N., and Perkins, M.C. Nonlinear static characteristics of monolithic active integrated-optic waveguides J p59
Orsini, M., and Lops, M. see Lops, M.
Osiński, M., Luo, Jhy-Ming, and McInerney, J.G. see Luo, Jhy-Ming
Othman, A.T., and Kouvatsos, D.D. see Kouvatsos, D.D.
Owens, T.J., and O'Reilly, J. Parametric state-feedback control for arbitrary eigenvalue assignment with minimum sensitivity D p307

P

Padfield(Air Com), F.C. Address as Chairman of the IEE Management and Design Division: Engineers in the front line A p8
Paithoonwattanakij, K., and Cracknell, A.P. see Cracknell, A.P.
Pal, N.R., and Pal, S.K. Object-background segmentation using new definitions of entropy E p284
Pal, S.K., and Pal, N.R. see Pal, N.R.
Palland, C.L., Koopmans, G., van de Wiel, G.M.L.M., and van Loon, L.J.M. see Koopmans, G.
Pan, C.-T., and Wang, S.-S. see Wang, S.-S.
Pan, J.S., and Chen, S.H. see Chen, S.H.
Pandel, J., Drews, W., Laroia, R., Schumacher, A., and Stölzle, A. see Drews, W.
Papananos, Y. Feasibility of analogue computation for image processing applications G p9
Paparao, P., and Ghosh, A. Split-step algorithm for matrix preconditioning and inversion on systolic arrays E p205
Paraskevopoulos, A., Devoldere, P., Gilleron, M., Slempkes, S., Rose, B., and Robein, D. see Devoldere, P.
Paraskevopoulos, P.N., Antoniou, G.E., and Varoufakis, S.J. see Antoniou, G.E.
Paraskevopoulos, P.N., Kanellakis, A.J., Theodorou, N.J., and Varoufakis, S.J. see Kanellakis, A.J.
Parhami, B. Optimal number of disc clock tracks for block-oriented rotating associative processors E p535
Parini, C.G, Lau, A.K.K., and Clarricoats, P.J.B Phase-only reflector antenna metrology H p343
Park, C.A., and Williams, PJ Single-mode laser sources for FSK systems J p18
Park, S.-B., Jun, Y.-H., Lee, C.-W., and Lee, K.-J. see Jun, Y.-H.
Park, S.-B., Shin, D.-H., and Cho, G.-H. see Shin, D.-H.
Parkinson, J.R., and Mehler, M.J. Uniqueness of numerical solutions to electric-, magnetic- and combined-field integral equations for open-ended circular waveguides H 269
Parry, G., Tipping, A.K., and Claxton, P. see Tipping, A.K.
Parry, G., Whitehead, M., and Wheatley, P. see Whitehead, M.
Parsons, E.B., Arkell, C.A., Galloway, S.J., Woodcock, B.G., and Woolmer, D.E. see Arkell, C.A.
Pasero, E., Del Corso, D., Civera, P., Gregoretti, F., Maddaleno, F., Conte, G., and Zamboni, M. see Del Corso, D.
Passino, K.M. Disturbance rejection in nonlinear systems: examples D p317
Patel, P.D. Semiconductor dipole: possible radiating element for microwave/millimetre-wave monolithic integrated circuits (MIMICs) H p455
Patra, A., and Rao, G.P. Continuous-time approach to self-tuning control: algorithm, implementation and assessment D p333
Patra, A., and Rao, G.P. General hybrid orthogonal functions and some potential applications in systems and control D p157
Pattavina, A. Integrating voice and data services in token rings E p456
Pérez, J., and Sierra, F. see Sierra, F.
Pearce, D.J.B., and Wood, L.C. see Wood, L.C.
Pedrazzi, P., Vicenzi, C., Favareto, C., Sciarra, D., Carossino, A., Colla, A.M., and Scargliola, C. see Vicenzi, C.
Pejanović, M.M., Edwards, J.A., and Stojanović, I.S. Effects of selection diversity on error performance of digital mobile ratio systems I p347
Pekmestzi, K.Z. Complex number multipliers E p70
Peng, S.T., Xu, S.J., and Schwering, F.K. Transitions in open millimetre-wave waveguides H p487
Pennington, J. Techniques for medium-speed data transmission over HF channels I p11
Pennington, P.N., Ormondroyd, R.F., and Perkins, M.C. see Ormondroyd, R.F.
Perkins, M.C., Ormondroyd, R.F., and Pennington, P.N. see Ormondroyd, R.F.
Phillips, V.J. Without the valve: some alternatives to thermionic devices A p313
Pichon, L., and Razek, A. Hybrid finite-element method and boundary-element method using time-stepping for eddy-current calculation in axisymmetric problems A p217
Pieprzyk, -J.P. Error propagation property and application in cryptography E p262
Ping, L., and Sewell, J.I. High-performance filter networks and symmetric matrix systems G p327
Pitty, E.B., Salmon, J.V, and Abrahams, M.S. see Salmon, J.V
Plaskowski, A., Xie, C.G., and Beck, M.S. see Xie, C.G.
Platte, W. Longitudinal conductivity profile in periodically photoexcited semiconductor transmission lines J p108
Poddar, D.R., Bhattacharjee, A.K., Bhadra Chaudhuri, S.R., and Chowdhury, S.K. see Bhattacharjee, A.K.
Pouit, C., Chenerie, I., and Combes, P.F. see Chenerie, I.
Pout, M.R., Duller, A.W.G., Storer, R.H., Thomson, A.R., Dagless, E.L., Marriot, A.P., and Goldfinch, J. see Duller, A.W.G.
Powner, E.T., and Walburn, D.H. see Walburn, D.H.
Pozar, D.M., and Aberle, J.T. see Aberle, J.T.
Prabhu, K.M.M., and Bhoopathy Bagan, K. Resolution capability of nonlinear spectral-estimation methods for short data lengths F p135
Premoli, A., and Tosato, F. The delta resonator: a new approach to load compensation theory in three-phase power systems C p381
Pritchard, J.A.S., and Luttrell, S.P. see Luttrell, S.P.
Probert, P.J., and Carroll, J.E. Lumped circuit model for prediction of linewidth in Fabry-Perot and DFB lasers, including external cavity devices J p22
Prom, J.L., Sarrabayrouse, G., and Campabadal, F. see Sarrabayrouse, G.
Prosser, M.E., Bladon, J.A.B., Schwarz, K.K., and Dobie, W.C. see Bladon, J.A.B.

Q

Qian, Y., Arvas, E., Sarkar, T.K., and Aslan, F. see Arvas, E.
Qishan, G., and Lin, C. Field computation of permanent magnets with knee points B p275
Querre, M., Mercier, G., Bigorgne, D., Miclet, L., and Le Guennec, L. see Mercier, G.
Quinney, D.A., Benson, T.M., Kendall, P.C., and Stern, M.S. see Benson, T.M.
Quinney, D.A., Hewson-Browne, .C., and Kendall, P.C. see Hewson-Browne, .C.
Quintana, J.M., and Huertas, J.L. see Huertas, J.L.
Quintana, V.H., and Müller, N. see Müller, N.

R

Rabrenović, D., Jovanović, V., and Lutovac, M. Driving-point immittance with equiripple magnitude G p62
Rahim, A.H.M.A., and Haque, M.H. see Haque, M.H.
Rahim, M., Goodyear, C.C., and Hughes, P.M. Design of digital discriminator filters for voice-band FSK data modems G p217
Rajsuman, R., Gupta, B., Malaiya, Y.K., and Min, Y. see Gupta, B.
Ramachandran, V., Ahmadi, M., Lee, H.J.J., and Shridhar, M. see Ahmadi, M.
Ramdani, J., Decoster, D., Vilcot, J.P., Gouy, J.P., and Razeghi, M. 1.3–1.55 μm wavelength integrated photoreceiver using GaInAs/GaAs heteroepitaxy J p83
Ramirez-Gonzalez, V., Khouri-Ibrahim, S.Al, Gomez-Martin, R., and Muñoz-Delgado, F.J. see Khouri-Ibrahim, S.Al
Ramirez-Rosado, I.J., and Gönen, T. see Gönen, T.
Ramsbottom, A.J., and Ramsbottom, C.E. see Ramsbottom, C.E.
Ramsbottom, C.E., and Ramsbottom, A.J. Development of the electric organ and the significance of the contributions of Robert Hope-Jones, MIEE A p321
Rao, B.D., and Hari, K.V.S. Statistical performance analysis of the minimum-norm method F p125
Rao, G.P., and Patra, A. see Patra, A.
Rao, P.V.D.S., Das, B.N., and Chakraborty, A. see Das, B.N.
Rao, Y.R., and Deshpande, M.D. see Deshpande, M.D.
Rappaport, S.S., and Hong, D. see Hong, D.
Rashwan, H.M., Kheirallah, N.H., and Aboul-Saoud, A.K. see Kheirallah, N.H.
Rashwan, M., Aboelsaad, M.M., and Shafai, L. see Aboelsaad, M.M.
Rashwan, M.M., Aboelsaad, M.M., and Shafai, L. see Aboelsaad, M.M.
Rathore, T.S. New floating point impedance simulation using operational amplifiers G d155
Rathore, T.S., and Bhattacharyya, B.B. Systematic approach to the time multiplexing of stray-insensitive SC networks G e156
Raveendra, K.R., and Srinivasan, R. Threshold detection of continuous phase-modulated signals I p414
Ravindranath, K.M., and Hawary, M.E. see Hawary, M.E.
Razeghi, M., Ramdani, J., Decoster, D., Vilcot, J.P., and Gouy, J.P. see Ramdani, J.
Razek, A., and Pichon, L. see Pichon, L.
Reed, I.S., Sun, J., Huey, H.E., and Truong, T.K. see Sun, J.
Reeve, C.D., and Wombwell, J.F. Novel space-integrating acousto-optic correlator: amplitude and phase information from intensity only measurements F p185
Remmerswaal, L.P., and Willigen, D. van Some aspects of interference on Loran-C F p109
Renshaw, D., Chen, W., Mavor, J., and Denyer, P.B. see Chen, W.
Renshaw, E., Gu, Z.Q., Duncan, C.N., Mugglestone, M.A., Cowan, C.F.N., and Grant, P.M. see Gu, Z.Q.
Riad, A.M., Farghal, S.A., and El-Dewieny, R.M. see Farghal, S.A.
Ribeiro, J.C.D.F., Stormon, C.D., Oldfield, J.V., and Brule, M.R. Content-addressable memories applied to execution of logic programs E p383
Ricoy, M.A., Kilberg, S.M., and Volakis, J.L. Simple integral equations for two-dimensional scattering with further reduction in unknowns H p298
Rivers, A.W., Selviah, D.R., Midwinter, J.E., and Lung, K.W. see Selviah, D.R.
Robb, A.C. A study of transition: new interpretations and hypothesis A p165
Robein, D., Devoldere, P., Paraskevopoulos, A., Gilleron, M., Slempkes, S., and Rose, B. see Devoldere, P.
Roome, S.J. Analysis of quadrature detectors using complex envelope notation F p95
Rose, B., Devoldere, P., Paraskevopoulos, A., Gilleron, M., Slempkes, S., and Robein, D. see Devoldere, P.
Rossiter, J.A., and Kouvaritakis, B. see Kouvaritakis, B.
Rothermel, A., and Hosticka, B. Speed comparison of digital BiCMOS and CMOS circuits G p49
Rothwell, W.J.M., Davey, S.T., Williams, D.L., Ainslie, B.J., and Wakefield, B. see Davey, S.T.
Rubinacci, G., and Albanese, R. see Albanese, R.
Rudie, S.A., and Castella, F.R. see Castella, F.R.
Ruiz, J., Núñez, M.J., Sánchez, M.C., Navarro, A., and Zammaro, J.M. Study of resonant frequency of shielded dielectric resonators coupled to a microstrip line H p305
Runham, M., and Baden Fuller, A.J. see Baden Fuller, A.J.
Russell, I.A.D., and Webb, P.W. see Webb, P.W.

S

Sánchez, M.C., Ruiz, J., Núñez, M.J., Navarro, A., and Zammaro, J.M. see Ruiz, J.
Saif, M. Optimal modal controller design by entire eigenstructure assignment D p341
Sairan, S.B., Jasmon, G.B., and Azit, A.H. see Jasmon, G.B.
Sait, N., and Ahmed, M.S. see Ahmed, M.S.
Sakai, T., Ariki, Y., Mizuta, S., and Nagata, M. see Ariki, Y.
Sakamoto, M., and Tozune, A. see Tozune, A.
Sakr, M.M.F., Bahgat, A., and El-Shafei, A.R. see Bahgat, A.
Sallam, A.A. Power systems transient stability assessment using catastrophe theory C p108
Salmer, G., Crosnier, Y., and Gerard, H. see Crosnier, Y.
Salmon, J.V, Pitty, E.B., and Abrahams, M.S. Syntactic translation and logic synthesis in Gatemap E p321
Sanchez, M.C., Martin, E., and Zamarro, J.M. New vectorial automatic technique for characterisation of resonators H p147
Sangster, A.J., and McCormick, A.H.I. Theoretical design/synthesis of slotted waveguide arrays H p39
Sangwine, S.J. Deductive fault diagnosis in digital circuits: a survey E p496
Sarkar, T.K., Arvas, E., Qian, Y., and Aslan, F. see Arvas, E.
Sarrabayrouse, G., Campabadal, F., and Prom, J.L. Oxide-thickness determination from *C/V* measurements in an MOS capacitor G p215
Saunders, W.K. Velocity-aided range aquisition and tracking in dual-mode CW/FM-CW radar F p191
Savić, M.S. Engineering method for high-voltage substations lightning performance estimation C p222
Savino, M., Amoruso, V., and Sylos Labini, M. see Amoruso, V.
Scargliola, C., Vicenzi, C., Favareto, C., Sciarra, D., Carossino, A., Colla, A.M., and Pedrazzi, P. see Vicenzi, C.
Schumacher, A., Drews, W., Laroia, R., Pandel, J., and Stölzle, A. see Drews, W.
Schumacher, K., and O'Reilly, J.J. Distribution free bound on the performance of optical communication systems in the presence of jitter J p129
Schwarz, K.K., Bladon, J.A.B., Prosser, M.E., and Dobie, W.C. see Bladon, J.A.B.
Schwarz, K.K., Finkelstein, L., Archer, B., and Constable, G.E.P. see Finkelstein, L.
Schwering, F.K., Peng, S.T., and Xu, S.J. see Peng, S.T.
Sciarra, D., Vicenzi, C., Favareto, C., Carossino, A., Colla, A.M., Scargliola, C., and Pedrazzi, P. see Vicenzi, C.
Sebak, A., and Shafai, L. Scattering from arbitrarily-shaped objects with impedance boundary conditions H p371
Seeds, A.J., and Gomes, N.J. see Gomes, N.J.
Seker, S.S. Radio pulse transmission along mixed paths in a stratified forest H p13
Seki, K., Shida, J., and Murakami, K. Bidirectional temperature-sensitive magnetic semiconductor and its application B p32
Selby, A., and Mitchell, C. Algorithms for software implementations of RSA E p166
Selviah, D.R., Midwinter, J.E., Rivers, A.W., and

Lung, K.W. Correlating matched-filter model for analysis and optimisation of neural networks F p143
Semlyen, A., Acha, E., Arrillaga, J., and Medina, A. see Acha, E.
Senior, J.M., and Cusworth, S.D. Devices for wavelength multiplexing and demultiplexing J p183
Serag, A.M., Walker, P.A.W., and Abdalla, O.H. see Walker, P.A.W.
Serbest, A.H., Uzgören, G., and Büyükaksoy, A. see Uzgören, G.
Seshadri, S.R. Ideal normal mode theory of a serpentine cylindrical waveguide H p480
Sewell, J.I., and Ping, L. see Ping, L.
Shafai, L., Aboelsaad, M.M., and Rashwan, M. see Aboelsaad, M.M.
Shafai, L., Aboelsaad, M.M., and Rashwan, M.M. see Aboelsaad, M.M.
Shafai, L., and Sebak, A. see Sebak, A.
Shahidehpour, S.M., and Tong, S.K. see Tong, S.K.
Sharaf, M.M., Ibrahim, A.S., and Hogg, B.W. see Ibrahim, A.S.
Sharples, P.A., and Mehler, M.J. Cascaded cylinder model for predicting terrain diffraction loss at microwave frequencies H p331
Shayan, Y.R., and Le-Ngoc, T. All digital phase-locked loop: concepts, design and applications F p53
Shayan, Y.R., and Le-Ngoc, T. The least complex parallel Massey-Omura multiplier and its LCA and VLSI designs G p345
Shen, S., and Lala, P.K. see Lala, P.K.
Shepherd, T.J., and McWhirter, J.G. see McWhirter, J.G.
Sherif, M., and Davies, P.A. Decision-point steering in optical fibre communication systems: theory J p169
Shida, J., Seki, K., and Murakami, K. see Seki, K.
Shieh, L.S., Bao, Y.L., and Chang, F.R. State-space self-tuning regulators for general multivariable stochastic systems D p17
Shin, D.-H., Cho, G.-H., and Park, S.-B. Improved PWM method of forced commutated cycloconvertors B p121
Shirazi, B., Yun, D.Y.Y., and Zhang, C.N. RBCD: redundant binary-coded decimal adder E p156
Shore, K.A., and McCall, M.W. Dressed dynamics of semiconductor lasers J p14
Shridhar, M., Ahmadi, M., Lee, H.J.J., and Ramachandran, V. see Ahmadi, M.
Shuttleworth, R., Auckland, D.W., and Omoigui, M.O. see Auckland, D.W.
Sierra, F., and Pérez, J. Stability criteria for harmonic injection frequency dividers H p420
Sihvola, A. Macroscopic permittivity of dielectric mixtures with application to microwave attenuation of rain and hail H p24
Silvestri, A., Granelli, G.P., Marannino, P., and Montagna, M. see Granelli, G.P.
Silvestro, J.W., and Collin, R.E. Aperture impedance of flared horns H p235
Singh, A., and Ghafoor, A. see Ghafoor, A.
Singh, V. New floating point impedance simulation using operational amplifiers G d155
Sinha, N.K., and Dai, H. see Dai, H.
Siu, W.C., and Wong, K.L. Efficient realisation of discrete Fourier transforms using the recursive discrete Hartley transform E p254
Siu, Y.T., and Clark, M.J. DMKS: system kern for multimedia integration E p150
Slempkes, S., Devoldere, P., Paraskevopoulos, A., Gilleron, M., Rose, B., and Robein, D. see Devoldere, P.
Slomovitz, D. Correction of power transformer no-load losses, measured under nonsinusoidal voltage waveforms C p42
Slonim, M.A., and Van Wyk, J.D. Power components in a system with sinusoidal and non-sinusoidal voltage and/or currents B p90
Smeets, B.J.M., and Chambers, W.G. see Chambers, W.G.
Smith, M.S., and Musa, L. see Musa, L.
Soh, C.B., Lim, Y.H., and Lim, T.C. Damping ratio of linear uncertain discrete-time systems D p298
Soh, Y.C. Robust pole-placement for uncertain interval systems D p301
Soudack, A.C., and Naredo, J.L. see Naredo, J.L.
Soulsby, D.R., Broughton, R.C., Oliver, A.J., Stephenson, P.L., Boone, W., and Kuiper, J. see Broughton, R.C.
Sousa, E.S. Throughput of spread-spectrum systems with a large number of users I p220
Sover, R., Cory, H., and Einziger, P.D. see Cory, H.
Spaanenburg, L., and Nijhuis, J.A.G. see Nijhuis, J.A.G.
Sreeram, V., and Agathoklis, P. see Agathoklis, P.
Srimani, P.K., and Dey, S. see Dey, S.
Srinivasan, R., and Raveendra, K.R. see Raveendra, K.R.
Srivastava, S.C., Nanda, J., and Kothari, D.P. see Nanda, J.
Stansfield, E.V., Harmer, D., and Kerrigan, M.F. Speech processing techniques for HF radio security I p25
Steele, D.J., and Holloway, D.S. Technical publications in the electronics industry A p233
Stephens, M.A., Carter, A.J., Thomas, B., Morgan, D.V., Bhardwaj, J.K., and McQuarrie, A.M. see Carter, A.J.
Stephenson, J.M., and El-Khazendar, M.A. Saturation in doubly salient reluctance motors B p50
Stephenson, P.L., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Boone, W., and Kuiper, J. see Broughton, R.C.
Stern, M.S., Benson, T.M., Kendall, P.C., and Quinney, D.A. see Benson, T.M.
Stevenson, J.T.M., and Jordan, J.R. Metrological gratings and moiré fringe detection methods for displacement transducers A p243
Stölzle, A., Drews, W., Laroia, R., Pandel, J., and Schumacher, A. see Drews, W.
Stojanović, I.S., Pejanović, M.M., and Edwards, J.A. see Pejanović, M.M.
Storer, R.H., Duller, A.W.G., Thomson, A.R., Dagless, E.L., Pout, M.R., Marriot, A.P., and Goldfinch, J. see Duller, A.W.G.
Stormon, C.D., Ribeiro, J.C.D.F., Oldfield, J.V., and Brule, M.R. see Ribeiro, J.C.D.F.
Stucchi, M., Corsi, F., Martino, S., Muschitiello, M., and Zanoni, E. see Corsi, F.
Su, Ching-Chuan Analysis of unbounded dielectric waveguides using the surface integral equations method J p166
Sultan, M.A. Extended analysis of closed-ring microstrip antenna H p67
Sumner, J.P., and Craveirinha, J.M.F. see Craveirinha, J.M.F.
Sun, J., Reed, I.S., Huey, H.E., and Truong, T.K. Pruned-trellis search technique for high-rate convolutional codes E p405
Sutanto, D., Grantham, C., and Mismail, B. see Grantham, C.
Suzuki, T., Nakano, H., Hirose, K., Kerner, S.R., and Alexopoulos, N.G. see Nakano, H.
Švedek, T., and Ivančić, V. ASIC test sequence minimsation by built-in testability in logic surrounding embedded binary asynchronous counters E p450
Svoboda, J.A. Current conveyors, operational amplifiers and nullors G p317
Swidenbank, E., and Hogg, B.W. Application of system identification techniques to modelling a turbogenerator D p113
Swift, F.J., and Barnes, M.J. see Barnes, M.J.
Sykes, A.M., and Evans, W.A. see Evans, W.A.
Sylos Labini, M., Amoruso, V., and Savino, M. see Amoruso, V.
Symons, E.D.P. The photographic archive of the British Thomson-Houston Company A p330

T

Tabei, K., Fujinaka, M., Goto, T., Ishida, T., and Maehara, T. see Fujinaka, M.
Takao, K., and Kikuma, N. see Kikuma, N.
Takao, K., and Uchida, K. Beamspace partially adaptive antenna H p439
Tam, W.-Y., and Yung, E.K.-N. see Yung, E.K.-N.
Tam, W.T., Luk, K.M., and Yip, C.L. see Luk, K.M.
Tan, S.S., and Yeo, S.P. see Yeo, S.P.
Tarokh, M. Approach to pole assignment by centralised and decentralised output feedback D p89
Taufiq, J.A., Mellitt, B., and Xiaoping, J. see Mellitt, B.
Taufiq, J.A., Mellitt, B., and Xiaoping, J. Input impedance of inverter equipment and its significance in low-frequency track circuits B p243
Taufiq, J.A., and Xiaoping, J. Fast accurate computation of the DC-side harmonics in a traction VSI drive B p176
Tavangarian, D. Flag-algebra: a new concept for the realisation of fully parallel associative architectures E p357
Taylor, L.L., Guy, D.R.P., Besgrove, D.D., Apsley, N., and Bass, S.J. see Guy, D.R.P.
Tham, Y.K., Deng, R.H., and Zhang, X.Y. see Deng, R.H.
Theodorou, N.J., Kanellakis, A.J., Paraskevopoulos, P.N., and Varoufakis, S.J. see Kanellakis, A.J.
Thomas, B., Carter, A.J., Morgan, D.V., Bhardwaj, J.K., McQuarrie, A.M., and Stephens, M.A. see Carter, A.J.
Thomas, D.W.P., Christopoulos, C., and Wright, A. see Christopoulos, C.
Thomas, P.R., and Brown, A.D. see Brown, A.D.
Thomas, P.R., and Brown, A.D. Performance analysis of an IC-mask design rule check and net extraction software suite G p205
Thomson, A.R., Duller, A.W.G., Storer, R.H., Dagless, E.L., Pout, M.R., Marriot, A.P., and Goldfinch, J. see Duller, A.W.G.
Thorn, A.P., Klipstein, P.C., and Glew, R. Electro-optical modulation properties of GaAs doping superlattices J p38
Tipping, A.K., Parry, G., and Claxton, P. Comparison of the limits in performance of multiple quantum well and Franz-Keldysh InGaAs/InP electroabsorption modulators J p205
Tleis, A.N.D., and Cornick, K.J. see Cornick, K.J.
Todd, T.D., and Mohanty, B.P. see Mohanty, B.P.
Tong, K.Y. Conduction in ohmic region of submicrometre MOSFET G p260
Tong, S.K., and Shahidehpour, S.M. Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems C p162
Topalis, F.V., and Nikolopoulos, P.N. see Nikolopoulos, P.N.
Tosato, F., and Premoli, A. see Premoli, A.
Tozune, A. Design method for L- and T-connected tapped-winding capacitor motors B p11
Tozune, A., and Sakamoto, M. Effects of constructional asymmetries on the characteristics of 2-phase permanent magnet synchronous motors B p143
Tran, A. Tri-state map for the minimisation of exclusive-OR switching functions E p16
Trancoso, I.M., and Tribolet, J.M. Harmonic post-processing of speech synthesised by stochastic coders I p141
Tribolet, J.M., and Trancoso, I.M. see Trancoso, I.M.
Tripp, V.K., Wang, J.J.H., and Zimmer, R.P. see Wang, J.J.H.
Truong, T.K., Sun, J., Reed, I.S., and Huey, H.E. see Sun, J.
Tsalides, Ph., Hicks, P.J., and York, T.A. Three-dimensional cellular automata and VLSI applications E p490
Tsui, H.-T., and Chan, C.-K. Hough technique for 3D object recognition E p565
Tsui, H.-T., and Chan, M.-H. see Chan, M.-H.
Turnbull, A.S., Cook, G.G., and Anderson, A.P. see Cook, G.G.
Twisleton, J.R.G. Matching using double slug transformer and correction to transistor gain H p219
Tzafestas, S.G., and Watanabe, K. see Watanabe, K.

U

Uchida, K., and Takao, K. see Takao, K.
Unnikrishnan, R., and Mathew, A.V. see Mathew, A.V.
Uzgören, G., Büyükaksoy, A., and Serbest, A.H. Diffraction coefficient related to a discontinuity formed by impedance and resistive halfplanes H p19

V

Van de Capelle, J.-P., Kaczmarski, P., Lagasse, P.E., and Meynart, R. see Kaczmarski, P.
van de Wiel, G.M.L.M., Koopmans, G., van Loon, L.J.M., and Palland, C.L. see Koopmans, G.
van den Heuvel, W.M.C., Janssen, A.L.J., and Damstra, G.C. Interruption of short-circuit currents in MV networks with extremely long time constants C p115
van Loon, L.J.M., Koopmans, G., van de Wiel, G.M.L.M., and Palland, C.L. see Koopmans, G.
Van Wyk, J.D., and Slonim, M.A. see Slonim, M.A.
Varoufakis, S.J., Antoniou, G.E., and Paraskevopoulos, P.N. see Antoniou, G.E.
Varoufakis, S.J., Kanellakis, A.J., Paraskevopoulos, P.N., and Theodorou, N.J. see Kanellakis, A.J.
Varshney, P.K., Barkat, M., and Himonas, S.D. see Barkat, M.
Vasantha, M.K., Desai, B.T., and Gupta, H.O. see Desai, B.T.
Vega-Riveros, J.F., and Jabbour, K. Review of motion analysis techniques I p397
Vicenzi, C., Favareto, C., Sciarra, D., Carossino, A., Colla, A.M., Scargliola, C., and Pedrazzi, P. Large vocabulary isolated word recognition: a real-time implementation I p127
Vilcot, J.P., Ramdani, J., Decoster, D., Gouy, J.P., and Razeghi, M. see Ramdani, J.
Vilcot, J.P., Vinchant, J.F., Mallecot, F., and Decoster, D. see Vinchant, J.F.
Vinchant, J.F., Mallecot, F., Decoster, D., and Vilcot, J.P. Photodetectors monolithically integrated with optical waveguides: theoretical and experimental study of absorbing layer effects J p72
Vogel, M.H., and Burdon, I.P. see Burdon, I.P.
Volakis, J.L., Ricoy, M.A., and Kilberg, S.M. see Ricoy, M.A.
Vourdas, A., and Binns, K.J. Magnetostatics with scalar potentials in multiply connected regions A d260
Vranesic, Z.G., and Abd-El-Barr, M.H. see Abd-El-Barr, M.H.
Vu, T.B., and Lo, K.W. see Lo, K.W.

W

Wakefield, B., Davey, S.T., Williams, D.L., Ainslie, B.J., and Rothwell, W.J.M. see Davey, S.T.
Walburn, D.H., and Powner, E.T. Automated acquisition of knowledge for an expert system for process control E p548
Walker, P.A.W., Serag, A.M., and Abdalla, O.H. Integrated excitation and turbine control in a multimachine power system C p331
Walton, C., Gergely, S. and Economides, A.P. see Gergely, S.
Wan, Y., and Fahmy, M.M. see Fahmy, M.M.
Wanchun, Wu, Geyi, Wen, and Xueguan, Liu see Geyi, Wen
Wang, J.J.H., Tripp, V.K., and Zimmer, R.P. Magnetically coated horn for low sidelobes and low cross-polarisation H p132
Wang, L., and Hsu, Y.-Y. see Hsu, Y.-Y.
Wang, L.T., and Mourad, S. SST: scan self-test for sequential machines E p569

Wang, Q., Gulliver, T.A., Bhargava, V.K., and Felstead, E.B. Performance of error-erasure-correction decoding of Reed-Solomon codes for frequency-hop communications in multitone interference I p298
Wang, S.-S., and Pan, C.-T. Homotopy method for solving algebraic Riccati equations D p68
Watanabe, K., and Tzafestas, S.G. New computationally efficient formula for backward-pass fixed-interval smoother and its *UD* factorisation algorithm D p73 D d331
Watson, I.A., and Oakes, F. Human reliability factors in technology management A p24
Watson, N.R., Arrillaga, J., and Arnold, C.P. Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system C p9
Watson, P.A., and Fukuchi, H. see Fukuchi, H.
Webb, P.W., and Russell, I.A.D. Thermal resistance of gallium-arsenide field-effect transistors G p229
Wei, C-H, and Wei, S-H see Wei, S-H
Wei, S-H, and Wei, C-H High-speed hardware decoder for double-error-correcting binary BCH codes I p227
Wenger, J., Freyer, J., Güttich, U., and Zhang, X. see Freyer, J.
Westcott, B.S., and Brickell, F. Geometric-optic synthesis of dual-reflector antennas with distributed sources H p361
Wey, C.L., and Chang, S.M. Test generation of C-testable array dividers E p434
Wheatley, P., Whitehead, M., and Parry, G. see Whitehead, M.
Wheeler, J.E., and Nevels, R.D. Reflection and transmission properties of annular slot covered by dielectric hemisphere H p59
White, I.H., Davies, D.A.O., and Carroll, J.E. see Davies, D.A.O.
Whitehead, M., Parry, G., and Wheatley, P. Investigation of etalon effects in GaAs-AlGaAs multiple quantum well modulators J p52
Wilcox, D.J., Hurley, W.G., and Conlon, M. Calculation of self and mutual impedances between sections of transformer windings C p308
Williams, B.W., and Green, T.C. see Green, T.C.
Williams, D.L., Davey, S.T., Ainslie, B.J., Rothwell, W.J.M., and Wakefield, B. see Davey, S.T.
Williams, PJ, and Park, C.A. see Park, C.A.
Williamson, S., and Adams, N.K. Cage induction motors with inter-rings B p263
Willigen, D. van, and Remmerswaal, L.P. see Remmerswaal, L.P.
Wilson, G. Compensation improvements in *RC*-active integrators G p1
Wilson, G. Zero-amplifier sensitivity criterion G p43
Wilson, G.R., and Batchelor, B.G. Convex hull of chain-coded blob E p530
Winfield, J.M., Loni, A., Keys, R.W., De La Rue, R.M., and Foad, M.A. see Loni, A.
Wombwell, J.F., and Reeve, C.D. see Reeve, C.D.
Wong, K.L., and Siu, W.C. see Siu, W.C.
Wong, K.P., and Cheung, H.N. Expert system for protection current transformer design specification preparation C p391
Wood, L.C., and Pearce, D.J.B. Excitation synchronous formant analysis I p110
Woodcock, B.G., Arkell, C.A., Galloway, S.J., Parsons, E.B., and Woolmer, D.E. see Arkell, C.A.
Woodward, G. Staite and Petrie: pioneers of electric lighting A p290
Woolmer, D.E., Arkell, C.A., Galloway, S.J., Parsons, E.B., and Woodcock, B.G. see Arkell, C.A.
Wright, A., Christopoulos, C., and Thomas, D.W.P. see Christopoulos, C.
Wu, C.-Y., and Yang, Y.-H. see Yang, Y.-H.
Wu, J.-F., and Lee, J.-H. see Lee, J.-H.
Wu, J.-G., Hu, Y.H., Ho, W.P.-C., and Yun, D.Y.Y. Function abstraction in automatic digital-circuit design G p235
Wu, J.S., and Chan, W.C. Performance analysis of queuing networks with end-to-end window flow control E p423
Wu, Ja-Ling Block diagonal structure in discrete transforms E p239
Wvong, M.D., and Mihirig, A.M. see Mihirig, A.M.
Wylde, R.J. Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas H p424
Wyrwas, R.R., and Farrell, P.G. Joint source-channel coding for raster document transmission over mobile radio I p375

X

Xiaoping, J., Mellitt, B., and Taufiq, J.A. see Mellitt, B.
Xiaoping, J., Taufiq, J.A., and Mellitt, B. see Taufiq, J.A.
Xiaoping, J., and Taufiq, J.A. see Taufiq, J.A.
Xie, C.G., Plaskowski, A., and Beck, M.S. 8-electrode capacitance system for two-component flow identification. Part 1: Tomographic flow imaging A p173
Xie, C.G., Plaskowski, A., and Beck, M.S. 8-electrode capacitance system for two-component flow identification. Part 2: Flow regime identification A p184
Xu, C.-W. Fuzzy systems identification D p146
Xu, S.J., Peng, S.T., and Schwering, F.K. see Peng, S.T.
Xu, W., and Chen, Z. Multistage imaging process in digital SAR imaging F p29
Xueguan, Liu, Geyi, Wen, and Wanchun, Wu see Geyi, Wen

Y

Yang, C.H., and Bayoumi, M.A. see Bayoumi, M.A.
Yang, T.-C., Munro, N., and Brameller, A. Improved condition for the optimality of decentralised control for large-scale systems D p44
Yang, Y.-H., and Wu, C.-Y. Analysis and modelling of initial delay time and its impact on propagation delay of CMOS logic gates G p245
Yantchev, J., and Jesshope, C.R. Adaptive, low latency, deadlock-free packet routing for networks of processors E p178
Yarlagadda, R., and Hershey, J.E. Analysis and synthesis of bent sequences E p112
Yeo, S.P., and Tan, S.S. Using metallic post and inductive diaphragms to match symmetrical five-port waveguide junction H p80
Yeo, T.S., Leong, M.S., Kooi, P.S., and Chandra, see Leong, M.S.
Yip, C.L., Luk, K.M., and Tam, W.T. see Luk, K.M.
York, T.A., Tsalides, Ph., and Hicks, P.J. see Tsalides, Ph.
Young, H.S., and McNab, A. see McNab, A.
Younis, A.T., and Massara, R.E. On the design of optimal switched-capacitor filters based on the use of lossy frequency-dependent negative-resistance prototype structures G p351
Yu, Kai-Bor, and Li, Gang see Li, Gang
Yun, D.Y.Y., Shirazi, B., and Zhang, C.N. see Shirazi, B.
Yun, D.Y.Y., Wu, J.-G., Hu, Y.H., and Ho, W.P.-C. see Wu, J.-G.
Yung, E.K.-N., and Tam, W.-Y. Analysis of a circular earthing plate C p385

Z

Zaki, M. Design of graphics interface for computer-based biomedical applications E p505
Zamarro, J.M., Sanchez, M.C., and Martin, E. see Sanchéz, M.C.
Zamboni, M., Del Corso, D., Civera, P., Gregoretti, F., Maddaleno, F., Conte, G., and Pasero, E. see Del Corso, D.
Zammaro, J.M., Ruiz, J., Núñez, M.J., Sánchez, M.C., and Navarro, A. see Ruiz, J.
Zanoni, E., Corsi, F., Martino, S., Muschitiello, M., and Stucchi, M. see Corsi, F.
Zeidler, H.Ch. Content-addressable mass memories E p351
Zhang, C.N., Shirazi, B., and Yun, D.Y.Y. see Shirazi, B.
Zhang, X., Freyer, J., Güttich, U., and Wenger, J. see Freyer, J.
Zhang, X.Y., Deng, R.H., and Thau, Y.K. see Deng, R.H.
Zieliński, K. Error recovery points management for dynamically identified recoverable atomic actions D p28
Zimmer, R.P., Wang, J.J.H., and Tripp, V.K. see Wang, J.J.H.
Zolghadr, F., Honary, B., and Darnell, M. Statistical real-time channel evaluation (SRTCE) technique using variable length *T*-codes I p259

Addresses

Fairney, W. Address as Chairman of the IEE Power Division: The solution of scientific and engineering problems in the development of electrical generating plant C p1
Horne, N.W. Address as Chairman of the IEE Computing and Control Division: Changes of light E p1
James, J.R. Address as Chairman of the IEE Electronics Division: Magical microwaves; the exploitation of the century H p1
Makin, B. Address as Chairman of the IEE Science, education and Technology Division: SET for Europe; discovering tomorrow's challenge A p16
McCrirrick, T.B. President's Inaugural Address: Colour Television; yesterday, today and tomorrow A p1
Padfield(Air Com), F.C. Address as Chairman of the IEE Management and Design Division: Engineers in the front line A p8

Book reviews

Aspects of radar signals processing B.L. Lewis, F.F. Kretchmer and W.W. Shelton F p62
Exploitable UK research for manufacturing industry. G. Bryan A p171
Mathematical foundations for communication engineering. Vol. 2 K.W. Cattermole I p168
Monopulse radar A.I. Leonov and K.I. Fomichev F p87
Radar development to 1945. R. Burns (Ed.) A p170

Acoustics (*see* Acoustoelectric effects and Sound broadcasting and audio)
Acoustoelectric effects
Active networks
Actuators (*see* Transducers)
Adaptive control
Algebra (incl. Matrix algebra) (*see* Mathematical techniques)
Algorithms (*see* Mathematical techniques)
Amplifiers
Analogue computers and computation
Analogue filters
Analogue-digital conversion
Antennas
Antennas (active)
Antennas (adaptive)
Antennas (aperture)
Antennas (arrays)
Antennas (dipole)
Antennas (frequency inpendent)
Antennas (horns and feeds)
Antennas (measurements)
Antennas (microstrip)
Antennas (millimetre wave)
Antennas (reflectors)
Antennas (slot)
Antennas (theory)
Antennas (time domain)
Antennas (travelling wave)
Antennas (wire)
Arcing
Array processing
Attenuators (*see* Instrumentation and measuring science)
Audio (*see* Sound broadcasting and audio)
Avionics
Batteries and cells
Biological effects
Biomass
Biomedical applications
Bipolar transistors
Boolean algebra (*see* Logic)
Breakdown and gas discharges
Cables and overhead lines (*see also* Coaxial cables)
Calibration (*see* Instrumentation and measuring science)
Charge-coupled devices
Choppers (*see* Control equipment and applications)
Circuit breakers and circuit breaking
Circuit theory and design
Closed-loop systems
Coaxial cables (*see also* Cables and overhead lines)
Coaxial components
Codes and decoding
Communication systems theory
Commutation
Components
Computer applications
Computer graphics
Computer simulation
Computer-aided design
Conductors and conductivity
Control equipment and applications
Control systems
Control theory
Convertors
Crosstalk
Cybernetics and robotics
Decoding (*see* Codes and decoding)
Delay lines
Demodulation (*see* Modulation)
Design
Detection
Dielectric materials
Digital arithmetic (*see* Digital computers and computation)
Digital circuits
Digital communication systems
Digital computers and computation
Digital control (*see* Digital computers and computation)
Digital filters
Digital instrumentation (*see* Instrumentation and measuring science)
Digital-analogue conversion
Diodes
Discharges, electric (*see* Arcing)
Discharges, gas (*see* Breakdown and gas discharges)
Distribution networks (*see* Power transmission)
Doping
Earthing (*see* System protection)
Eddy currents
Education and training
Educational projects
Electric shock (*see* Hazards)
Electrical machines
Electromagnetic compatibility
Electromagnetic theory
Electron devices
Electronic circuits (*see* Circuit theory and design)
Electronic warfare
Energy conversion and storage
Engineering administration and management
Engineering and society
Epitaxy
Errors and error analysis
Fault detection
Fault location
Feedback
Ferrites and ferromagnetics
Ferromagnetics (*see* Ferrites and ferromagnetics)
Fibres, optical (*see* Optics)
Field-effect transistors
Filters and filtering
Financial management
Fuel cells (*see* Batteries and cells)
Generators
Graph theory and topology
Gunn devices
Hazards
History (*see also* Reviews of progress)
Holography (*see* Optics)
Hydroelectric power generation
Hysteresis
Image processing
Induction motors
Industrial applications of power (*see* Power utilisation and industrial applications)
Information and communication theory
Instrumentation and measuring science
Insulators and insulation
Integrated circuits (*see also* Circuit theory and design)
Integrated optics (*see* Optics)
Interface states
Interference (*see* Noise and interference)
Inverters (*see* Power electronics)
Ionisation (*see* Breakdown and gas discharges)
Ionospheric propagation (*see* Radio-wave propagation)
Lasers
Lighting
Lightning and lightning protection
Linear motors
Linear networks (*see* Networks)
Load and voltage regulation
Logic
Long-term planning
Magnetic devices and properties
Magnetic fields
Management
Manufacturing
Mathematical techniques
Matrix algebra (*see* Mathematical techniques)
Measurement and measuring (*see* Instrumentation and measuring science)
Metal-insulator-semiconductor structures
Metal-oxide-semiconductor structures
Microprocessors
Microscopes
Microstrip and stripline
Microwave active components
Microwave circuits and networks
Microwave communications
Microwave heating
Microwave integrated circuits
Microwave measurements
Microwave passive components
Microwave systems
Microwave tubes
Millimetre wave devices and components
Modelling (*see* Simulation)
Modulation
Monitoring
Motors (*see also* Induction motors, Linear motors, Reluctance motors, Stepping motors, Synchronous motors)
Motors, induction (*see* Induction motors)
Motors, linear (*see* Linear motors)
Motors, reluctance (*see* Reluctance motors)
Motors, stepping (*see* Stepping motors)
Motors, synchronous (*see* Synchronous motors)
Multivariable control systems (*see also* Control equipment and applications)
Natural resources
Networks (*see also* Telephone exchanges and networks)
Noise and interference
Nondestructive testing
Nonlinear optics
Nonlinear systems
Numerical analysis
Optical amplifiers
Optical cables
Optical fibres (*see* Optics)
Optical materials
Optical processing (*see* Signal processing and optics)
Optical sensors
Optical switching
Optical systems (*see* Optics)
Optical transmission (*see* Optics)
Optical waveguides
Optics
Optimal control
Optimisation
Optoelectronics
Oscillators (*see* Semiconductor devices and materials)
Overhead lines (*see* Cables and overhead lines)
Overvoltages (*see* System protection)
Pattern recognition (*see* Picture processing and pattern recognition)
Permittivity
Perturbation theory
Phasing and phase control
Photodetectors
Physical properties
Picture processing and pattern recognition
Plant condition monitoring
Plasmas
Poles and zeros
Polynomials (*see* Mathematical techniques)
Power conversion (*See* Transformers)
Power electronics
Power system protection (*see also* System protection)
Power systems and plant
Power transmission and distribution (*see also* Transmission and distribution plant)
Power utilisation and industrial applications
Process control (*see also* Control theory)
Product design
Production engineering (*see* Project and production engineering)
Project and production engineering (*See also* Engineering administration and management)
Project management
Propagation in random media
Pulse-code modulation
Quantum electronics
Radar and radionavigation
Radiation
Radio astronomy
Radio waves (*see* Radio-wave propagation)
Radio-wave propagation (ground wave)
Radio-wave propagation (ionospheric)
Radio-wave propagation (microwave)
Radio-wave propagation (millimetre wave)
Radio-wave propagation (terrain effects)
Radio-wave propagation (tropospheric)
Radiocommunication
Radionavigation (*see* Radar and radionavigation)
Radomes
Railway electrification and transportation
Receivers
Relays (*see also* System protection)
Reliability
Reluctance motors
Remote sensing
Reviews of progress
Robotics (*see* Cybernetics and robotics)
Satellite links and space communication
Schottky-barrier devices
Semiconductor devices and materials (*see also* Diodes, Thyristors and Transistors)
Semiconductor lasers
Servomotors
Signal processing
Simulation
Social responsibility
Solar cells (*see also* Energy conversion and storage)
Solar power
Sonar
Sonics and ultrasonics
Sound broadcasting and audio
Space communication (*see* Satellite links and space communication)
Speech synthesis
Stabilisers (*see* Stability)
Stability
Standardisation and standards
Stepping motors
Submillimetre systems
Superconductivity
Surface-acoustic-wave devices (SAW)
Switched capacitor filters
Switches and switching theory
Switchgear
Synchronous generators (*see* Generators)
Synchronous motors
System protection
Telecommunication (*see also* Radiocommunication)
Telecommunication traffic (*see* Telecommunication)
Telemetry
Telephone exchanges and networks
Telephony

Teletext
Television
Thyristors (*see also* Semiconductor devices and materials)
Tidal power
Tolerance analysis
Topology (*see* Graph theory and topology)
Torque (*see* Motors)
Traction (*see* Railway electrification and transportation)
Transducers
Transformers
Transients
Transistors (*see also* Semiconductor devices and materials)
Transmission and distribution plant (*see also* Power transmission and distribution)
Transmission lines
Transmitters
Transportation (*see* Vehicles and transportation)
Tropospheric propagation (*see* Radiowave propagation)
Turbogenerators (*see* Generators)
Ultrasonics (*see* Sonics and ultrasonics)
Underground cables (*see* Cables and overhead lines)
Vehicles and transportation
Very large scale integration
Vibration
Vocoders (*see* Voice communication)
Voice communication
Voltage regulators (*see* Load and voltage regulation)
Wave power
Waveguides and waveguide components
Wind power (*see* Energy conversion and storage?)
X-rays

ACOUSTICS

Recognition of speaker-dependent continuous speech with KEAL. G. Mercier, D. Bigorgne, L. Miclet, L. Le Guennec and M. Querre I p145

ACTIVE NETWORKS

Correlating matched-filter model for analysis and optimisation of neural networks. D.R. Selviah, J.E. Midwinter, A.W. Rivers and K.W. Lung F p143
New floating point impedance simulation using operational amplifiers. V. Singh G d155

ADAPTIVE CONTROL

Adaptive pole-polacement control with filtered states and steady-state disturbance rejection. F.K. Omani D p12
Adaptive predictive image coding using local characteristics. C.H. Hsieh, P.C. Lu and W.G. Liou I p385
Integrated voice/data multiplexer with adaptive flow control of data access. K.C. Chua and D.T. Nguyen I p369
Model reference adaptive control via the minimisation of output error and weighting control input. C.-L. Hwang and B.-S. Chen D p231
State-space adaptive control through a modified bootstrap algorithm for parameter and state estimation. M.S. Ahmed and N. Sait D p215

ALGORITHMS

2D systolic solution to discrete Fourier transform. K.J. Jones E p211
Adaptive pole-polacement control with filtered states and steady-state disturbance rejection. F.K. Omani D p12
Algorithms for software implementations of RSA. A. Selby and C. Mitchell E p166
Another description of the Berlekamp-Massey algorithm. W. Henkel I p197
Application of system identification techniques to modelling a turbogenerator. E. Swidenbank and B.W. Hogg D p113
Bidirectional ring-based termination detection algorithms for distributed computations. R.K. Arora and M.N. Gupta E p415
Broadband power inversion array with maximally flat response at null directions. C.C. Ko F p161
Contingency constrained economic dispatch algorithm for transmission planning. P.E. Berry and R.M. Dunnett C p238
Continuous-time approach to self-tuning control: algorithm, implementation and assessment. A. Patra and G.P. Rao D p333
Convex hull of chain-coded blob. G.R. Wilson and B.G. Batchelor E p530
Decoupling multivariable self-tuning controller for varying time delays. F. Mahieddine and A.S. Morris D p209
Design of algorithm-based fault-tolerant VLSI array processor. C.-M. Liu and C.-W. Jen E p539
Efficient realisation of discrete Fourier transforms using the recursive discrete Hartley transform. W.C. Siu and K.L. Wong E p254
Error recovery points management for dynamically identified recoverable atomic actions. K. Zieliński D p28
Extraction of the poles of noisy rational signals by the continuation method. S.Al Khouri-Ibrahim, R. Gomez-Martin, F.J. Muñoz-Delgado and V. Ramirez-Gonzalez F p57
Fast automatic registration for satellite imagery by using heuristic planning. A.P. Cracknell and K. Paithoonwattanakij F p221
Fast frequency acquisition via adaptive least-squares algorithm. R. Kumar F p155
Fast parallel algorithm for all-pairs shortest path problem and it's VLSI implementation. S. Dey and P.K. Srimani E p85
Fast power system voltage prediction using knowledge-based approach and on-line box data creation. C.S. Chang C p87
Fast search algorithm for VQ-based recognition of isolated words. S.H. Chen and J.S. Pan I p391
Fault-tolerant loops for distributed measurement systems. C. Gater, R.D.L. Mackie and J.R. Jordan E p485
General hybrid orthogonal functions and some potential applications in systems and control. A. Patra and G.P. Rao D p157
Hierarchical vector quantisation. S.P. Luttrell I p405
High-performance signal subspace beamformer. D.R. Farrier F p283
High-speed hardware decoder for double-error-correcting binary BCH codes. S-H Wei and C-H Wei I p227
Higher-order iterative learning control algorithm. Z. Bien and K.M. Huh D p105
Improved condition for the optimality of decentralised control for large-scale systems. T.-C. Yang, N. Munro and A. Brameller D p44
Improved time synchronisation for an HF radio modem. A.P. Clark, S.N. Abdullah and S.F. Hau I p47
Manoeuvring-target tracking with the Viterbi algorithm in the presence of interference. K. Demirbaş F p262
Multidimensional continued fraction inversion. G.E. Antoniou, S.J. Varoufakis and P.N. Paraskevopoulos G p307
Multipole approximation of capacitively loaded VLSI interconnection. M.T. Abuelma'atti G p118
New computationally efficient formula for backward-pass fixed-interval smoother and its *UD* factorisation algorithm. K. Watanabe and S.G. Tzafestas D p73 D d331
New optimal power-dispatch algorithm using Fletcher's quadratic programming method. J. Nanda, D.P. Kothari and S.C. Srivastava C p153
New technique for the deinterleaving of repetitive sequences. H.K. Mardia F p149
Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Lobos C p347
Numerical assessment of unipolar corona ionised field quantities using the finite-element method. M.M. Aboelsaad, L. Shafai and M. Rashwan A p79
Object-background segmentation using new definitions of entropy. N.R. Pal and S.K. Pal E p284
Optimal flow control of end-to-end packet-switched network with random routing. D.D. Kouvatsos and A.T. Othman E p90
Optimal modal controller design by entire eigenstructure assignment. M. Saif D p341
Optimisation of quantisation based on *r*th-power distortion measures. F.-S. Lu F p276
Parallel computational techniques for simulating dopant diffusion in silicon. R. Biswas and G.A.J. Amaratunga G p135
Performance and design of the dual sign algorithm with correlated input data. C.P. Kwong F p269
Prime-factor algorithm and Winograd Fourier transform algorithm for real symmetric and antisymmetric sequences. S.C. Chan and K.L. Ho G p87
Pruned-trellis search technique for high-rate convolutional codes. J. Sun, I.S. Reed, H.E. Huey and T.K. Truong E p405
Rapid acquisition of low signal-to-noise carriers. S.P. Luttrell and J.A.S. Pritchard I p100
Reduced-order observer with parameter adaption for fast rotor flux estimation in induction machines. R. Nilsen and M.P. Kaźmierkowski D p35
Relationship between the Fermat number transform and the Walsh-Hadamard transform. S. Boussakta and A.G.J. Holt G p191
Robust recursive least-squares method with modified weights for bilinear system identification. H. Dai and N.K. Sinha D p122
Self-tuning automatic voltage regulators for a synchronous generator. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p252
Self-tuning control in the presence of periodic disturbance. K.W. Lim, C.C. Hang and C.H. Lee D p98
Simplified Gram–Schmidt preprocessor for broadband tapped delay-line adaptive array. C.C. Ko G p141
Split-step algorithm for matrix preconditioning and inversion on systolic arrays. P. Paparao and A. Ghosh E p205
State-space adaptive control through a modified bootstrap algorithm for parameter and state estimation. M.S. Ahmed and N. Sait D p215
State-space self-tuning regulators for general multivariable stochastic systems. L.S. Shieh, Y.L. Bao and F.R. Chang D p17
Systolic array processor for MVDR beamforming. J.G. McWhirter and T.J. Shepherd F p75
Universal logic design algorithm and its application to the synthesis of two-level switching circuits. H.-J. Mathony E p171
Very fast reduction machine for variableless functional programming. P. Bellot E p443

AMPLIFIERS

Bootstrap transimpedance amplifier: a new configuration. R.J. Green and M.G. McNeill G p57
Effect of an AGC amplifier on the performance of a generalised PLL in the presence of a large interfering signal. N.K. Abdulaziz and S.D. Marougi G p178
New floating point impedance simulation using operational amplifiers. V. Singh G d155
Optical gain spectrum of GeO_2–SiO_2 Raman fibre amplifiers. S.T. Davey, D.L. Williams, B.J. Ainslie, W.J.M. Rothwell and B. Wakefield J p301
Performance of optically preamplified direct detection receivers in presence of laser chirp: Part II: Near travelling-wave and Fabry-Perot amplifier cases. R.S. Fyath and J.J. O'Reilly J p256
Performance of optically preamplified direct-detection receivers in the presence of laser chirp. Part 1: Ideal travelling-wave amplifier. R.S. Fyath and J.J. O'Reilly J p249
Sensitivity and power penalty considerations for laser preamplified direct detection optical receivers. R.S. Fyath, A.J. McDonald and J.J. O'Reilly J p238
Theory of twin-guide Fabry–Perot laser amplifiers. M.J. Adams J p287
Variability reduction in CMOS operational amplifiers through layout modification. A.B. Bhattacharyya and S. Aggarwal G p79
Zero-amplifier sensitivity criterion. G. Wilson G p43

ANALOGUE COMPUTERS AND COMPUTATION

Feasibility of analogue computation for image processing applications. Y. Papananos G p9
Variability reduction in CMOS operational amplifiers through layout modification. A.B. Bhattacharyya and S. Aggarwal G p79

ANALOGUE-DIGITAL CONVERSION

Broadband integrating Bragg cell receiver for electronic support measures. P.V. Gatenby F p63
Optimisation of quantisation based on *r*th-power distortion measures. F.-S. Lu F p276
Pseudoanalogue operation in digital circuits. D.J. Kinniment G p150
Spectrum of a nonlinearly quantised sinusoid. M.T. Abuelma'atti G p313

ANTENNAS

High capacity cellular patterns for land mobile radio systems using directional antennas. S. Heeralall and C.J. Hughes I p75
Lens antennas with amplitude shaping or sine condition. S. Bishay, S. Cornbleet and J. Hilton H p276
Operational analysis of electronic tracking schemes. G.J. Hawkins and D.J. Edwards I p181
Receivers for an electronic 'beam-squint' tracking system. P.B. Kenington, D.J. Edwards and J.P. McGeehan I p305
Techniques for medium-speed data transmission over HF channels. J. Pennington I p11

ANTENNAS (ADAPTIVE)

Adaptive beam forming without signal cancellation in the presence of coherent jammers. J.-H. Lee and J.-F. Wu F p169
Beamspace partially adaptive antenna. K. Takao and K. Uchida H p439
Broadband and robust adaptive antenna under correlation constraint. N. Kikuma and K. Takao H p85
Broadband power inversion array with maximally flat response at null directions. C.C. Ko F p161
Directional constrained adaptive array using symmetric amplitude control. K.W. Lo and T.B. Vu H p90
Systolic array processor for MVDR beamforming. J.G. McWhirter and T.J. Shepherd F p75

ANTENNAS (APERTURE)

Antenna beam steering technique using dielectric wedges. H.D. Griffiths and M.R. Khan H p126
Aperture field and circuit parameters of a cavity-backed slot radiator. A. Hadidi and M. Hamid H p139
Aperture impedance of flared horns. J.W. Silvestro and R.E. Collin H p235
Dielectric corrected plane reflector: an unusual solution. S. Cornbleet H p377

Elliptical boundary arrays for coherent and incoherent imaging. C. Ji, R.T. Hoctor and S.A. Kassam F p210
Stereographic projection of axisymmetric nonuniform lens media. S. Cornbleet H p499

ANTENNAS (ARRAYS)

Adaptive beam forming without signal cancellation in the presence of coherent jammers. J.-H. Lee and J.-F. Wu F p169
Airborne MTI via digital filtering. J. Ender and R. Klemm F p22
Analysis of curtain arrays for HF broadcasting. A.G.P. Boswell H p179
Analysis of infinite arrays of probe-fed rectangular microstrip patches using a rigorous feed model. J.T. Aberle and D.M. Pozar H p110
Broadband power inversion array with maximally flat response at null directions. C.C. Ko F p161
Directional constrained adaptive array using symmetric amplitude control. K.W. Lo and T.B. Vu H p90
Elliptical boundary arrays for coherent and incoherent imaging. C. Ji, R.T. Hoctor and S.A. Kassam F p210
Experiments of circularly polarised printed slot array antenna. K. Nakaoka H p70
Generalised Villeneuve $\bar{n}$ distribution. D.A. McNamara H p245
High-performance signal subspace beamformer. D.R. Farrier F p283
Investigation into the multipath performance of self-phased array. P.V. Brennan H p47
Microstrip port design and sidewall absorption for printed Rotman lenses. L. Musa and M.S. Smith H p53
Statistical performance analysis of the minimum-norm method. B.D. Rao and K.V.S. Hari F p125
Theoretical design/synthesis of slotted waveguide arrays. A.J. Sangster and A.H.I. McCormick H p39

ANTENNAS (DIPOLE)

Semiconductor dipole: possible radiating element for microwave/millimetre-wave monolithic integrated circuits (MIMICs). P.D. Patel H p455
Theoretical and experimental investigations of two-dimensional waveguide-excited short backfire antenna structure. M.S. Leong, P.S. Kooi, . Chandra and T.S. Yeo H p263
Vertical monopoles embedded in a dielectric substrate. R.C. Hall and J.R. Mosig H p462

ANTENNAS (HORNS AND FEEDS)

Aperture impedance of flared horns. J.W. Silvestro and R.E. Collin H p235
Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas. P.-S. Kildal H p424
Intrinsic mode theory of conical corrugated horns. J.M. Arnold and A. Dendane H p250
Magnetically coated horn for low sidelobes and low cross-polarisation. J.J.H. Wang, V.K. Tripp and R.P. Zimmer H p132
Propagation and radiation from partly filled elliptical wave guide. G.L. James H p195
Reflection coefficient at the feed of a radome-covered reflector antenna: a geometrical optics approach. H. Cory, P.D. Einziger and R. Sover H p241
Simple primary focus feeds for deep reflectors. A.A. Kishk H p169
Theoretical and experimental investigations of two-dimensional waveguide-excited short backfire antenna structure. M.S. Leong, P.S. Kooi, . Chandra and T.S. Yeo H p263

ANTENNAS (MEASUREMENTS)

Analysis of gating errors in time domain antenna measurements. A. Henderson, J.R. James, P. Newham and G. Morris H p311
Near-field measurements on plane-polar facility. J.C. Bennett and K.S. Farhat H p202
Phase-only reflector antenna metrology. C.G Parini, A.K.K. Lau and P.J.B Clarricoats H p343

ANTENNAS (MICROSTRIP)

Analysis of circular microstrip antennas with superstrate. K.M. Luk, W.T. Tam and C.L. Yip H p261
Analysis of infinite arrays of probe-fed rectangular microstrip patches using a rigorous feed model. J.T. Aberle and D.M. Pozar H p110
Analysis of reactively loaded microstrip disk antenna. M.D. Deshpande and Y.R. Rao H p417
Application of sequential feeding to wide bandwidth, circularly polarised microstrip patch arrays. P.S. Hall H p390
Capactive matching of microstrip patch antennas. M.J. Alexander H p172
Coupling across gap in thick microstrip line. P. Newham H p64
Design principles of sequentially fed, wide bandwidth circularly polarised microstrip antennas. P.S. Hall, J.S. Dahele and J.R. James H p381
Equivalence of impedance and radiation properties of square and circular microstrip patch antennas. A.K. Bhattacharjee, S.R. Bhadra Chaudhuri, D.R. Poddar and S.K. Chowdhury H p338
Experiments of circularly polarised printed slot array antenna. K. Nakaoka H p70
Extended analysis of closed-ring microstrip antenna. M.A. Sultan H p67
Microstrip port design and sidewall absorption for printed Rotman lenses. L. Musa and M.S. Smith H p53
Numerical analyses of printed line antennas. H. Nakano, K. Hirose, T. Suzuki, S.R. Kerner and N.G. Alexopoulos H p98

ANTENNAS (REFLECTORS)

Dielectric corrected plane reflector: an unusual solution. S. Cornbleet H p377
Geometric-optic synthesis of dual-reflector antennas with distributed sources. B.S. Westcott and F. Brickell H p361
Laws of geometrical optics mapping in multi-reflector antennas with application to elliptical apertures. P.-S. Kildal H p445
Reflection coefficient at the feed of a radome-covered reflector antenna: a geometrical optics approach. H. Cory, P.D. Einziger and R. Sover H p241
Simple primary focus feeds for deep reflectors. A.A. Kishk H p169

ANTENNAS (SLOT)

Aperture field and circuit parameters of a cavity-backed slot radiator. A. Hadidi and M. Hamid H p139
Cavity-backed wide slot antenna. J. Hirokawa, H. Arai and N. Goto H p29
Experiments of circularly polarised printed slot array antenna. K. Nakaoka H p70
Theoretical design/synthesis of slotted waveguide arrays. A.J. Sangster and A.H.I. McCormick H p39

ANTENNAS (THEORY)

Equivalence of impedance and radiation properties of square and circular microstrip patch antennas. A.K. Bhattacharjee, S.R. Bhadra Chaudhuri, D.R. Poddar and S.K. Chowdhury H p338
Generalised Villeneuve $\bar{n}$ distribution. D.A. McNamara H p245

ANTENNAS (TIME DOMAIN)

Analysis of gating errors in time domain antenna measurements. A. Henderson, J.R. James, P. Newham and G. Morris H p311

ARCING

Several physical characteristics of impluse-corona discharge around conductors. Part 1: Streamer length and speed (discrete character of discharge). C. Gary, G. Drăgan, I. Lungu and M. Colteanu A p191
Several physical characteristics of impulse-corona discharge around conductors. Part 2: Onset voltage and delay time of corona discharge. C. Gary, G. Drăgan and I. Lungu A p197

ARRAY PROCESSING

Adaptive beam forming without signal cancellation in the presence of coherent jammers. J.-H. Lee and J.-F. Wu F p169
Broadband integrating Bragg cell receiver for electronic support measures. P.V. Gatenby F p63
Design of algorithm-based fault-tolerant VLSI array processor. C.-M. Liu and C.-W. Jen E p539
Neural networks and conditional association networks: common properties and differences. W. Hilberg E p343
New array processor architectures for two-dimensional FIR digital filters. M.M. Fahmy and Y. Wan E p234
Simplified Gram–Schmidt preprocessor for broadband tapped delay-line adaptive array. C.C. Ko G p141
Systolic array processor for MVDR beamforming. J.G. McWhirter and T.J. Shepherd F p75
Test generation of C-testable array dividers. C.L. Wey and S.M. Chang E p434

BIOLOGICAL EFFECTS

Measurement of unipolar paced-evoked potentials. S. Gergely, C. Walton and A.P. Economides A p202
Pole-assignment self-tuning control of blood pressure in postoperative patients: a simulation study. N.E. Mansour and D.A. Linkens D p1
Transfection by electroporation: cell gene transfer using electrical impulses, a new process in blood cancer research. R.D. Jamieson, M.P. Bodger, P.S. Bodger and D. Baran A p41

BIOMEDICAL APPLICATIONS

Design of graphics interface for computer-based biomedical applications. M. Zaki E p505
Measurement of unipolar paced-evoked potentials. S. Gergely, C. Walton and A.P. Economides A p202
Pole-assignment self-tuning control of blood pressure in postoperative patients: a simulation study. N.E. Mansour and D.A. Linkens D p1
Transfection by electroporation: cell gene transfer using electrical impulses, a new process in blood cancer research. R.D. Jamieson, M.P. Bodger, P.S. Bodger and D. Baran A p41

BIPOLAR TRANSISTORS

Speed comparison of digital BiCMOS and CMOS circuits. A. Rothermel and B. Hosticka G p49

BOOLEAN ALGEBRA

Analysis and synthesis of bent sequences. R. Yarlagadda and J.E. Hershey E p112
Binary decision graph reduction. S. Aborhey E p277
Content-addressable mass memories. H.Ch. Zeidler E p351
Detection of stuck-at and bridging faults in Reed–Muller canonical (RMC) networks. T. Damarla and M. Karpovsky E p430
Error propagation property and application in cryptography. -J.P. Pieprzyk E p262
Flag-algebra: a new concept for the realisation of fully parallel associative architectures. D. Tavangarian E p357

BREAKDOWN AND GAS DISCHARGES

Discussion of the voltage/current characteristic of a fluorescent lamp. E. Gluskin A p229

CABLES AND OVERHEAD LINES

Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection. C.A. Arkell, S.J. Galloway, E.B. Parsons, B.G. Woodcock and D.E. Woolmer C p121
Engineering method for high-voltage substations lightning performance estimation. M.S. Savić C p222
Investigation of temperature and oil flow in EHV sealing ends. R.C. Broughton, A.J. Oliver, D.R. Soulsby, P.L. Stephenson, W. Boone and J. Kuiper C p230
Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland C p341

CHOPPERS

Input impedance of chopper equipment and its significance in low-frequency track circuits. B. Mellitt, J.A. Taufiq and J. Xiaoping B p37

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Interruption of short-circuit currents in MV networks with extremely long time constants. W.M.C. van den Heuvel, A.L.J. Janssen and G.C. Damstra C p115

CIRCUIT THEORY AND DESIGN

Autocorrelation testing of combinational circuits. S. Aborhey E p57 E e100
Compensation improvements in *RC*-active integrators. G. Wilson G p1
Current conveyors, operational amplifiers and nullors. J.A. Svoboda G p317
Design of a language for IC mask verification and net extraction. A.D. Brown and P.R. Thomas G p67
Function abstraction in automatic digital-circuit design. J.-G. Wu, Y.H. Hu, W.P.-C. Ho and D.Y.Y. Yun G p235
Gbit/s serialiser/deserialiser subsystem for GaAs large-scale optoelectronic integration. F.R. Gfeller G p221
Minimal multiplier realisation of bilinear-LDI digital allpass networks. B. Nowrouzian and L.S. Lee G p114
New floating point impedance simulation using operational amplifiers. V. Singh G d155
On designing robust testable CMOS combinational circuits. B. Gupta, Y.K. Malaiya, Y. Min and R. Rajsuman E p329
Syntactic translation and logic synthesis in Gatemap. J.V Salmon, E.B. Pitty and M.S. Abrahams E p321
TOMP project. D. Del Corso, P. Civera, F. Gregoretti, F. Maddaleno, G. Conte, M. Zamboni and E. Pasero E p225
Yield estimation for serial superchip. W. Chen, J. Mavor, P.B. Denyer and D. Renshaw E p187

CLOSED-LOOP SYSTEMS

Adaptive pole-polacement control with filtered states and steady-state disturbance rejection. F.K. Omani D p12
Cost of uncertainty about controlled objects. O.L.R. Jacobs D p177
Model reference adaptive control via the minimisation of output error and weighting control input. C.-L. Hwang and B.-S. Chen D p231
Optimal modal controller design by entire eigenstructure assignment. M. Saif D p341
Receivers for an electronic 'beam-squint' tracking system. P.B. Kenington, D.J. Edwards and J.P. McGeehan I p305

CODES AND DECODING

Adaptive predictive image coding using local characteristics. C.H. Hsieh, P.C. Lu and W.G. Liou I p385
Advanced VLSI validated input security device employing data and hardware validation features. V. Iliev, S.S. Dlay, M.R. McLauchlan, A.M. Koelmans and D.J. Kinniment E p471
Development of integer cosine transforms by the principle of dyadic symmetry. W.-K. Cham I p276
Error control techniques applicable to HF channels. S.D. Bate, B. Honary and P.G. Farrell H p57
Frequency-hopping multiple-access communications with concatenated diversity/Reed-Solomon coding. S.W. Kim I p81
Harmonic postprocessing of speech synthesised by stochastic coders. I.M. Trancoso and J.M. Tribolet I p141
High-speed hardware decoder for double-error-correcting binary BCH codes. S-H Wei and C-H Wei I p227
Influence of design on performance of a satellite modem transmitting coded PSK signals. S.W. Cheung and A.P. Clark I p87
Joint source-channel coding for raster document transmission over mobile radio. R.R. Wyrwas and P.G. Farrell I p375
Measurements on the timing recovery performance of partial-response class-4 signalling. A.D. Fagan and R.E. O'Connor J p254
Multilevel range/NEXT performance in digital subscriber loops. G. Brand, V. Madisetti and D.G. Messerschmitt I p169
Performance limits for block-coded modulation. A.G. Burr I p267
Performance of error-erasure-correction decoding of Reed-Solomon codes for frequency-hop communications in multitone interference. Q. Wang, T.A. Gulliver, V.K. Bhargava and E.B. Felstead I p298
Pruned-trellis search technique for high-rate convolutional codes. J. Sun, I.S. Reed, H.E. Huey and T.K. Truong E p405
Statistical real-time channel evaluation (SRTCE) technique using variable length *T*-codes. F. Zolghadr, B. Honary and M. Darnell I p259
Systolic architecture for finite field exponentiation. A. Ghafoor and A. Singh E p465
Two concatenated coding schemes for ARQ protocols. G. Benelli I p213

COMMUNICATION SYSTEMS THEORY

Approximate sample variance analysis of exponential channel derived from SVD-based algorithm. M. Barton I p381
Frequency-hopping multiple-access communications with concatenated diversity/Reed-Solomon coding. S.W. Kim I p81
M-ary CPSK transmission through a two-link bandlimited nonlinear satellite channel using an RF lineariser. O. Gemikonakli and A.H. Aghvami I p291
Morphology of the high latitude ionosphere and its implications for HF communications systems. P.S. Cannon I p1
Performance analysis of queuing networks with end-to-end window flow control. J.S. Wu and W.C. Chan E p423
Performance of optimum threshold incoherent diversity in non-Gaussian noise and fading. A.M. Maras and C.E. Goutis I p233
Throughput of spread-spectrum systems with a large number of users. E.S. Sousa I p220

COMMUTATION

Improved PWM method of forced commutated cycloconvertors. D.-H. Shin, G.-H. Cho and S.-B. Park B p121

COMPONENTS

Power components in a system with sinusoidal and nonsinusoidal voltage and/or currents. M.A. Slonim and J.D. Van Wyk B p90
Power components in a system with sinusoidal and nonsinusoidal voltage and/or currents. P. Filipski B p90

COMPUTER APPLICATIONS

8-electrode capacitance system for two-component flow identification. Part 1: Tomographic flow imaging. C.G. Xie, A. Plaskowski and M.S. Beck A p173
8-electrode capacitance system for two-component flow identification. Part 2: Flow regime identification. C.G. Xie, A. Plaskowski and M.S. Beck A p184
Adaptive, low latency, deadlock-free packet routing for networks of processors. J. Yantchev and C.R. Jesshope E p178
Content addressability: an exercise in the semantic matching of hardware and software design. G.M. Blair and P.B. Denyer E p41
Design and computation of near-optimal stable observers for bilinear systems. Y. Maghsoodi D p127
Design of a language for IC mask verification and net extraction. A.D. Brown and P.R. Thomas G p67
Dynamic single-connection channel access in multichannel networks. B.P. Mohanty and T.D. Todd E p76
Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung C p391
Fast and efficient gradient projection algorithm for dynamic generation dispatching. G.P. Granelli, P. Marannino, M. Montagna and A. Silvestri C p295
Fast parallel algorithm for all-pairs shortest path problem and it's VLSI implementation. S. Dey and P.K. Srimani E p85
Improvement on Aberth's method for choosing initial approximations to zeros of polynomials. Yuji Nagashima, Taki Kanda and Hideyo Nagashima E p101
Knowledge-based approach to the formulation of ultrasonic nondestructive testing procedures. A. McNab and H.S. Young A p134
Methodology for optimising cost/speed tradeoffs in real-time inspection hardware. E.R. Davies and A.I.C. Johnstone E p62
New computationally efficient formula for backward-pass fixed-interval smoother and its *UD* factorisation algorithm. K. Watanabe and S.G. Tzafestas D p73 D d331
New ticketing system for the London Underground. I.P. Burdon and M.H. Vogel B d59
Parallel merge module for combining sorted lists. G.-S. Liu and H.-H. Chen E p161
Recognition of partially occluded 3D objects. M.-H. Chan and H.-T. Tsui E p124
Simple moment method program for computing scattering from complex cylindrical obstacles. J.-M. Jin and V.V. Liepa H p321
Static interconnection network extensibility based on marginal performance/cost analysis. P.W. Dowd, M. Dowd and K. Jabbour E p9
Systematic procedure for test generation of PAL-based circuits. P.K. Lala and S. Shen E p142
TOMP project. D. Del Corso, P. Civera, F. Gregoretti, F. Maddaleno, G. Conte, M. Zamboni and E. Pasero E p225
Technical publications in the electronics industry. D.J. Steele and D.S. Holloway A p233
Three-dimensional cellular automata and VLSI applications. Ph. Tsalides, P.J. Hicks and T.A. York E p490

COMPUTER GRAPHICS

DMKS: system kern for multimedia integration. Y.T. Siu and M.J. Clark E p150
Design of graphics interface for computer-based biomedical applications. M. Zaki E p505
Knowledge-based approach to the formulation of ultrasonic nondestructive testing procedures. A. McNab and H.S. Young A p134
Technical publications in the electronics industry. D.J. Steele and D.S. Holloway A p233

COMPUTER SIMULATION

Investigation of temperature and oil flow in EHV sealing ends. R.C. Broughton, A.J. Oliver, D.R. Soulsby, P.L. Stephenson, W. Boone and J. Kuiper C p230
Operational analysis of electronic tracking schemes. G.J. Hawkins and D.J. Edwards I p181
Parallel computational techniques for simulating dopant diffusion in silicon. R. Biswas and G.A.J. Amaratunga G p135
Study of 1024-QAM system performance in the presence of filtering imperfections. P. Mathiopoulos, H. Ohnishi and K. Feher I p175

COMPUTER-AIDED DESIGN

Syntactic translation and logic synthesis in Gatemap. J.V Salmon, E.B. Pitty and M.S. Abrahams E p321

CONDUCTORS AND CONDUCTIVITY

Bidirectional temperature-sensitive magnetic semiconductor and its application. K. Seki, J. Shida and K. Murakami B p32
Calculation of proximity losses in multistranded conductor bunches. P.N. Murgatroyd A p115
Several physical characteristics of impluse-corona discharge around conductors. Part 1: Streamer length and speed (discrete character of discharge). C. Gary, G. Drăgan, I. Lungu and M. Colteanu A p191
Several physical characteristics of impulse-corona discharge around conductors. Part 2: Onset voltage and delay time of corona discharge. C. Gary, G. Drăgan and I. Lungu A p197

CONTROL EQUIPMENT AND APPLICATIONS

Decoupling multivariable self-tuning controller for varying time delays. F. Mahieddine and A.S. Morris D p209
Pole-assignment self-tuning control of blood pressure in postoperative patients: a simulation study. N.E. Mansour and D.A. Linkens D p1
Real-time collision avoidance system for multiple robots operating in shared work-space. N. Duffy, D. Allan and J.T. Herd E p478
Reduced-order observer with parameter adaption for fast rotor flux estimation in induction machines. R. Nilsen and M.P. Kaźmierkowski D p35
Self-tuning controllers for turbogenerator excitation and governing systems. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p238
State-space self-tuning regulators for general multivariable stochastic systems. L.S. Shieh, Y.L. Bao and F.R. Chang D p17
Static interconnection network extensibility based on marginal performance/cost analysis. P.W. Dowd, M. Dowd and K. Jabbour E p9

CONTROL SYSTEMS

A class of discrete-time models for a continuous-time system. T. Mori, P.N. Nikiforuk, M.M. Gupta and N. Hori D p79
Approach to pole assignment by centralised and decentralised output feedback. M. Tarokh D p89

Continuous-time approach to self-tuning control: algorithm, implementation and assessment. A. Patra and G.P. Rao D p333
Cost of uncertainty about controlled objects. O.L.R. Jacobs D p177
Damping ratio of linear uncertain discrete-time systems. C.B. Soh, Y.H. Lim and T.C. Lim D p298
Decoupling in nonlinear systems: from linearity to nonlinearity. L.C.J.M. Gras and H. Nijmeijer D p53
Disturbance rejection in nonlinear systems: examples. K.M. Passino D p317
Engineers in the front line. F.C. Padfield(Air Com) A p8
Fuzzy systems identification. C.-W. Xu D p146
General hybrid orthogonal functions and some potential applications in systems and control. A. Patra and G.P. Rao D p157
Generalised H_∞ multivariable controllers. M.J. Grimble D p285
Higher-order iterative learning control algorithm. Z. Bien and K.M. Huh D p105
Homotopy method for solving algebraic Riccati equations. S.-S. Wang and C.-T. Pan D p68
Identification of boiler models. P.K. Chawdhry and B.W. Hogg D p261
Improved condition for the optimality of decentralised control for large-scale systems. T.-C. Yang, N. Munro and A. Brameller D p44
Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth C p289
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla C p331
Linear feedback approach to the stabilisation of uncertain discrete systems. A.A. Bahnasawi, A.S. Al-Fuhaid and M.S. Mahmoud D p47
Lower bounds for the stability margin of linear continuous systems based on weighted performance criteria. P. Agathoklis and V. Sreeram D p63
Maximum pulse-position and counting errors of binary rate multipliers. J. Nieznański E p296
Model reduction of continuous-time systems using a modified Routh approximation method. C.-S. Hsieh and C. Hwang D p151
Model reference adaptive control via the minimisation of output error and weighting control input C.-L. Hwang and B.-S. Chen D p231
New canonical form for pole placement. F. Blanchini D p314
New linear parameterisation of all stabilising compensators for single-input/single-output plants. G. Celentano and G. De Maria D p225
Pole-assignment self-tuning control of blood pressure in postoperative patients: a simulation study. N.E. Mansour and D.A. Linkens D p1
Robust control of discrete systems. C.S. Berger D p165
Robust pole-placement for uncertain interval systems. Y.C. Soh D p301
Simplified design approach for decentralised controllers of large-scale systems. G. Feng D p171
State-space adaptive control through a modified bootstrap algorithm for parameter and state estimation. M.S. Ahmed and N. Sait D p215

CONTROL THEORY

Application of extended Luenberger observer for flux and rotor time-constant estimation in induction motor drives. T. Orlowska-Kowalska D p324
Automated acquisition of knowledge for an expert system for process control. D.H. Walburn and E.T. Powner E p548
Continuous-time approach to self-tuning control: algorithm, implementation and assessment. A. Patra and G.P. Rao D p333
Cost of uncertainty about controlled objects. O.L.R. Jacobs D p177
Damping ratio of linear uncertain discrete-time systems. C.B. Soh, Y.H. Lim and T.C. Lim D p298
Decoupling in nonlinear systems: from linearity to nonlinearity. L.C.J.M. Gras and H. Nijmeijer D p53
Disturbance rejection in nonlinear systems: examples. K.M. Passino D p317
Error recovery points management for dynamically identified recoverable atomic actions. K. Zieliński D p28
Fuzzy systems identification. C.-W. Xu D p146
Generalised H_∞ multivariable controllers. M.J. Grimble D p285
Improved condition for the optimality of decentralised control for large-scale systems. T.-C. Yang, N. Munro and A. Brameller D p44
Linear feedback approach to the stabilisation of uncertain discrete systems. A.A. Bahnasawi, A.S. Al-Fuhaid and M.S. Mahmoud D p47
Modal control of an HV DC system for the damping of subsynchronous oscillations. Y.-Y. Hsu and L. Wang C p78
Multivariable Nyquist self-tuning: a general approach. B. Kouvaritakis and J.A. Rossiter D p189
Self-tuning control in the presence of periodic disturbance. K.W. Lim, C.C. Hang and C.H. Lee D p98
Self-tuning controllers for turbogenerator excitation and governing systems. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p238
Simplified design approach for decentralised controllers of large-scale systems. G. Feng D p171

CONVERTORS

Analysis and design of buck/boost zero-voltage switching resonant DC/DC convertor. M.K. Kazimierczuk G p157
Analysis of buck/boost zero-current-switching resonant DC/DC convertor. M.K. Kazimierczuk B p127
Harmonic analysis of a high frequency square wave cycloconvertor system. P.D. Evans and M.R.D. Al-Mothafar B p19
Improved PWM method of forced commutated cycloconvertors. D.-H. Shin, G.-H. Cho and S.-B. Park B p121
Novel approach to modelling series resonant convertors. A.V. Mathew and R. Unnikrishnan G p99
Random asynchronous sampling strategy for measurement instruments based on nonlinear signal conversion. F. Filicori, G. Iuculano, A. Menchetti and D. Mirri A p141
Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system. N.R. Watson, J. Arrillaga and C.P. Arnold C p9
Single-phase sinusoidal convertor using MOSFETs. R. Itoh and K. Ishizaka B p237
Steady-state and transient characteristics of a single-way step-down PWM GTO voltage-source convertor with sinusoidal supply currents. R. Itoh B p168

CROSSTALK

Modelling of crosstalk among the GaAs-based VLSI interconnections. A.K. Goel and Y.R. Huang G p361
Multilevel range/NEXT performance in digital subscriber loops. G. Brand, V. Madisetti and D.G. Messerschmitt I p169
Theory of twin-guide Fabry–Perot laser amplifiers. M.J. Adams J p287

CYBERNETICS AND ROBOTICS

Decentralised PD and PID robotic regulators. Y. Bestaoui D p133

DECODING

Another description of the Berlekamp-Massey algorithm. W. Henkel I p197

DEMODULATION

Carrier-phase synchronisation in the demodulation of UQPSK signals. A.P. Clark and A. Aftelak I p351
Multicarrier demodulator for digital satellite communication systems. E. Del Re and R. Fantacci I p201

DESIGN

Computational complexity of test generationfor ETG PLAs. Yinghua Min, Yashwant K. Malaiya and Bidyut Gupta E p107
Design and computation of near-optimal stable observers for bilinear systems. Y. Maghsoodi D p127
Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross C p361
Engineers in the front line. F.C. Padfield(Air Com) A p8
Impact of GaAs and Si technologies on adder characteristics. V. Milutinović, M. Bettinger and W. Helbig E p217
Manufacturing — the role of the IEE Centres. J.A.B. Bladon, M.E. Prosser, K.K. Schwarz and W.C. Dobie A p151
Methodology for optimising cost/speed tradeoffs in real-time inspection hardware. E.R. Davies and A.I.C. Johnstone E p62
Optimal modal controller design by entire eigenstructure assignment. M. Saif D p341
RBCD: redundant binary-coded decimal adder. B. Shirazi, D.Y.Y. Yun and C.N. Zhang E p156
Simplified design approach for decentralised controllers of large-scale systems. G. Feng D p171
Simulating microprocessor systems using occam and a network of transputers. I. Gorton, J. Kerridge and B. Jervis E p22
Systems and design as the basis of engineering knowledge. J. Korn A p87
The inter-relationship between systems engineering and engineering design. L. Finkelstein, B. Archer, K.K. Schwarz and G.E.P. Constable A p159

DETECTION

Analysis of quadrature detectors using complex envelope notation. S.J. Roome F p95
Analysis of the excision CFAR detector in the presence of fluctuating targets. E. Conte, M. Longo and M. Lops F p290
CFAR detection for multiple target situations. M. Barkat, S.D. Himonas and P.K. Varshney F p193
Characterisation of a phase-sensitive detector. W.A. Evans and A.M. Sykes G p285
Cramér-Rao bounds and maximum-likelihood estimation of Doppler frequency of signals received by a polarimetric radar. M. Fossi, D. Giuli and M. Gherardelli F p175
Detection performance of phase-coded radar waveforms with various types of limiting. F.R. Castella and S.A. Rudie F p118
GMSK with limiter discriminator integrator detection in satellite mobile channel. I. Korn I p361
Performance of optimum threshold incoherent diversity in non-Gaussian noise and fading. A.M. Maras and C.E. Goutis I p233

DIELECTRIC MATERIALS

Analysis of power dissipation and energy storage inside a dielectric loaded cavity. G. Bertin and L. Accatino H p405
Broadband method for measuring dielectric constant of liquids using an automatic network analyser. A.M. Boifot H p492
Detailed measurement of scattering by a spheroidal particle having varying proportions of ice and water. A.L. Hume and L.J. Auchterlonie H p351
Electronic tuning of a dielectric resonator at microwave frequencies. A. El-Moussaoui and D.P. Hewson H p502
Growth of electrical trees in solid insulation. M.N. Arbab and D.W. Auckland A p73
Macroscopic permittivity of dielectric mixtures with application to microwave attenuation of rain and hail. A. Sihvola H p24
Transitions in open millimetre-wave waveguides. S.T. Peng, S.J. Xu and F.K. Schwering H p487

DIGITAL ARITHMETIC

Complex number multipliers. K.Z. Pekmestzi E p70
Use of linearisation and spectral techniques in input and output compaction testing of digital networks. S.L. Hurst E p48

DIGITAL CIRCUITS

ASIC test sequence minimsation by built-in testability in logic surrounding embedded binary asynchronous counters. T. Švedek and V. Ivanšić E p450
Deductive fault diagnosis in digital circuits: a survey. S.J. Sangwine E p496
Function abstraction in automatic digital-circuit design. J.-G. Wu, Y.H. Hu, W.P.-C. Ho and D.Y.Y. Yun G p235
Influence of guiding testability measure on number of backtracks of ATPG program. G. Chiorboli and A. Ferrari E p316
Minimal multiplier realisation of bilinear-LDI digital allpass networks. B. Nowrouzian and L.S. Lee G p114
Pseudoanalogue operation in digital circuits. D.J. Kinniment G p150
Reconfigurable testable bit-serial multiplier for DSP applications. M.A. Bayoumi and C.H. Yang E p517
Speed comparison of digital BiCMOS and CMOS circuits. A. Rothermel and B. Hosticka G p49
Syntactic translation and logic synthesis in Gatemap. J.V Salmon, E.B. Pitty and M.S. Abrahams E p321
Timing simulator by waveform relaxation considering the feedback effect. Y.-H. Jun, C.-W. Lee, K.-J. Lee and S.-B. Park G p38

DIGITAL COMMUNICATION SYSTEMS

All digital phase-locked loop: concepts, design and applications. Y.R. Shayan and T. Le-Ngoc F p53

Application of the product graph to a large multiexchange digital network. J.M.F. Craveirinha and J.P. Sumner I p189
Code interleaving for high speed digital transmission. D. Muñoz-Rodriguez and K.W. Cattermole I p71
Efficient differential detection of digital FM signals in bandwidth restricted channels. N. Ekanayake and U.R. Abeyratne I p64
Error control techniques applicable to HF channels. S.D. Bate, B. Honary and P.G. Farrell H p57
Impact of non-Gaussian noise on the performance of *M*-ary CPSK signalling transmitted through two-link nonlinear channels. O. Gemikonakli and A.H. Aghvami I p328
Joint carrier and clock recovery for QPSK and MSK digital communications. E. Del Re and R. Fantacci I p208
M-ary CPSK transmission through a two-link bandlimited nonlinear satellite channel using an RF linear iser. O. Gemikonakli and A.H. Aghvami I p291
Measurements on the timing recovery performance of partial-response class-4 signalling. A.D. Fagan and R.E. O'Connor J p254
Multicarrier demodulator for digital satellite communication systems. E. Del Re and R. Fantacci I p201
New point-to-multipoint communication protocols. R.H. Deng, X.Y. Zhang and Y.K. Tham I p312
Optimal flow control of end-to-end packet-switched network with random routing. D.D. Kouvatsos and A.T. Othman E p90
Performance analysis of queuing networks with end-to-end window flow control. J.S. Wu and W.C. Chan E p423
Performance of optimum threshold incoherent diversity in non-Gaussian noise and fading. A.M. Maras and C.E. Goutis I p233
Statistical real-time channel evaluation (SRTCE) technique using variable length *T*-codes. F. Zolghadr, B. Honary and M. Darnell I p259
Threshold detection of continuous phase-modulated signals. K.R. Raveendra and R. Srinivasan I p414
Throughput of spread-spectrum systems with a large number of users. E.S. Sousa I p220
Two concatenated coding schemes for ARQ protocols. G. Benelli I p213

DIGITAL COMPUTERS AND COMPUTATION

Architectures for testability and fault tolerance in content-addressable systems. K.E. Grosspietsch E p366
Content-addressable mass memories. H.Ch. Zeidler E p351
Content-addressable memories applied to execution of logic programs. J.C.D.F. Ribeiro, C.D. Stormon, J.V. Oldfield and M.R. Brule E p383
Design of an associative processor array. A.W.G. Duller, R.H. Storer, A.R. Thomson, E.L. Dagless, M.R. Pout, A.P. Marriot and J. Goldfinch E p374
Fault tolerance of neural associative memories. J.A.G. Nijhuis and L. Spaanenburg E p389
Flag-algebra: a new concept for the realisation of fully parallel associative architectures. D. Tavangarian E p357
Optimal flow control of end-to-end packet-switched network with random routing. D.D. Kouvatsos and A.T. Othman E p90
Optimal number of disc clock tracks for block-oriented rotating associative processors. B. Parhami E p535
SST: scan self-test for sequential machines. L.T. Wang and S. Mourad E p569
Very fast reduction machine for variableless functional programming. P. Bellot E p443

DIGITAL CONTROL

Automated acquisition of knowledge for an expert system for process control. D.H. Walburn and E.T. Powner E p548
Design of synchronisers: a review. L. Morin and H.F. Li E p557
Efficiency of state assignment methods for PLA-based sequential circuits. J.L. Huertas and J.M. Quintana E p247
State-space self-tuning regulators for general multivariable stochastic systems. L.S. Shieh, Y.L. Bao and F.R. Chang D p17

DIGITAL FILTERS

Circularly symmetric two-dimensional multiplierless FIR digital filter design using an enhanced McClellan transformation. H.K. Kwan and C.L. Chan G p129
Design of 2-D recursive digital filters with noncircular, symmetric cutoff boundary and constant group-delay responses. M. Ahmadi, H.J.J. Lee, M. Shridhar and V. Ramachandran G p255
Design of digital discriminator filters for voiceband FSK data modems. M. Rahim, C.C. Goodyear and P.M. Hughes G p217
Digital filter sets for frequency shift keyed modems. A.P. Breen and C.C. Goodyear G p14
Improved 2-port systolic adaptor for wave digital filters. S.S. Lawson and A.R. Mirzai G p121
Multidimensional ellipsoidally and spherically symmetric recursive digital-filter design with reduced number of optimised coefficients. C.L. Chan and H.K. Kwan G p301
New array processor architectures for two-dimensional FIR digital filters. M.M. Fahmy and Y. Wan E p234
Stability analysis of digital filters under finite word-length effects. B.-S. Chen and C.-T. Kuo G p167

DIODES

Millimetre-wave planar oscillator on semi-insulating GaAs substrate. J. Freyer, U. Güttich, J. Wenger and X. Zhang G p84

DISCHARGES, ELECTRIC

Several physical characteristics of impluse-corona discharge around conductors. Part 1: Streamer length and speed (discrete character of discharge). C. Gary, G. Drăgan, I. Lungu and M. Colteanu A p191
Several physical characteristics of impulse-corona discharge around conductors. Part 2: Onset voltage and delay time of corona discharge. C. Gary, G. Drăgan and I. Lungu A p197

DISCHARGES, GAS

Discussion of the voltage/current characteristic of a fluorescent lamp. E. Gluskin A p229

DISTRIBUTION NETWORKS

Feeder load analysis for utility demand side management. G.B. Jasmon, A.H. Azit and S.B. Sairan C p303
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado C p413

EARTHING

Analysis of a circular earthing plate. E.K.-N. Yung and W.-Y. Tam C p385
Analysis of large grounding systems for earth-resistance measurements in two-layer soils. V. Amoruso, M. Savino and M. Sylos Labini C p314

EDDY CURRENTS

Calculation of self and mutual impedances between sections of transformer windings. D.J. Wilcox, W.G. Hurley and M. Conlon C p308
Hybrid finite-element method and boundary-element method using time-stepping for eddy-current calculation in axisymmetric problems. L. Pichon and A. Razek A p217
Minimum loss sections of flat conductors. P.N. Murgatroyd and S. Hillen A p127
No load method of estimating stray load loss in small cage induction motors. R. Bourne B p92
On certain properties of the electric vector potential in eddy-current problems. Part 2. M.R. Krakowski A d255
Upper and lower bounds in eddy-current calculations. P. Hammond A p207

EDUCATION AND TRAINING

'Insight' courses for encouraging more young women to become professional engineers. T.M. Benson and M. Austin A p95
Digital-pulse approach to electromagnetism. C.J. Carpenter A d113
Electromagnetism and semantics. J.C.G. Field A d257 A d259
Silvanus Thompson: teacher, researcher, historian. A.C. Lynch A p306

EDUCATIONAL PROJECTS

'Insight' courses for encouraging more young women to become professional engineers. T.M. Benson and M. Austin A p95

ELECTROMAGNETIC COMPATIBILITY

Analysis of asymmetric TEM cell and its optimum design of electric field distribution. X.-D. Cai and Y.-Y. Li H p191
EM wave scattering from statistically inhomogeneous and periodic random rough surfaces. D.P. Chrissoulidis H p209
Input impedance of inverter equipment and its significance in low-frequency track circuits. J.A. Taufiq, B. Mellitt and J. Xiaoping B p243

ELECTROMAGNETIC THEORY

Analysis of electromagnetic scattering from metallic and penetrable cylinders with edges using a multifilament current model. S. Eisler and Y. Leviatan H p431
Calculation of proximity losses in multistranded conductor bunches. P.N. Murgatroyd A p115
Cascaded cylinder model for predicting terrain diffraction loss at microwave frequencies. P.A. Sharples and M.J. Mehler H p331
Comparison of the practical advantages of alternative descriptions of electromagnetic momentum. C.J. Carpenter A p101
Computation of a branch-cut integral arising in transient electromagetic scattering by a perfectly conducting cylinder. K. Naishadham H p367
Diffraction coefficient related to a discontinuity formed by impedance and resistive halfplanes. G. Uzgören, A. Büyükaksoy and A.H. Serbest H p19
Digital-pulse approach to electromagnetism. C.J. Carpenter A d113
Effect of current distribution in parallel bars on electromagnetic field at nearby steel wall. M.R. Krakowski, M. Kaźmierski and I. Kersz B p161
Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross C p361
Electromagnetic diffraction by two perfectly conducting wedges with dented edges loaded with a dielectric cylinder. A.Z. Elsherbeni and H.A. Auda H p225
Electromagnetic energy and power in terms of charges and potentials instead of fields. C.J. Carpenter A p55 A e114 A d261
Electromagnetism and semantics. J.C.G. Field A d257 A d259
Hybrid finite-element method and boundary-element method using time-stepping for eddy-current calculation in axisymmetric problems. L. Pichon and A. Razek A p217
Improved analytical method for computing unipolar DC corona losses. M.M. Aboelsaad, L. Shafai and M.M. Rashwan A p33
Intrinsic mode theory of conical corrugated horns. J.M. Arnold and A. Dendane H p250
Lumped circuit model for prediction of linewidth in Fabry-Perot and DFB lasers, including external cavity devices. P.J. Probert and J.E. Carroll J p22
Macroscopic permittivity of dielectric mixtures with application to microwave attenuation of rain and hail. A. Sihvola H p24
Magnetostatics with scalar potentials in multiply connected regions. A. Vourdas and K.J. Binns A d260
Measurement of unipolar paced-evoked potentials. S. Gergely, C. Walton and A.P. Economides A p202
Minimum loss sections of flat conductors. P.N. Murgatroyd and S. Hillen A p127
Numerical analysis of electric field generated by imperfectly insulated buried pipeline. S. Cristina and M. Feliziani A p121
On certain properties of the electric vector potential in eddy-current problems. Part 2. M.R. Krakowski A d255
Scattering by a perfectly conducting strip loaded with a dielectric cylinder (TM case). A.Z. Elsherbeni and M. Hamid H p185
Scattering from arbitrarily-shaped objects with impedance boundary conditions. A. Sebak and L. Shafai H p371
Simple integral equations for two-dimensional scattering with further reduction in unknowns. M.A. Ricoy, S.M. Kilberg and J.L. Volakis H p298
Simple moment method program for computing scattering from complex cylindrical obstacles. J.-M. Jin and V.V. Liepa H p321
Spectral incremental propagation (SIP) procedure for fast calculation of scattered fields from conducting bodies. G.G. Cook, A.P. Anderson and A.S. Turnbull H p34
Stereographic projection of axisymmetric nonuniform lens media. S. Cornbleet H p499
Symmetry of electromagnetism. S.E. Harris A d100
TE scattering from a conducting cylinder of arbitrary cross-section covered by multiple layers of lossy dielectrics. E. Arvas, Y. Qian, T.K. Sarkar and F. Aslan H p425

Upper and lower bounds in eddy-current calculations. P. Hammond A p207
Vertical monopoles embedded in a dielectric substrate. R.C. Hall and J.R. Mosig H p462

ELECTRON DEVICES

Characteristics of a coil wound with copper wire around YBaCuO superconductive thin wires. M. Fujinaka, T. Goto, T. Ishida, K. Tabei and T. Maehara G p279
Harmonic and intermodulation generation due to hot electrons in semiconductors. M.T. Abuelma'atti G p323
Without the valve: some alternatives to thermionic devices. V.J. Phillips A p313

ELECTRONIC CIRCUITS

Characterisation of a phase-sensitive detector. W.A. Evans and A.M. Sykes G p285

ELECTRONIC WARFARE

Velocity-aided range aquisition and tracking in dual-mode CW/FM-CW radar. W.K. Saunders F p191

ENERGY CONVERSION AND STORAGE

Saturation in doubly salient reluctance motors. J.M. Stephenson and M.A. El-Khazendar B p50

ENGINEERING ADMINISTRATION AND MANAGEMENT

A study of transition: new interpretations and hypothesis. A.C. Robb A p165
Human reliability factors in technology management. I.A. Watson and F. Oakes A p24
Technical publications in the electronics industry. D.J. Steele and D.S. Holloway A p233

ENGINEERING AND SOCIETY

A study of transition: new interpretations and hypothesis. A.C. Robb A p165
Human reliability factors in technology management. I.A. Watson and F. Oakes A p24
SET for Europe; discovering tomorrow's challenge. B. Makin A p16
The early years of oceanic telegraphy: technology, science and politics. C.A. Hempstead A p297

ERRORS AND ERROR ANALYSIS

Another description of the Berlekamp-Massey algorithm. W. Henkel I p197
Effects of selection diversity on error performance of digital mobile ratio systems. M.M. Pejanović, J.A. Edwards and I.S. Stojanović I p347
Error propagation property and application in cryptography. -J.P. Pieprzyk E p262
Error recovery points management for dynamically identified recoverable atomic actions. K. Zieliński D p28
GMSK with limiter discriminator integrator detection in satellite mobile channel. I. Korn I p361
High-speed hardware decoder for double-error-correcting binary BCH codes. S-H Wei and C-H Wei I p227
Interferometry against differential Doppler: performance comparison of two emitter location airborne systems. N. Levanon F p70
M-ary CPSK transmission through a two-link bandlimited nonlinear satellite channel using an RF lineariser. O. Gemikonakli and A.H. Aghvami I p291
New point-to-multipoint communication protocols. R.H. Deng, X.Y. Zhang and Y.K. Tham I p312
Optimisation of quantisation based on *r*th-power distortion measures. F.-S. Lu F p276
Performance and design of the dual sign algorithm with correlated input data. C.P. Kwong F p269
Performance of error-erasure-correction decoding of Reed-Solomon codes for frequency-hop communications in multitone interference. Q. Wang, T.A. Gulliver, V.K. Bhargava and E.B. Felstead I p298
Pseudo error rate of a PSK system with hardware imperfections, noise and cochannel interference. I.M. Kostić I p333
Statistical performance analysis of the minimum-norm method. B.D. Rao and K.V.S. Hari F p125
Two concatenated coding schemes for ARQ protocols. G. Benelli I p213

FAULT DETECTION

Autocorrelation testing of combinational circuits. S. Aborhey E p57 E e100
Detection of stuck-at and bridging faults in Reed–Muller canonical (RMC) networks. T. Damaria and M. Karpovsky E p430
Diagnosis of multiple bus faults. J.J. Narraway E p29
Influence of guiding testability measure on number of backtracks of ATPG program. G. Chiorboli and A. Ferrari E p316
Reconfigurable testable bit-serial multiplier for DSP applications. M.A. Bayoumi and C.H. Yang E p517
SST: scan self-test for sequential machines. L.T. Wang and S. Mourad E p569
Test generation of C-testable array dividers. C.L. Wey and S.M. Chang E p434

FAULT LOCATION

Availability analysis of a certain class of distributed computer systems under the influence of hardware and software faults. G.D. Hassapis E p524
Deductive fault diagnosis in digital circuits: a survey. S.J. Sangwine E p496

FEEDBACK

Approach to pole assignment by centralised and decentralised output feedback. M. Tarokh D p89
Linear feedback approach to the stabilisation of uncertain discrete systems. A.A. Bahnasawi, A.S. Al-Fuhaid and M.S. Mahmoud D p47
Multilevel range/NEXT performance in digital subscriber loops. G. Brand, V. Madisetti and D.G. Messerschmitt I p169
Parametric state-feedback control for arbitrary eigenvalue assignment with minimum sensitivity. T.J. Owens and J. O'Reilly D p307
Timing simulator by waveform relaxation considering the feedback effect. Y.-H. Jun, C.-W. Lee, K.-J. Lee and S.-B. Park G p38

FERRITES AND FERROMAGNETICS

Bidirectional temperature-sensitive magnetic semiconductor and its application. K. Seki, J. Shida and K. Murakami B p32
Edge mode effect in the operations of waveguide twin-slab ferrite phase shifter. J. Helszajn H p257

FIBRES, OPTICAL

Interlaboratory measurement campaign on single-mode fibres. . COST 217 Group J p307
Spot size variation in non-adiabatic single-mode fibre tapers. W.M. Henry and J.D. Love J p219

FIELD EFFECT TRANSISTORS

Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer I e156
Conduction in ohmic region of submicrometre MOSFET. K.Y. Tong G p260
Thermal resistance of gallium-arsenide field-effect transistors. P.W. Webb and I.A.D. Russell G p229

FILTERS AND FILTERING

Analysis of power dissipation and energy storage inside a dielectric loaded cavity. G. Bertin and L. Accatino H p405
Circularly symmetric two-dimensional multiplierless FIR digital filter design using an enhanced McClellan transformation. H.K. Kwan and C.L. Chan G p129
Design of third-order notch *RC*-active filter sections. M. Biey and S. Coco G p32
Digital filter sets for frequency shift keyed modems. A.P. Breen and C.C. Goodyear G p14
High-performance filter networks and symmetric matrix systems. L. Ping and J.I. Sewell G p327
Interference detection and suppression in Loran-C receivers. M. Beckmann F p255
New computationally efficient formula for backward-pass fixed-interval smoother and its *UD* factorisation algorithm. K. Watanabe and S.G. Tzafestas D p73 D d331
Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Łobos C p347
Optimum equalisers for binary digital transmission systems and their application to optical receivers. R.C. Hooper J p137
Performance and design of the dual sign algorithm with correlated input data. C.P. Kwong F p269
Specification of an overvoltage damping filter for the National Railways of Zimbabwe. R.E. Morrison and J.C.W. Corcoran B p249
Study of 1024-QAM system performance in the presence of filtering imperfections. P. Mathiopoulos, M. Ohnishi and K. Feher I p175
Zero-amplifier sensitivity criterion. G. Wilson G p43

FINANCIAL MANAGEMENT

SET for Europe; discovering tomorrow's challenge. B. Makin A p16

GENERATORS

Self-tuning automatic voltage regulators for a synchronous generator. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p252
Steady-state and transient analysis of self-excited induction generators. C. Grantham, D. Sutanto and B. Mismail B p61
The solution of scientific and engineering problems in the development of electrical generating plant. W. Fairney C p1

GRAPH THEORY AND TOPOLOGY

Application of the product graph to a large multiexchange digital network. J.M.F. Craveirinha and J.P. Sumner I p189

HAZARDS

Human reliability factors in technology management. I.A. Watson and F. Oakes A p24

HISTORY

Alexander Trotter — a well-connected electrician. B. Bowers A p337
Aspects of UK air defence from 1914 to 1935: some unpublished Admiralty contributions. R.W. Burns A p267
Development of the electric organ and the significance of the contributions of Robert Hope-Jones, MIEE. C.E. Ramsbottom and A.J. Ramsbottom A p321
History of electrical engineering (Editorial). R.W. Burns A p265
Mainline electrification and locomotive-electric systems. M.C. Duffy A p279
SET for Europe; discovering tomorrow's challenge. B. Makin A p16
Silvanus Thompson: teacher, researcher, historian. A.C. Lynch A p306
Staite and Petrie: pioneers of electric lighting. G. Woodward A p290
The early years of oceanic telegraphy: technology, science and politics. C.A. Hempstead A p297
The photographic archive of the British Thomson-Houston Company. E.D.P. Symons A p330
Without the valve: some alternatives to thermionic devices. V.J. Phillips A p313

HYDROELECTRIC POWER GENERATION

correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems. M.E. Hawary and K.M. Ravindranath C p315

HYSTERESIS

Hysteresis current-forced three-phase voltage-sourced reversible rectifier. A.W. Green and J.T. Boys B p113
No load method of estimating stray load loss in small cage induction motors. R. Bourne B p92

IMAGE PROCESSING

8-electrode capacitance system for two-component flow identification. Part 1: Tomographic flow imaging. C.G. Xie, A. Plaskowski and M.S. Beck A p173
8-electrode capacitance system for two-component flow identification. Part 2: Flow regime identification. C.G. Xie, A. Plaskowski and M.S. Beck A p184
Comparison of segmentation processes for object acquisition in infrared images. K.C. Markham F p13
Convex hull of chain-coded blob. G.R. Wilson and B.G. Batchelor E p530
Development of integer cosine transforms by the principle of dyadic symmetry. W.-K. Cham I p276
Fast automatic registration for satellite imagery by using heuristic planning. A.P. Cracknell and K. Paithoonwattanakij F p221
Feasibility of analogue computation for image processing applications. Y. Papananos G p9
Fractal modelling in image texture analysis. T.J. Dennis and N.G. Dessipris F p227
Hierarchical vector quantisation. S.P. Luttrell I p405
Hough technique for 3D object recognition. H.-T. Tsui and C.-K. Chan E p565
Multistage imaging process in digital SAR imaging. W. Xu and Z. Chen F p29
Review of motion analysis techniques. J.F. Vega-Riveros and K. Jabbour I p397

INDUCTION MOTORS

Application of extended Luenberger observer for flux and rotor time-constant estimation in induction motor drives. T. Orlowska-Kowalska D p324
Cage induction motors with inter-rings. S. Williamson and N.K. Adams B p263
Current-forced single-phase reversible rectifier. J.T. Boys and A.W. Green B p205
D-shaped toroidal cage inductors. P.N. Murgatroyd and D. Belahrache B p96
Derivation of motor line-current waveforms from the DC-link current of an inverter. T.C. Green and B.W. Williams B p196
Design method for L- and T-connected tapped-winding capacitor motors. A. Tozune B p11
Effects of constructional asymmetries on the characteristics of 2-phase permanent magnet synchronous motors. A. Tozune and M. Sakamoto B p143
Multicriterial optimisation of squirrel-cage induction motor design. W. Jazdzynski B p299
No load method of estimating stray load loss in small cage induction motors. R. Bourne B p92
Stability of induction motor drive controlled by current-source inverter. R. Itoh B p83
Steady-state and transient analysis of self-excited induction generators. C. Grantham, D. Sutanto and B. Mismail B p61
Transient and steady-state performance of a squirrel-cage induction motor. S.C. Ho, C.G. Hong and G.J. Hwang B p136

INDUSTRIAL APPLICATIONS OF POWER

Identification of boiler models. P.K. Chawdhry and B.W. Hogg D p261
Manufacturing — the role of the IEE Centres. J.A.B. Bladon, M.E. Prosser, K.K. Schwarz and W.C. Dobie A p151

INFORMATION AND COMMUNICATION THEORY

A low-cost text retrieval machine. W.P. Cockshott and P.W. Foulk E p271

INSTRUMENTATION AND MEASURING SCIENCE

8-electrode capacitance system for two-component flow identification. Part 1: Tomographic flow imaging. C.G. Xie, A. Plaskowski and M.S. Beck A p173
8-electrode capacitance system for two-component flow identification. Part 2: Flow regime identification. C.G. Xie, A. Plaskowski and M.S. Beck A p184
Accurate method of representation of high-voltage measuring systems and its application in high-impulse-voltage measurements. P.N. Nikolopoulos and F.V. Topalis A p66
Broadband method for measuring dielectric constant of liquids using an automatic network analyser. A.M. Bøifot H p492
Characterisation of a phase-sensitive detector. W.A. Evans and A.M. Sykes G p285
Contactless and local measurement of temperature fluctuations at 60 GHz. I. Chenerie, P.F. Combes and C. Pouit H p358
Low-cost optical alignment system. J.L. Moruzzi and R. Cunliffe A p45
Metrological gratings and moiré fringe detection methods for displacement transducers. J.T.M. Stevenson and J.R. Jordan A p243
Random asynchronous sampling strategy for measurement instruments based on nonlinear signal conversion. F. Filicori, G. Iuculano, A. Menchetti and D. Mirri A p141

INSULATORS AND INSULATION

Growth of electrical trees in solid insulation. M.N. Arbab and D.W. Auckland A p73
Numerical analysis of electric field generated by imperfectly insulated buried pipeline. S. Cristina and M. Feliziani A p121
Random energisation transients in EHV systems. M. Morcos and H. Anis C p325

INTEGRATED CIRCUITS

Efficiency of state assignment methods for PLA-based sequential circuits. J.L. Huertas and J.M. Quintana E p247
Yield estimation for serial superchip. W. Chen, J. Mavor, P.B. Denyer and D. Renshaw E p187

INTEGRATED OPTICS

1.3–1.55 μm wavelength integrated photoreceiver using GaInAs/GaAs heteroepitaxy. J. Ramdani, D. Decoster, J.P. Vilcot, J.P. Gouy and M. Razeghi J p83
Design and fabrication of 1.3 μm buried ridge stripe lasers on semi-insulating InP substrate. P. Devoldere, A. Paraskevopoulos, M. Gilleron, S. Slempkes, B. Rose and D. Robein J p76
Design of an integrated electro-optic switch in organic polymers. P. Kaczmarski, J.-P. Van de Capelle, P.E. Lagasse and R. Meynart J p152
Nonlinear static characteristics of monolithic active integrated-optic waveguides. R.F. Ormondroyd, P.N. Pennington and M.C. Perkins J p59

INTERFERENCE

Adaptive beam forming without signal cancellation in the presence of coherent jammers. J.-H. Lee and J.-F. Wu F p169
CFAR detection for multiple target situations. M. Barkat, S.D. Himonas and P.K. Varshney F p193
Frequency-hopping multiple-access communications with concatenated diversity/Reed-Solomon coding. S.W. Kim I p81
High capacity cellular patterns for land mobile radio systems using directional antennas. S. Heeralall and C.J. Hughes I p75
Input impedance of chopper equipment and its significance in low-frequency track circuits. B. Mellitt, J.A. Taufiq and J. Xiaoping B p37
Interference detection and suppression in Loran-C receivers. M. Beckmann F p255
Pseudo error rate of a PSK system with hardware imperfections, noise and cochannel interference. I.M. Kostić I p333
Ripple control signal interference due to a lightly loaded rural distribution line. T.B. Norriss and P.S. Bodger C p401
Some aspects of interference on Loran-C. L.P. Remmerswaal and D. van Willigen F p109
Study of adjacent channel AM interference suppression. H.W. Hawkes I p338 I e338

INVERTERS

Analysis of on-state losses in PWM inverters. L.K. Mestha and P.D. Evans B p189
Derivation of motor line-current waveforms from the DC-link current of an inverter. T.C. Green and B.W. Williams B p196
Fast accurate computation of the DC-side harmonics in a traction VSI drive. J.A. Taufiq and J. Xiaoping B p176
Input impedance of inverter equipment and its significance in low-frequency track circuits. J.A. Taufiq, B. Mellitt and J. Xiaoping B p243
Novel PWM controlled series-connected current-source inverter drive. S.R. Bowes and R.I. Bullough B p69
Stability of induction motor drive controlled by current-source inverter. R. Itoh B p83

IONISATION

Discussion of the voltage/current characteristic of a fluorescent lamp. E. Gluskin A p229
Numerical assessment of unipolar corona ionised field quantities using the finite-element method. M.M. Aboelsaad, L. Shafai and M. Rashwan A p79

IONOSPHERIC PROPAGATION

Morphology of the high latitude ionosphere and its implications for HF communications systems. P.S. Cannon I p1

LASERS

Lumped circuit model for prediction of linewidth in Fabry-Perot and DFB lasers, including external cavity devices. P.J. Probert and J.E. Carroll J p22
New time-domain model for active mode locking, based on the transmission line laser model. A.J. Lowery J p264
Sensitivity degradation with laser wavelength chirp for direct-detection optical receivers. H.J.A. da Silva, R.S. Fyath and J.J. O'Reilly J p209
Single-mode laser sources for FSK systems. C.A. Park and P.J. Williams J p18
Theory of twin-guide Fabry–Perot laser amplifiers. M.J. Adams J p287

LIGHTING

Staite and Petrie: pioneers of electric lighting. G. Woodward A p290

LIGHTNING AND LIGHTNING PROTECTION

Engineering method for high-voltage substations lightning performance estimation. M.S. Savić C p222

LINEAR NETWORKS

Quadrature path-counting method for the disturbance decoupling problem in linear multivariable systems. R. Collins D p203

LOAD AND VOLTAGE REGULATION

A high-voltage high-frequency voltage divider. W. Daum and A.C. Lynch A p254
Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals. J. Arrillaga and C.D. Callaghan C p319
Self-tuning automatic voltage regulators for a synchronous generator. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p252
The delta resonator: a new approach to load compensation theory in three-phase power systems. A. Premoli and F. Tosato C p381

LOGIC

ASIC test sequence minimsation by built-in testability in logic surrounding embedded binary asynchronous counters. T. Švedek and V. Ivančić E p450
Binary decision graph reduction. S. Aborhey E p277
Charge-coupled device implementation of multivalued logic systems. M.H. Abd-El-Barr and Z.G. Vranesic E p306
Content-addressable memories applied to execution of logic programs. J.C.D.F. Ribeiro, C.D. Stormon, J.V. Oldfield and M.R. Brule E p383
Control of manipulators by neural networks. W.J. Daunicht E p395
Fault tolerance of neural associative memories. J.A.G. Nijhuis and L. Spaanenburg E p389
Minimisation technique for series-gated emitter-coupled logic. C.S. Choy and P.L. Jones G p105
On designing robust testable CMOS combinational circuits. B. Gupta, Y.K. Malaiya, Y. Min and R. Rajsuman E p329
RBCD: redundant binary-coded decimal adder. B. Shirazi, D.Y.Y. Yun and C.N. Zhang E p156

SST: scan self-test for sequential machines. L.T. Wang and S. Mourad E p569
Systematic procedure for test generation of PAL-based circuits. P.K. Lala and S. Shen E p142
Systems and design as the basis of engineering knowledge. J. Korn A p87
Tri-state map for the minimisation of exclusive-OR switching functions. A. Tran E p16
Use of linearisation and spectral techniques in input and output compaction testing of digital networks. S.L. Hurst E p48

LONG-TERM PLANNING

Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado C p413

MAGNETIC FIELDS

Calculation of proximity losses in multistranded conductor bunches. P.N. Murgatroyd A p115
Comparison of the practical advantages of alternative descriptions of electromagnetic momentum. C.J. Carpenter A p101
Digital-pulse approach to electromagnetism. C.J. Carpenter A d113
Electromagnetic energy and power in terms of charges and potentials instead of fields. C.J. Carpenter A p55 A e114 A d261
Field computation of permanent magnets with knee points. G. Qishan and C. Lin B p275
Improved analytical method for computing unipolar DC corona losses. M.M. Aboelsaad, L. Shafai and M.M. Rashwan A p33
Magnetostatics with scalar potentials in multiply connected regions. A. Vourdas and K.J. Binns A d260
Minimum loss sections of flat conductors. P.N. Murgatroyd and S. Hillen A p127
Numerical analysis of electric field generated by imperfectly insulated buried pipeline. S. Cristina and M. Feliziani A p121
Symmetry of electromagnetism. S.E. Harris A d100

MANAGEMENT

A study of transition: new interpretations and hypothesis. A.C. Robb A p165
Manufacturing — the role of the IEE Centres. J.A.B. Bladon, M.E. Prosser, K.K. Schwarz and W.C. Dobie A p151
Technical publications in the electronics industry. D.J. Steele and D.S. Holloway A p233
The inter-relationship between systems engineering and engineering design. L. Finkelstein, B. Archer, K.K. Schwarz and G.E.P. Constable A p159

MANUFACTURING

Manufacturing — the role of the IEE Centres. J.A.B. Bladon, M.E. Prosser, K.K. Schwarz and W.C. Dobie A p151

MATHEMATICAL TECHNIQUES

8-electrode capacitance system for two-component flow identification. Part 1: Tomographic flow imaging. C.G. Xie, A. Plaskowski and M.S. Beck A p173
8-electrode capacitance system for two-component flow identification. Part 2: Flow regime identification. C.G. Xie, A. Plaskowski and M.S. Beck A p184
A class of discrete-time models for a continuous-time system. T. Mori, P.N. Nikiforuk, M.M. Gupta and N. Hori D p79
Adaptive, low latency, deadlock-free packet routing for networks of processors. J. Yantchev and C.R. Jesshope E p178
Analysis and synthesis of bent sequences. R. Yarlagadda and J.E. Hershey E p112
Application of system identification techniques to modelling a turbogenerator. E. Swidenbank and B.W. Hogg D p113
Approximate Fourier transform using square waves. R.D. Hughes and M.L. Heron A p223
Availability analysis of a certain class of distributed computer systems under the influence of hardware and software faults. G.D. Hassapis E p524
Block diagonal structure in discrete transforms. Ja-Ling Wu E p239
Circularly symmetric two-dimensional multiplierless FIR digital filter design using an enhanced McClellan transformation. H.K. Kwan and C.L. Chan G p129
Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems. S.K. Tong and S.M. Shahidehpour C p162
Comparison of the practical advantages of alternative descriptions of electromagnetic momentum. C.J. Carpenter A p101
Continuous-time approach to self-tuning control: algorithm, implementation and assessment. A. Patra and G.P. Rao D p333
Cost of uncertainty about controlled objects. O.L.R. Jacobs D p177
Decoupling multivariable self-tuning controller for varying time delays. F. Mahieddine and A.S. Morris D p209
Digital-pulse approach to electromagnetism. C.J. Carpenter A d113
Distribution free bound on the performance of optical communication systems in the presence of jitter. K. Schumacher and J.J. O'Reilly J p129
Dyadic Green's function of electric type for inhomogeneously loaded rectangular waveguides. J. Joubert and D.A. McNamara H p469
Electromagnetic energy and power in terms of charges and potentials instead of fields. C.J. Carpenter A p55 A e114 A d261
Error recovery points management for dynamically identified recoverable atomic actions. K. Zieliński D p28
Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines. J.L. Naredo and A.C. Soudack C p353
Fast and efficient gradient projection algorithm for dynamic generation dispatching. G.P. Granelli, P. Marannino, M. Montagna and A. Silvestri C p295
Fuzzy systems identification. C.-W. Xu D p146
General hybrid orthogonal functions and some potential applications in systems and control. A. Patra and G.P. Rao D p157
Geometric-optic synthesis of dual-reflector antennas with distributed sources. B.S. Westcott and F. Brickell H p361
Higher-order iterative learning control algorithm. Z. Bien and K.M. Huh D p105
Homotopy method for solving algebraic Riccati equations. S.-S. Wang and C.-T. Pan D p68
Hybrid finite-element method and boundary-element method using time-stepping for eddy-current calculation in axisymmetric problems. L. Pichon and A. Razek A p217
Identification of boiler models. P.K. Chawdhry and B.W. Hogg D p261
Improved analytical method for computing unipolar DC corona losses. M.M. Aboelsaad, L. Shafai and M.M. Rashwan A p33
Information debugging for real-time power systems monitoring. M.B. Do Coutto Filho, A.M. Leite da Silva, J.M.C. Calvo Cantera and R.A. da Silva C p145
Lower bounds for the stability margin of linear continuous systems based on weighted performance criteria. P. Agathoklis and V. Sreeram D p63
Magnetostatics with scalar potentials in multiply connected regions. A. Vourdas and K.J. Binns A d260
Maximum pulse-position and counting errors of binary rate multipliers. J. Nieznański E p296
Modal quasistatic parameters for coplanar multiconductor structures in multilayered substrates with arbitrary transverse dielectric anisotropy. R.R. Boix and M. Horno H p76
Model reduction of continuous-time systems using a modified Routh approximation method. C.-S. Hsieh and C. Hwang D p151
Multivariable Nyquist self-tuning: a general approach. B. Kouvaritakis and J.A. Rossiter D p189
New canonical form for pole placement. F. Blanchini D p314
Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Łobos C p347
Numerical assessment of unipolar corona ionised field quantities using the finite-element method. M.M. Aboelsaad, L. Shafai and M. Rashwan A p79
On windmill p_0-sequence generators. W.G. Chambers and B.J.M. Smeets E p401
Parametric state-feedback control for arbitrary eigenvalue assignment with minimum sensitivity. T.J. Owens and J. O'Reilly D p307
Performance limits for block-coded modulation. A.G. Burr I p267
Prime-factor Hartley and Hartley-like transform calculation using transversal filter-type structures. S. Boussakta and A.G.J. Holt G p269
Prime-factor algorithm and Winograd Fourier transform algorithm for real symmetric and antisymmetric sequences. S.C. Chan and K.L. Ho G p87
Quadrature path-counting method for the disturbance decoupling problem in linear multivariable systems. R. Collins D p203
Reduced-order observer with parameter adaption for fast rotor flux estimation in induction machines. R. Nilsen and M.P. Kaźmierkowski D p35
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado C p413
Self-tuning control in the presence of periodic disturbance. K.W. Lim, C.C. Hang and C.H. Lee D p98
Stability criteria for harmonic injection frequency dividers. F. Sierra and J. Pérez H p420
State-space adaptive control through a modified bootstrap algorithm for parameter and state estimation. M.S. Ahmed and N. Sait D p215
Structure of measurement Jacobian matrices for power systems. J.F. Marsh C p407
Symmetry of electromagnetism. S.E. Harris A d100
Taylor discrete Fourier transforms. M.R. Belmont F p101
The least complex parallel Massey-Omura multiplier and its LCA and VLSI designs. Y.R. Shayan and T. Le-Ngoc G p345
Tri-state map for the minimisation of exclusive-OR switching functions. A. Tran E p16
Upper and lower bounds in eddy-current calculations. P. Hammond A p207
Wigner distribution and FM radar signal design. J.A. Johnston F p81

MATRIX ALGEBRA

Approximate Fourier transform using square waves. R.D. Hughes and M.L. Heron A p223
Approximate sample variance analysis of exponential channel derived from SVD-based algorithm. M. Barton I p381
Block diagonal structure in discrete transforms. Ja-Ling Wu E p239
Decoupling in nonlinear systems: from linearity to nonlinearity. L.C.J.M. Gras and H. Nijmeijer D p53
Digital Walsh-Fourier spectral conversion for periodic waves. M.J. Barnes and F.J. Swift F p89
General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities. E. Acha, J. Arrillaga, A. Medina and A. Semlyen C p271
High-performance filter networks and symmetric matrix systems. L. Ping and J.I. Sewell G p327
Homotopy method for solving algebraic Riccati equations. S.-S. Wang and C.-T. Pan D p68
Hybrid finite-element method and boundary-element method using time-stepping for eddy-current calculation in axisymmetric problems. L. Pichon and A. Razek A p217
New canonical form for pole placement. F. Blanchini D p314
Parallel VLSI algorithm for stable inversion of dense matrices. A. El-Amawy and K.R. Dharmarajan E p576
Parametric state-feedback control for arbitrary eigenvalue assignment with minimum sensitivity. T.J. Owens and J. O'Reilly D p307
Predictive H_∞ model reference optimal control law for SIMO systems. M.J. Grimble D p273
Prime-factor Hartley and Hartley-like transform calculation using transversal filter-type structures. S. Boussakta and A.G.J. Holt G p269
Quadrature path-counting method for the disturbance decoupling problem in linear multivariable systems. R. Collins D p203
Reduced-order observer with parameter adaption for fast rotor flux estimation in induction machines. R. Nilsen and M.P. Kaźmierkowski D p35
Relationship between the Fermat number transform and the Walsh-Hadamard transform. S. Boussakta and A.G.J. Holt G p191
Robust control of discrete systems. C.S. Berger D p165
Simplified Gram–Schmidt preprocessor for broadband tapped delay-line adaptive array. C.C. Ko G p141
Split-step algorithm for matrix preconditioning and inversion on systolic arrays. P. Paparao and A. Ghosh E p205

MEASUREMENT AND MEASURING

A high-voltage high-frequency voltage divider. W. Daum and A.C. Lynch A p254
Accurate method of representation of high-voltage measuring systems and its application in high-impulse-voltage measurements. P.N. Nikolopoulos and F.V. Topalis A p66
Analysis of large grounding systems for earth-resistance measurements in two-layer soils. V. Amoruso, M. Savino and M. Sylos Labini C p314
Approximate Fourier transform using square waves. R.D. Hughes and M.L. Heron A p223
Interlaboratory measurement campaign on single-mode fibres. . COST 217 Group J p307
Low-cost optical alignment system. J.L. Moruzzi and R. Cunliffe A p45

Lower bounds for the stability margin of linear continuous systems based on weighted performance criteria. P. Agathoklis and V. Sreeram D p63
Measurement of unipolar paced-evoked potentials. S. Gergely, C. Walton and A.P. Economides A p202
Measurements on the timing recovery performance of partial-response class-4 signalling. A.D. Fagan and R.E. O'Connor J p254
Metrological gratings and moiré fringe detection methods for displacement transducers. J.T.M. Stevenson and J.R. Jordan A p243
Random asynchronous sampling strategy for measurement instruments based on nonlinear signal conversion. F. Filicori, G. Iuculano, A. Menchetti and D. Mirri A p141
Statistical real-time channel evaluation (SRTCE) technique using variable length *T*-codes. F. Zolghadr, B. Honary and M. Darnell I p259
Two level dynamic state estimator for electric power systems based on nonlinear transformation. A. Bahgat, M.M.F. Sakr and A.R. El-Shafei C p15

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Analysis and modelling of initial delay time and its impact on propagation delay of CMOS logic gates. Y.-H. Yang and C.-Y. Wu G p245
Conduction in ohmic region of submicrometre MOSFET. K.Y. Tong G p260
Contact resistance measurements of a MOSFET. H.L. Kwok G p138
Harmonic and intermodulation performance of differential source-coupled pair using scaled MOS transistors. M.T. Abuelma'atti G p95
Improved 2-port systolic adaptor for wave digital filters. S.S. Lawson and A.R. Mirzai G p121
Minimisation technique for series-gated emitter-coupled logic. C.S. Choy and P.L. Jones G p105
Oxide-thickness determination from *C/V* measurements in an MOS capacitor. G. Sarrabayrouse, F. Campabadal and J.L. Prom G p215
SPICE simulation of latch-up anomalous effects observed by electrical measurements and IR microscopy. F. Corsi, S. Martino, M. Muschitiello, M. Stucchi and E. Zanoni G p293
Single-phase sinusoidal convertor using MOSFETs. R. Itoh and K. Ishizaka B p237
Speed comparison of digital BiCMOS and CMOS circuits. A. Rothermel and B. Hosticka G p49

MICROPROCESSORS

Architectures for testability and fault tolerance in content-addressable systems. K.E. Grosspietsch E p366
Design of an associative processor array. A.W.G. Duller, R.H. Storer, A.R. Thomson, E.L. Dagless, M.R. Pout, A.P. Marriot and J. Goldfinch E p374
Novel PWM controlled series-connected current-source inverter drive. S.R. Bowes and R.I. Bullough B p69
Parallel VLSI algorithm for stable inversion of dense matrices. A. El-Amawy and K.R. Dharmarajan E p576
Simulating microprocessor systems using occam and a network of transputers. I. Gorton, J. Kerridge and B. Jervis E p22

MICROSTRIP AND STRIPLINE

Capactive matching of microstrip patch antennas. M.J. Alexander H p172
Coupling across gap in thick microstrip line. P. Newham H p64
Modal quasistatic parameters for coplanar multiconductor structures in multilayered substrates with arbitrary transverse dielectric anisotropy. R.R. Boix and M. Horno H p76
Varactor tuned microstrip ring resonators. S.H. Al-Charchafchi and C.P. Dawson H p165

MICROWAVE CIRCUITS AND NETWORKS

Design of E-plane filters made easy. Jia-Sheng Hong H p215
Magical microwaves; the exploitation of the century. J.R. James H p1

MICROWAVE COMMUNICATIONS

Investigation into the multipath performance of self-phased array. P.V. Brennan H p47
Solution of the characteristic impedance of an arbitrarily shaped TEM transmission line using complex variable boundary element method (CVBEM). Wen Geyi, Liu Xueguan and Wu Wanchun H p73
Study of 1024-QAM system performance in the presence of filtering imperfections. P. Mathiopoulos, H. Ohnishi and K. Feher I p175

MICROWAVE HEATING

Magical microwaves; the exploitation of the century. J.R. James H p1

MICROWAVE INTEGRATED CIRCUITS

Computer design of microwave IC transistor amplifiers. A.J. Baden Fuller and M. Runham H p182
Semiconductor dipole: possible radiating element for microwave/millimetre-wave monolithic integrated circuits (MIMICs). P.D. Patel H p455

MICROWAVE MEASUREMENTS

Analysis of T-junction between rectangular and circular waveguides by variational method. B.N. Das, P.V.D.S. Rao and A. Chakraborty H p475
Contactless and local measurement of temperature fluctuations at 60 GHz. I. Chenerie, P.F. Combes and C. Pouit H p358
Detailed measurement of scattering by a spheroidal particle having varying proportions of ice and water. A.L. Hume and L.J. Auchterlonie H p351
Electronic tuning of a dielectric resonator at microwave frequencies. A. El-Moussaoui and D.P. Hewson H p502
Optimisation and regularisation in microwave diagnostics of semiconductors having smooth and unsmooth functions. M.A. Hindy H p293

MICROWAVE SYSTEMS

Full-wave analysis of multiconductor coupled lines in MICs by the method of lines. Z. Chen and B. Gao H p399
Novel method for calculating the noise figure of microwave MESFET mixers. J. Dreifuss, A. Madjar and A. Bar-Lev H p289

MILLIMETRE WAVE DEVICES AND COMPONENTS

Millimetrewave systems — past, present and future. A.D. Olver F p35

MODELLING

A class of discrete-time models for a continuous-time system. T. Mori, P.N. Nikiforuk, M.M. Gupta and N. Hori D p79
Analysis and modelling of initial delay time and its impact on propagation delay of CMOS logic gates. Y.-H. Yang and C.-Y. Wu G p245
Application of system identification techniques to modelling a turbogenerator. E. Swidenbank and B.W. Hogg D p113
Effects of active and reactive power modelling in optimal load flow studies. L.G. Dias and M.E. El-Hawary C p259
Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model. E.H. Barakat and M.A.M. Eissa C p35
Fuzzy systems identification. C.-W. Xu D p146
Identification of boiler models. P.K. Chawdhry and B.W. Hogg D p261
Model reduction of continuous-time systems using a modified Routh approximation method. C.-S. Hsieh and C. Hwang D p151
Model reference adaptive control via the minimisation of output error and weighting control input. C.-L. Hwang and B.-S. Chen D p231
Modelling and simulation of coherent Weibull clutter. Gang Li and Kai-Bor Yu F p2
Modelling spectral effects of dynamic saturation in semiconductor laser amplifiers using the transmission-line laser model. A.J. Lowery J p320
Multiperiod secure economic dispatch for large-scale power systems. K.S. Hindi and M.R. Ab. Ghani C p130
New dynamic multimode model for external cavity semiconductor lasers. A.J. Lowery J p229
Nonlinear parameter estimation experiments for static load modelling in electric power systems. L.G. Dias and M.E. El-Hawary C p68
Novel approach to modelling series resonant convertors. A.V. Mathew and R. Unnikrishnan G p99
On the canonical state-space realisation of 3-D discrete systems. A.J. Kanellakis, P.N. Paraskevopoulos, N.J. Theodorou and S.J. Varoufakis G p19
Predictive H_∞ model reference optimal control law for SIMO systems. M.J. Grimble D p273
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado C p413
Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system. N.R. Watson, J. Arrillaga and C.P. Arnold C p9
Structure of measurement Jacobian matrices for power systems. J.F. Marsh C p407
Systems and design as the basis of engineering knowledge. J. Korn A p87
Upper and lower bounds in eddy-current calculations. P. Hammond A p207

MODULATION

Comparison of the limits in performance of multiple quantum well and Franz-Keldysh InGaAs/InP electroabsorption modulators. A.K. Tipping, G. Parry and P. Claxton J p205
Harmonic analysis of a high frequency square wave cycloconvertor system. P.D. Evans and M.R.D. Al-Mothafar B p19
Novel PWM controlled series-connected current-source inverter drive. S.R. Bowes and R.I. Bullough B p69

MONITORING

Contingency cut-off criteria in transmission system adequacy assessment. R. Billinton, E. Khan and S.K. Agarwal C p215

MOTORS

Computer simulation of first pole-to-close multiple prestriking transients in motor systems. K.J. Cornick and A.N.D. Tleis B p213
Engine control system using a cylinder pressure sensor. Y. Hata, K. Ikeura, T. Morita and T. Abo D p84

MULTIVARIABLE CONTROL SYSTEMS

Decoupling multivariable self-tuning controller for varying time delays. F. Mahieddine and A.S. Morris D p209
Generalised H_∞ multivariable controllers. M.J. Grimble D p285
Multivariable Nyquist self-tuning: a general approach. B. Kouvaritakis and J.A. Rossiter D p189
Parametric state-feedback control for arbitrary eigenvalue assignment with minimum sensitivity. T.J. Owens and J. O'Reilly D p307
Quadrature path-counting method for the disturbance decoupling problem in linear multivariable systems. R. Collins D p203
State-space self-tuning regulators for general multivariable stochastic systems. L.S. Shieh, Y.L. Bao and F.R. Chang D p17

NETWORKS

Adaptive, low latency, deadlock-free packet routing for networks of processors. J. Yantchev and C.R. Jesshope E p178
Application of the product graph to a large multiexchange digital network. J.M.F. Craveirinha and J.P. Sumner I p189
Control of manipulators by neural networks. W.J. Daunicht E p395
Fault-tolerant loops for distributed measurement systems. C. Gater, R.D.L. Mackie and J.R. Jordan E p485
Measurements on the timing recovery performance of partial-response class-4 signalling. A.D. Fagan and R.E. O'Connor J p254
Neural networks and conditional association networks: common properties and differences. W. Hilberg E p343
Performance analysis of queuing networks with end-to-end window flow control. J.S. Wu and W.C. Chan E p423
Priority oriented channel access for cellular systems serving verticular and portable radio telephones. D. Hong and S.S. Rappaport I p339
Systematic approach to the time multiplexing of stray-insensitive SC networks. T.S. Rathore and B.B. Bhattacharyya G e156

NOISE AND INTERFERENCE

Analysis of the excision CFAR detector in the presence of fluctuating targets. E. Conte, M. Longo and M. Lops F p290
Extraction of the poles of noisy rational signals by the continuation method. S.Al Khouri-Ibrahim, R. Gomez-Martin, F.J. Muñoz-Delgado and V. Ramirez-Gonzalez F p57

Influence of design on performance of a satellite modem transmitting coded PSK signals. S.W. Cheung and A.P. Clark I p87
Lumped circuit model for prediction of linewidth in Fabry-Perot and DFB lasers, including external cavity devices. P.J. Probert and J.E. Carroll J p22
Scan-by-scan averaging CFAR. M. Lops and M. Orsini I p249
Threshold detection of continuous phase-modulated signals. K.R. Raveendra and R. Srinivasan I p414

NONDESTRUCTIVE TESTING

Knowledge-based approach to the formulation of ultrasonic nondestructive testing procedures. A. McNab and H.S. Young A p134

NONLINEAR OPTICS

Design features for an optical fibre transistor. Adrian Ankiewicz J p111
Dressed dynamics of semiconductor lasers. K.A. Shore and M.W. McCall J p14
Modal bistability in asymmetric twin ridge semiconductor lasers. D.A.O. Davies, I.H. White and J.E. Carroll J p6

NONLINEAR SYSTEMS

Application of extended Luenberger observer for flux and rotor time-constant estimation in induction motor drives. T. Orlowska-Kowalska D p324
Decentralised PD and PID robotic regulators. Y. Bestaoui D p133
Decoupling in nonlinear systems: from linearity to nonlinearity. L.C.J.M. Gras and H. Nijmeijer D p53
Disturbance rejection in nonlinear systems: examples. K.M. Passino D p317
Impact of non-Gaussian noise on the performance of *M*-ary CPSK signalling transmitted through two-link nonlinear channels. O. Gemikonakli and A.H. Aghvami I p328
Robust recursive least-squares method with modified weights for bilinear system identification. H. Dai and N.K. Sinha D p122

NUMERICAL ANALYSIS

Computation of a branch-cut integral arising in transient electromagetic scattering by a perfectly conducting cylinder. K. Naishadham H p367
Decentralised PD and PID robotic regulators. Y. Bestaoui D p133
Diffraction coefficient related to a discontinuity formed by impedance and resistive halfplanes. G. Uzgören, A. Büyükaksoy and A.H. Serbest H p19
Electromagnetic diffraction by two perfectly conducting wedges with dented edges loaded with a dielectric cylinder. A.Z. Elsherbeni and H.A. Auda H p225
Higher-order iterative learning control algorithm. Z. Bien and K.M. Huh D p105
Homotopy method for solving algebraic Riccati equations. S.-S. Wang and C.-T. Pan D p68
Laws of geometrical optics mapping in multi-reflector antennas with application to elliptical apertures. P.-S. Kildal H p445
Magnetostatics with scalar potentials in multiply connected regions. A. Vourdas and K.J. Binns A d260
Minimum loss sections of flat conductors. P.N. Murgatroyd and S. Hillen A p127
New computationally efficient formula for backward-pass fixed-interval smoother and its *UD* factorisation algorithm. K. Watanabe and S.G. Tzafestas D p73 D d331
New vectorial automatic technique for characterisation of resonators. M.C. Sanchéz, E. Martin and J.M. Zamarro H p147
Numerical analyses of printed line antennas. H. Nakano, K. Hirose, T. Suzuki, S.R. Kerner and N.G. Alexopoulos H p98
Numerical analysis of electric field generated by imperfectly insulated buried pipeline. S. Cristina and M. Feliziani A p121
Numerical assessment of unipolar corona ionised field quantities using the finite-element method. M.M. Aboelsaad, L. Shafai and M. Rashwan A p79
Optimisation and regularisation in microwave diagnostics of semiconductors having smooth and unsmooth functions. M.A. Hindy H p293
Radio pulse transmission along mixed paths in a stratified forest. S.S. Seker H p13
Robust recursive least-squares method with modified weights for bilinear system identification. H. Dai and N.K. Sinha D p122
Scattering from arbitrarily-shaped objects with impedance boundary conditions. A. Sebak and L. Shafai H p371
Simple integral equations for two-dimensional scattering with further reduction in unknowns. M.A. Ricoy, S.M. Kilberg and J.L. Volakis H p298
Solution of the characteristic impedance of an arbitrarily shaped TEM transmission line using complex variable boundary element method (CVBEM). Wen Geyi, Liu Xueguan and Wu Wanchun H p73
TE scattering from a conducting cylinder of arbitrary cross-section covered by multiple layers of lossy dielectrics. E. Arvas, Y. Qian, T.K. Sarkar and F. Aslan H p425

OPTICAL AMPLIFIERS

Modelling spectral effects of dynamic saturation in semiconductor laser amplifiers using the transmission-line laser model. A.J. Lowery J p320
Optical gain spectrum of GeO_2–SiO_2 Raman fibre amplifiers. S.T. Davey, D.L. Williams, B.J. Ainslie, W.J.M. Rothwell and B. Wakefield J p301
Pulse compression mechanisms in semiconductor laser amplifiers. A.J. Lowery J p141

OPTICAL FIBRES

Application of a low-loss criterion to optical waveguides and devices. J.D. Love J p225
Changes of light. N.W. Horne E p1
Design features for an optical fibre transistor. Adrian Ankiewicz J p111
Devices for wavelength multiplexing and demultiplexing. J.M. Senior and S.D. Cusworth J p183
Experimental study of InGaAs–InP MQW electro-absorption modulators. D.R.P. Guy, D.D. Besgrove, L.L. Taylor, N. Apsley and S.J. Bass J p46 J e158
Post-baking characteristics of single-mode and multimode silver/sodium exchanged waveguides. P.S. Chung and M.J. Millington J p103
Radiation from circular bends in multimode and single-mode optical fibres. A.H. Badar, T.S.M. Maclean, B.K. Gazey, J.F. Miller and H. Ghafoori-Shiraz J p147

OPTICAL MATERIALS

Investigation of etalon effects in GaAs-AlGaAs multiple quantum well modulators. M. Whitehead, G. Parry and P. Wheatley J p52

OPTICAL PROCESSING

Fabry–Perot resonator diplexer at 230 GHz. G.A. Ediss and P.R. Lawson H p411
Novel space-integrating acousto-optic correlator: amplitude and phase information from intensity only measurements. C.D. Reeve and J.F. Wombwell F p185
Review of motion analysis techniques. J.F. Vega-Riveros and K. Jabbour I p397

OPTICAL SENSORS

Optimum equalisers for binary digital transmission systems and their application to optical receivers. R.C. Hooper J p137
Passive optical multipoint sensing system for voltage measurement. M. Kuribara and M. Kurono J p315

OPTICAL SYSTEMS

Decision-point steering in optical fibre communication systems: theory. M. Sherif and P.A. Davies J p169
Distribution free bound on the performance of optical communication systems in the presence of jitter. K. Schumacher and J.J. O'Reilly J p129
Lens antennas with amplitude shaping or sine condition. S. Bishay, S. Cornbleet and J. Hilton H p276
Low-cost optical alignment system. J.L. Moruzzi and R. Cunliffe A p45
Phase noise in weakly coherent systems. I. Garrett and G. Jacobsen J p159
Sensitivity degradation with laser wavelength chirp for direct-detection optical receivers. H.J.A. da Silva, R.S. Fyath and J.J. O'Reilly J p209

OPTICAL TRANSMISSION

Comparison of the limits in performance of multiple quantum well and Franz-Keldysh InGaAs/InP electroabsorption modulators. A.K. Tipping, G. Parry and P. Claxton J p205
Devices for wavelength multiplexing and demultiplexing. J.M. Senior and S.D. Cusworth J p183

OPTICAL WAVEGUIDES

Analysis of unbounded dielectric waveguides using the surface integral equations method. Ching-Chuan Su J p166
Application of a low-loss criterion to optical waveguides and devices. J.D. Love J p225
Comparison of different modelling techniques for logitudinally invariant integrated optical waveguides. Working Group I, COST 216 J p273
Design of an integrated electro-optic switch in organic polymers. P. Kaczmarski, J.-P. Van de Capelle, P.E. Lagasse and R. Meynart J p152
Optical characterisation of Z-cut proton-exchanged $LiNbO_3$ waveguides fabricated using orthophosphoric and pyrophosphoric acid. A. Loni, R.W. Keys, R.M. De La Rue, M.A. Foad and J.M. Winfield J p297
Photodetectors monolithically integrated with optical waveguides: theoretical and experimental study of absorbing layer effects. J.F. Vinchant, F. Mallecot, D. Decoster and J.P. Vilcot J p72

OPTICS

Analysis of unbounded dielectric waveguides using the surface integral equations method. Ching-Chuan Su J p166
Changes of light. N.W. Horne E p1
Comparison of the limits in performance of multiple quantum well and Franz-Keldysh InGaAs/InP electroabsorption modulators. A.K. Tipping, G. Parry and P. Claxton J p205
Decision-point steering in optical fibre communication systems: theory. M. Sherif and P.A. Davies J p169
Design of an integrated electro-optic switch in organic polymers. P. Kaczmarski, J.-P. Van de Capelle, P.E. Lagasse and R. Meynart J p152
Low-cost optical alignment system. J.L. Moruzzi and R. Cunliffe A p45
Sensitivity degradation with laser wavelength chirp for direct-detection optical receivers. H.J.A. da Silva, R.S. Fyath and J.J. O'Reilly J p209

OPTIMAL CONTROL

Design and computation of near-optimal stable observers for bilinear systems. Y. Maghsoodi D p127
Generalised H_∞ multivariable controllers. M.J. Grimble D p285
Improved condition for the optimality of decentralised control for large-scale systems. T.-C. Yang, N. Munro and A. Brameller D p44
Optimal modal controller design by entire eigenstructure assignment. M. Saif D p341
Predictive H_∞ model reference optimal control law for SIMO systems. M.J. Grimble D p273

OPTIMISATION

Effects of active and reactive power modelling in optimal load flow studies. L.G. Dias and M.E. El-Hawary C p259
Multicriterial optimisation of squirrel-cage induction motor design. W. Jazdzynski B p299
New optimal power-dispatch algorithm using Fletcher's quadratic programming method. J. Nanda, D.P. Kothari and S.C. Srivastava C p153
Optimal number of disc clock tracks for block-oriented rotating associative processors. B. Parhami E p535
Simplified design approach for decentralised controllers of large-scale systems. G. Feng D p171
correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems. M.E. Hawary and K.M. Ravindranath C p315

OPTOELECTRONICS

Dry etching of GaAs and InP for optoelectronic devices. A.J. Carter, B. Thomas, D.V. Morgan, J.K. Bhardwaj, A.M. McQuarrie and M.A. Stephens J p2
Electro-optical modulation properties of GaAs doping superlattices. A.P. Thorn, P.C. Klipstein and R. Glew J p38

Experimental study of InGaAs–InP MQW electro-absorption modulators. D.R.P. Guy, D.D. Besgrove, L.L. Taylor, N. Apsley and S.J. Bass J p46
J e158
Longitudinal conductivity profile in periodically photoexcited semiconductor transmission lines. W. Platte J p108
Moment generating function of superlattice avalanche photodiodes as a basis for accurate optical receiver performance evaluation. R.S. Fyath and J.J. O'Reilly J p118
New results for rib waveguide propagation constants. T.M. Benson, P.C. Kendall, M.S. Stern and D.A. Quinney J p97
Nonlinear static characteristics of monolithic active integrated-optic waveguides. R.F. Ormondroyd, P.N. Pennington and M.C. Perkins J p59
Optimum equalisers for binary digital transmission systems and their application to optical receivers. R.C. Hooper J p137
Side-mode injection locking of semiconductor lasers. Jhy-Ming Luo, M. Osiński and J.G. McInerney J p33
Single-mode laser sources for FSK systems. C.A. Park and PJ Williams J p18
Tunnelling metal-semiconductor contact optically pumped mixer. N.J. Gomes and A.J. Seeds J p88

OSCILLATORS

Millimetre-wave planar oscillator on semi-insulating GaAs substrate. J. Freyer, U. Güttich, J. Wenger and X. Zhang G p84
Stability criteria for harmonic injection frequency dividers. F. Sierra and J. Pérez H p420

PATTERN RECOGNITION

A low-cost text retrieval machine. W.P. Cockshott and P.W. Foulk E p271
CMOS processor for template-based speech-recognition system. W. Drews, R. Laroia, J. Pandel, A. Schumacher and A. Stölzle I p155
Correlating matched-filter model for analysis and optimisation of neural networks. D.R. Selviah, J.E. Midwinter, A.W. Rivers and K.W. Lung F p143
Fast power system voltage prediction using knowledge-based approach and on-line box data creation. C.S. Chang C p87
High capacity cellular patterns for land mobile radio systems using directional antennas. S. Heeralall and C.J. Hughes I p75
Template adaptation in an isolated word-recognition system. F.R. McInnes, M.A. Jack and J. Laver I p119

PERTURBATION THEORY

Robust control of discrete systems. C.S. Berger D p165

PHASING AND PHASE CONTROL

Joint carrier and clock recovery for QPSK and MSK digital communications. E. Del Re and R. Fantacci I p208

PHOTODETECTORS

Generalised model for GaAs MESFET photodetectors. A. Adibi and K. Eshraghian G p337
Photodetectors monolithically integrated with optical waveguides: theoretical and experimental study of absorbing layer effects. J.F. Vinchant, F. Mallecot, D. Decoster and J.P. Vilcot J p72
Waveguide *pin* photodetectors: theoretical analysis and design criteria. A. Alping J p177

PHYSICAL PROPERTIES

Growth of electrical trees in solid insulation. M.N. Arbab and D.W. Auckland A p73
Several physical characteristics of impluse-corona discharge around conductors. Part 1: Streamer length and speed (discrete character of discharge). C. Gary, G. Drăgan, I. Lungu and M. Colteanu A p191
Several physical characteristics of impulse-corona discharge around conductors. Part 2: Onset voltage and delay time of corona discharge. C. Gary, G. Drăgan and I. Lungu A p197

PICTURE PROCESSING AND PATTERN RECOGNITION

Comparison of segmentation processes for object acquisition in infrared images. K.C. Markham F p13
Comparison of techniques for measuring cloud texture in remotely sensed satellite meteorological image data. Z.Q. Gu, C.N. Duncan, E. Renshaw, M.A. Mugglestone, C.F.N. Cowan and P.M. Grant F p236
Fast automatic registration for satellite imagery by using heuristic planning. A.P. Cracknell and K. Paithoonwattanakij F p221
Fractal modelling in image texture analysis. T.J. Dennis and N.G. Dessipris F p227
Hough technique for 3D object recognition. H.-T. Tsui and C.-K. Chan E p565

PLANT CONDITION MONITORING

The solution of scientific and engineering problems in the development of electrical generating plant. W. Fairney C p1

POLES AND ZEROS

Adaptive pole-polacement control with filtered states and steady-state disturbance rejection. F.K. Omani D p12
Approach to pole assignment by centralised and decentralised output feedback. M. Tarokh D p89
Extraction of the poles of noisy rational signals by the continuation method. S.Al Khouri-Ibrahim, R. Gomez-Martin, F.J. Muñoz-Delgado and V. Ramirez-Gonzalez F p57
New canonical form for pole placement. F. Blanchini D p314
New linear parameterisation of all stabilising compensators for single-input/single-output plants. G. Celentano and G. De Maria D p225
Robust pole-placement for uncertain interval systems. Y.C. Soh D p301

POLYNOMIALS

Approach to pole assignment by centralised and decentralised output feedback. M. Tarokh D p89
Design of 2-D recursive digital filters with noncircular, symmetric cutoff boundary and constant group-delay responses. M. Ahmadi, H.J.J. Lee, M. Shridhar and V. Ramachandran G p255
Driving-point immittance with equiripple magnitude. D. Rabrenović, V. Jovanović and M. Lutovac G p62
General hybrid orthogonal functions and some potential applications in systems and control. A. Patra and G.P. Rao D p157
New linear parameterisation of all stabilising compensators for single-input/single-output plants. G. Celentano and G. De Maria D p225
On windmill *pn*-sequence generators. W.G. Chambers and B.J.M. Smeets E p401
Predictive H_∞ model reference optimal control law for SIMO systems. M.J. Grimble D p273
Robust control of discrete systems. C.S. Berger D p165
Robust pole-placement for uncertain interval systems. Y.C. Soh D p301
Self-tuning control in the presence of periodic disturbance. K.W. Lim, C.C. Hang and C.H. Lee D p98
The least complex parallel Massey-Omura multiplier and its LCA and VLSI designs. Y.R. Shayan and T. Le-Ngoc G p345
Tri-state map for the minimisation of exclusive-OR switching functions. A. Tran E p16

POWER CONVERSION

Analysis and design of buck/boost zero-voltage switching resonant DC/DC convertor. M.K. Kazimierczuk G p157
Analysis of buck/boost zero-current-switching resonant DC/DC convertor. M.K. Kazimierczuk B p127
Hysteresis current-forced three-phase voltage-sourced reversible rectifier. A.W. Green and J.T. Boys B p113
New cycloconvertor with static induction transistors. S. Miyazawa and F. Nakamura B p293
Saturation in doubly salient reluctance motors. J.M. Stephenson and M.A. El-Khazendar B p50

POWER ELECTRONICS

Analysis and simulation of static Kramer drive under steady-state conditions. B.A.T. Al Zahawi, B.L. Jones and W. Drury B p281
Class E low dv_D/dt rectifier. M.K. Kazimierczuk B p257
D-shaped toroidal cage inductors. P.N. Murgatroyd and D. Belahrache B p96
Derivation of motor line-current waveforms from the DC-link current of an inverter. T.C. Green and B.W. Williams B p196
Design method for L- and T-connected tapped-winding capacitor motors. A. Tozune B p11
High-voltage stator insulation assessment by measurement of loss tangent and capacitance. K.G. Burnley B p229
Method of reducing computation in the analysis of PWM current-source GTO convertor. R. Itoh B p105
Novel PWM controlled series-connected current-source inverter drive. S.R. Bowes and R.I. Bullough B p69
Novel approach to modelling series resonant convertors. A.V. Mathew and R. Unnikrishnan G p99
Single-phase sinusoidal convertor using MOSFETs. R. Itoh and K. Ishizaka B p237
Steady-state and transient characteristics of a single-way step-down PWM GTO voltage-source convertor with sinusoidal supply currents. R. Itoh B p168
Transient and steady-state performance of a squirrel-cage induction motor. S.C. Ho, C.G. Hong and G.J. Hwang B p136

POWER SYSTEM PROTECTION

Accurate method of representation of high-voltage measuring systems and its application in high-impulse-voltage measurements. P.N. Nikolopoulos and F.V. Topalis A p66
Analysis of a circular earthing plate. E.K.-N. Yung and W.-Y. Tam C p385
Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung C p391
Information debugging for real-time power systems monitoring. M.B. Do Coutto Filho, A.M. Leite da Silva, J.M.C. Calvo Cantera and R.A. da Silva C p145
Interruption of short-circuit currents in MV networks with extremely long time constants. W.M.C. van den Heuvel, A.L.J. Janssen and G.C. Damstra C p115
Line and shunt switching to alleviate overloads and voltage violations in power networks. N. Müller and V.H. Quintana C p246
Transient stability analysis of multimachine power systems by catastrophe theory. A.M. Mihirig and M.D. Wvong C p254

POWER SYSTEMS AND PLANT

Accurate method of representation of high-voltage measuring systems and its application in high-impulse-voltage measurements. P.N. Nikolopoulos and F.V. Topalis A p66
Application of rule-base stabilising controller to electrical power system. T. Hiyama C p175
Damping of power system oscillations by excitation control using a current feedback signal. H.M.A. Hamdan, A.M.A. Hamdan and B. Kahhaleh C p137
Design of an optimal current regulator for weak AC/DC systems using Kalman filtering in the presence of unknown inputs. A.T. Alexandridis and G.D. Galanos C p57
Determination of first swing stability limit of multimachine power systems through Taylor series expansions. M.H. Haque and A.H.M.A. Rahim C p373
Economic justification of cogeneration systems for industrial steam users and utility systems. S.A. Farghal, R.M. El-Dewieny and A.M. Riad C p100
Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model. E.H. Barakat and M.A.M. Eissa C p35
Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth C p289
Influence of the fluctuation of the ambient temperature on the lifetime of metal oxide arresters. A. Bronfman C p55
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla C p331
Line and shunt switching to alleviate overloads and voltage violations in power networks. N. Müller and V.H. Quintana C p246
Multiperiod secure economic dispatch for large-scale power systems. K.S. Hindi and M.R. Ab. Ghani C p130

Nonlinear parameter estimation experiments for static load modelling in electric power systems. L.G. Dias and M.E. El-Hawary C p68
Power components in a system with sinusoidal and nonsinusoidal voltage and/or currents. M.A. Slonim and J.D. Van Wyk B p90
Power components in a system with sinusoidal and nonsinusoidal voltage and/or currents. P. Filipski B p90
Power systems transient stability assessment using catastrophe theory. A.A. Sallam C p108
Structure of measurement Jacobian matrices for power systems. J.F. Marsh C p407
Two level dynamic state estimator for electric power systems based on nonlinear transformation. A. Bahgat, M.M.F. Sakr and A.R. El-Shafei C p15
Unified weekly peak load forecasting for fast growing power system. Z.S. Elrazaz and A.A. Mazi C p29

POWER TRANSMISSION AND DISTRIBUTION

Contingency constrained economic dispatch algorithm for transmission planning. P.E. Berry and R.M. Dunnett C p238
Contingency cut-off criteria in transmission system adequacy assessment. R. Billinton, E. Khan and S.K. Agarwal C p215
Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection. C.A. Arkell, S.J. Galloway, E.B. Parsons, B.G. Woodcock and D.E. Woolmer C p121
Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals. J. Arrillaga and C.D. Callaghan C p319
Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines. J.L. Naredo and A.C. Soudack C p353
Feeder load analysis for utility demand side management. G.B. Jasmon, A.H. Azit and S.B. Sairan C p303
Random energisation transients in EHV systems. M. Morcos and H. Anis C p325
Reliability evaluation of transmission and distribution configurations with duration dependent effects. C.C. Fong C p314 C e314
Ripple control signal interference due to a lightly loaded rural distribution line. T.B. Norriss and P.S. Bodger C p401
Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland C p341

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems. S.K. Tong and S.M. Shahidehpour C p162

PROCESS CONTROL

Multivariable Nyquist self-tuning: a general approach. B. Kouvaritakis and J.A. Rossiter D p189

PROJECT AND PRODUCTION ENGINEERING

The inter-relationship between systems engineering and engineering design. L. Finkelstein, B. Archer, K.K. Schwarz and G.E.P. Constable A p159

PROJECT MANAGEMENT

The early years of oceanic telegraphy: technology, science and politics. C.A. Hempstead A p297

PROPAGATION IN RANDOM MEDIA

EM wave scattering from statistically inhomogeneous and periodic random rough surfaces. D.P. Chrissoulidis H p209

RADAR AND RADIONAVIGATION

Airborne MTI via digital filtering. J. Ender and R. Klemm F p22
Aspects of UK air defence from 1914 to 1935: some unpublished Admiralty contributions. R.W. Burns A p267
CFAR detection for multiple target situations. M. Barkat, S.D. Himonas and P.K. Varshney F p193
Cramér-Rao bounds and maximum-likelihood estimation of Doppler frequency of signals received by a polarimetric radar. M. Fossi, D. Giuli and M. Gherardelli F p175
Detection performance of phase-coded radar waveforms with various types of limiting. F.R. Castella and S.A. Rudie F p118
Engineers in the front line. F.C. Padfield(Air Com) A p8
Interferometry against differential Doppler: performance comparison of two emitter location airborne systems. N. Levanon F p70
Manoeuvring-target tracking with the Viterbi algorithm in the presence of interference. K. Demirbaş F p262
Millimetrewave systems — past, present and future. A.D. Olver F p35
Multistage imaging process in digital SAR imaging. W. Xu and Z. Chen F p29
New technique for the deinterleaving of repetitive sequences. H.K. Mardia F p149
Resolution capability of nonlinear spectral-estimation methods for short data lengths. K.M.M. Prabhu and K. Bhoopathy Bagan F p135
Scan-by-scan averaging CFAR. M. Lops and M. Orsini I p249
Velocity-aided range aquisition and tracking in dual-mode CW/FM-CW radar. W.K. Saunders F p191
Wigner distribution and FM radar signal design. J.A. Johnston F p81

RADIO WAVES

Aspects of UK air defence from 1914 to 1935: some unpublished Admiralty contributions. R.W. Burns A p267
Joint source-channel coding for raster document transmission over mobile radio. R.R. Wyrwas and P.G. Farrell I p375

RADIO-WAVE PROPAGATION (IONOSPHERIC)

Morphology of the high latitude ionosphere and its implications for HF communications systems. P.S. Cannon I p1
Range estimation for SSL HFDF systems by means of a multiquasiparabolic ionospheric model. D.C. Baker and S. Lambert H p120

RADIO-WAVE PROPAGATION (MICROWAVE)

Cascaded cylinder model for predicting terrain diffraction loss at microwave frequencies. P.A. Sharples and M.J. Mehler H p331
Detailed measurement of scattering by a spheroidal particle having varying proportions of ice and water. A.L. Hume and L.J. Auchterlonie H p351
Macroscopic permittivity of dielectric mixtures with application to microwave attenuation of rain and hail. A. Sihvola H p24
Refractive multipath ray tracing model. N.H. Kheirallah, H.M. Rashwan and A.K. Aboul-Seoud H p175
Statistical stability of cumulative distributions of rainfall rate in the UK. H. Fukuchi and P.A. Watson H p105

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

Radio pulse transmission along mixed paths in a stratified forest. S.S. Seker H p13

RADIOCOMMUNICATION

Analysis of quadrature detectors using complex envelope notation. S.J. Roome F p95
Efficient differential detection of digital FM signals in bandwidth restricted channels. N. Ekanayake and U.R. Abeyratne I p64
Frequency-hopping multiple-access communications with concatenated diversity/Reed-Solomon coding. S.W. Kim I p81
High capacity cellular patterns for land mobile radio systems using directional antennas. S. Heeralall and C.J. Hughes I p75
Improved time synchronisation for an HF radio modem. A.P. Clark, S.N. Abdullah and S.F. Hau I p47
Millimetrewave systems — past, present and future. A.D. Olver F p35
Performance of error-erasure-correction decoding of Reed-Solomon codes for frequency-hop communicatioes in multitone interference. Q. Wang, T.A. Gulliver, V.K. Bhargava and E.B. Feistead I p298
Speech processing techniques for HF radio security. E.V. Stansfield, D. Harmer and M.F. Kerrigan I p25
Techniques for medium-speed data transmission over HF channels. J. Pennington I p11

RADIONAVIGATION

Interference detection and suppression in Loran-C receivers. M. Beckmann F p255
Some aspects of interference on Loran-C. L.P. Remmerswaal and D. van Willigen F p109
Statistical performance analysis of the minimum-norm method. B.D. Rao and K.V.S. Hari F p125

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Earth-leakage problems and solutions on the Tyne and Wear Metro. L.J. Brunton B p152 B e204
New ticketing system for the London Underground. I.P. Burdon and M.H. Vogel B d59
Specification of an overvoltage damping filter for the National Railways of Zimbabwe. R.E. Morrison and J.C.W. Corcoran B p249

RECEIVERS

Analysis of the excision CFAR detector in the presence of fluctuating targets. E. Conte, M. Longo and M. Lops F p290
Broadband integrating Bragg cell receiver for electronic support measures. P.V. Gatenby F p63
Effect of an AGC amplifier on the performance of a generalised PLL in the presence of a large interfering signal. N.K. Abdulaziz and S.D. Marougi G p178
Multilevel range/NEXT performance in digital subscriber loops. G. Brand, V. Madisetti and D.G. Messerschmitt I p169
Performance of optically preamplified direct detection receivers in presence of laser chirp: Part II: Near travelling-wave and Fabry-Perot amplifier cases. R.S. Fyath and J.J. O'Reilly J p256
Performance of optically preamplified direct-detection receivers in the presence of laser chirp. Part 1: Ideal travelling-wave amplifier. R.S. Fyath and J.J. O'Reilly J p249
Techniques for medium-speed data transmission over HF channels. J. Pennington I p11

RELAYS

Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright C p279

RELIABILITY

Human reliability factors in technology management. I.A. Watson and F. Oakes A p24
Reconfigurable testable bit-serial multiplier for DSP applications. M.A. Bayoumi and C.H. Yang E p517
Reliability evaluation of transmission and distribution configurations with duration dependent effects. C.C. Fong C p314 C e314

RELUCTANCE MOTORS

Bidirectional temperature-sensitive magnetic semiconductor and its application. K. Seki, J. Shida and K. Murakami B p32
Saturation in doubly salient reluctance motors. J.M. Stephenson and M.A. El-Khazendar B p50
Simplified approach to the dynamic modelling of variable-reluctance stepping motors. P.J. Clarkson and P.P. Acarnley B p1

REMOTE SENSING

Comparison of techniques for measuring cloud texture in remotely sensed satellite meteorological image data. Z.Q. Gu, C.N. Duncan, E. Renshaw, M.A. Mugglestone, C.F.N. Cowan and P.M. Grant F p236
Fast automatic registration for satellite imagery by using heuristic planning. A.P. Cracknell and K. Paithoonwattanakij F p221

REVIEWS OF PROGRESS

Alexander Trotter — a well-connected electrician. B. Bowers A p337
History of electrical engineering (Editorial). R.W. Burns A p265
Mainline electrification and locomotive-electric systems. M.C. Duffy A p279
Silvanus Thompson: teacher, researcher, historian. A.C. Lynch A p306

The early years of oceanic telegraphy: technology, science and politics. C.A. Hempstead A p297
The photographic archive of the British Thomson-Houston Company. E.D.P. Symons A p330
Without the valve: some alternatives to thermionic devices. V.J. Phillips A p313

ROBOTICS

Decentralised PD and PID robotic regulators. Y. Bestaoui D p133
Real-time collision avoidance system for multiple robots operating in shared work-space. N. Duffy, D. Allan and J.T. Herd E p478

SATELLITE LINKS AND SPACE COMMUNICATION

Antenna beam steering technique using dielectric wedges. H.D. Griffiths and M.R. Khan H p126
Influence of design on performance of a satellite modem transmitting coded PSK signals. S.W. Cheung and A.P. Clark I p87
Joint carrier and clock recovery for QPSK and MSK digital communications. E. Del Re and R. Fantacci I p208
M-ary CPSK transmission through a two-link bandlimited nonlinear satellite channel using an RF lineariser. O. Gemikonakli and A.H. Aghvami I p291
Millimetrewave systems — past, present and future. A.D. Olver F p35
Multicarrier demodulator for digital satellite communication systems. E. Del Re and R. Fantacci I p201
New point-to-multipoint communication protocols. R.H. Deng, X.Y. Zhang and Y.K. Tham I p312
Operational analysis of electronic tracking schemes. G.J. Hawkins and D.J. Edwards I p181
Rapid acquisition of low signal-to-noise carriers. S.P. Luttrell and J.A.S. Pritchard I p100
Receivers for an electronic 'beam-squint' tracking system. P.B. Kenington, D.J. Edwards and J.P. McGeehan I p305

SEMICONDUCTOR DEVICES AND MATERIALS

1.3–1.55 μm wavelength integrated photoreceiver using GaInAs/GaAs heteroepitaxy. J. Ramdani, D. Decoster, J.P. Vilcot, J.P. Gouy and M. Razeghi J p83
Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer I e156
Charge-coupled device implementation of multivalued logic systems. M.H. Abd-El-Barr and Z.G. Vranesic E p306
Efficiency and response time of a DCEL ZnS : Mn Cu powder display determined by sinusoidal frequency analysis. D.A. Barr and S.J. Laverty G p173
Electro-optical modulation properties of GaAs doping superlattices. A.P. Thorn, P.C. Klipstein and R. Glew J p38
Harmonic and intermodulation generation due to hot electrons in semiconductors. M.T. Abuelma'atti G p323
Impact of GaAs and Si technologies on adder characteristics. V. Milutinović, M. Bettinger and W. Helbig E p217
Investigation of etalon effects in GaAs-AlGaAs multiple quantum well modulators. M. Whitehead, G. Parry and P. Wheatley J p52
Iterative solutions for highly doped emitters under illumination. R. Alcubilla, E. Blasco and X. Correig G p126
Longitudinal conductivity profile in periodically photoexcited semiconductor transmission lines. W. Platte J p108
Method for determination of parasitic resistances in microwave power MESFETs. K.W. Eccleston G p358
Performance analysis of an IC-mask design rule check and net extraction software suite. P.R. Thomas and A.D. Brown G p205
Tunnelling metal-semiconductor contact optically pumped mixer. N.J. Gomes and A.J. Seeds J p88
Waveguide *pin* photodetectors: theoretical analysis and design criteria. A. Alping J p177

SEMICONDUCTOR LASERS

Design and fabrication of 1.3 μm buried ridge stripe lasers on semi-insulating InP substrate. P. Devoldere, A. Paraskevopoulos, M. Cilleron, S. Slempkes, B. Rose and D. Robein J p76
Dressed dynamics of semiconductor lasers. K.A. Shore and M.W. McCall J p14
Electro-optical modulation properties of GaAs doping superlattices. A.P. Thorn, P.C. Klipstein and R. Glew J p38
Modal bistability in asymmetric twin ridge semiconductor lasers. D.A.O. Davies, I.H. White and J.E. Carroll J p6
Modelling spectral effects of dynamic saturation in semiconductor laser amplifiers using the transmission-line laser model. A.J. Lowery J p320
New dynamic multimode model for external cavity semiconductor lasers. A.J. Lowery J p229
Pulse compression mechanisms in semiconductor laser amplifiers. A.J. Lowery J p141
Sensitivity and power penalty considerations for laser preamplified direct detection optical receivers. R.S. Fyath, A.J. McDonald and J.J. O'Reilly J p238
Side-mode injection locking of semiconductor lasers. Jhy-Ming Luo, M. Osiński and J.G. McInerney J p33
Tunnelling metal-semiconductor contact optically pumped mixer. N.J. Gomes and A.J. Seeds J p88

SIGNAL PROCESSING

Airborne MTI via digital filtering. J. Ender and R. Klemm F p22
All digital phase-locked loop: concepts, design and applications. Y.R. Shayan and T. Le-Ngoc F p53
Approximate Fourier transform using square waves. R.D. Hughes and M.L. Heron A p223
Block diagonal structure in discrete transforms. Ja-Ling Wu E p239
Broadband integrating Bragg cell receiver for electronic support measures. P.V. Gatenby F p63
Carrier-phase synchronisation in the demodulation of UQPSK signals. A.P. Clark and A. Aftelak I p351
Complex number multipliers. K.Z. Pekmestzi E p70
Correlating matched-filter model for analysis and optimisation of neural networks. D.R. Selviah, J.E. Midwinter, A.W. Rivers and K.W. Lung F p143
Cramér-Rao bounds and maximum-likelihood estimation of Doppler frequency of signals received by a polarimetric radar. M. Fossi, D. Giuli and M. Gherardelli F p175
Digital Walsh-Fourier spectral conversion for periodic waves. M.J. Barnes and F.J. Swift F p89
Efficient realisation of discrete Fourier transforms using the recursive discrete Hartley transform. W.C. Siu and K.L. Wong E p254
Extraction of the poles of noisy rational signals by the continuation method. S.Al Khouri-Ibrahim, R. Gomez-Martin, F.J. Muñoz-Delgado and V. Ramirez-Gonzalez F p57
Fast frequency acquisition via adaptive least-squares algorithm. R. Kumar F p155
Joint carrier and clock recovery for QPSK and MSK digital communications. E. Del Re and R. Fantacci I p208
Manoeuvring-target tracking with the Viterbi algorithm in the presence of interference. K. Demirbaş F p262
Modal bistability in asymmetric twin ridge semiconductor lasers. D.A.O. Davies, I.H. White and J.E. Carroll J p6
New technique for the deinterleaving of repetitive sequences. H.K. Mardia F p149
Novel space-integrating acousto-optic correlator: amplitude and phase information from intensity only measurements. C.D. Reeve and J.F. Wombwell F p185
Performance and design of the dual sign algorithm with correlated input data. C.P. Kwong F p269
Random asynchronous sampling strategy for measurement instruments based on nonlinear signal conversion. F. Filicori, G. Iuculano, A. Menchetti and D. Mirri A p141
Rapid acquisition of low signal-to-noise carriers. S.P. Luttrell and J.A.S. Pritchard I p100
Reconfigurable testable bit-serial multiplier for DSP applications. M.A. Bayoumi and C.H. Yang E p517
Resolution capability of nonlinear spectral-estimation methods for short data lengths. K.M.M. Prabhu and K. Bhoopathy Bagan F p135
Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright C p279
Statistical performance analysis of the minimum-norm method. B.D. Rao and K.V.S. Hari F p125
Techniques for medium-speed data transmission over HF channels. J. Pennington I p11
Threshold detection of continuous phase-modulated signals. K.R. Raveendra and R. Srinivasan I p414

SIMULATION

Comparison of different modelling techniques for longitudinally invariant integrated optical waveguides. Working Group I, COST 216 J p273
Modelling and simulation of coherent Weibull clutter. Gang Li and Kai-Bor Yu F p2
New floating point impedance simulation using operational amplifiers. V. Singh G d155
Robust recursive least-squares method with modified weights for bilinear system identification. H. Dai and N.K. Sinha D p122
SPICE simulation of latch-up anomalous effects observed by electrical measurements and IR microscopy. F. Corsi, S. Martino, M. Muschitiello, M. Stucchi and E. Zanoni G p293
TCR and SR compensators in composite electromagnetic transient simulation. T.T. Nguyen and W.D. Humpage C p195

SOLAR CELLS

Study of adjacent channel AM interference suppression. H.W. Hawkes I p338 I e338

SOUND BROADCASTING AND AUDIO

Excitation synchronous formant analysis. L.C. Wood and D.J.B. Pearce I p110
Towards real-time implementation of a radio-data system for AM sound broadcasting. Y.O. Al-Jalili and G.B. Lockhart I p20

SPEECH SYNTHESIS

CMOS processor for template-based speech-recognition system. W. Drews, R. Laroia, J. Pandel, A. Schumacher and A. Stölzle I p155
Excitation synchronous formant analysis. L.C. Wood and D.J.B. Pearce I p110
Hamlet: a prototype of a voice-activated typewriter. J.J. Mariani I p162
Harmonic postprocessing of speech synthesised by stochastic coders. I.M. Trancoso and J.M. Tribolet I p141
Large vocabulary isolated word recognition: a real-time implementation. C. Vicenzi, C. Favareto, D. Sciarra, A. Carossino, A.M. Colla, C. Scargliola and P. Pedrazzi I p127
Objective speech distortion measures and their relevance to speech quality assessments. S. Dimolitsas I p317
Recognition of speaker-dependent continuous speech with KEAL. G. Mercier, D. Bigorgne, L. Miclet, L. Le Guennec and M. Querre I p145
Speech processing techniques for HF radio security. E.V. Stansfield, D. Harmer and M.F. Kerrigan I p25
Spoken-word recognition using dynamic features analysed by two-dimensional cepstrum. Y. Ariki, S. Mizuta, M. Nagata and T. Sakai I p133
Template adaptation in an isolated word-recognition system. F.R. McInnes, M.A. Jack and J. Laver I p119

STABILISERS

Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques. S.E.M. de Oliveira C p264

STABILITY

Application of rule-base stabilising controller to electrical power system. T. Hiyama C p175
Damping of power system oscillations by excitation control using a current feedback signal. H.M.A. Hamdan, A.M.A. Hamdan and B. Kahhaleh C p137
Design and computation of near-optimal stable observers for bilinear systems. Y. Maghsoodi D p127
Design of synchronisers: a review. L. Morin and H.F. Li E p557
Determination of first swing stability limit of multimachine power systems through Taylor series expansions. M.H. Haque and A.H.M.A. Rahim C p373
Engine control system using a cylinder pressure sensor. Y. Hata, K. Ikeura, T. Morita and T. Abo D p84
Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth C p289
Linear feedback approach to the stabilisation of uncertain discrete systems. A.A. Bahnasawi, A.S. Al-Fuhaid and M.S. Mahmoud D p47

Lower bounds for the stability margin of linear continuous systems based on weighted performance criteria. P. Agathoklis and V. Sreeram D p63
New linear parameterisation of all stabilising compensators for single-input/single-output plants. G. Celentano and G. De Maria D p225
Power systems transient stability assessment using catastrophe theory. A.A. Sallam C p108
Random energisation transients in EHV systems. M. Morcos and H. Anis C p325
Robust pole-placement for uncertain interval systems. Y.C. Soh D p301
Stability criteria for harmonic injection frequency dividers. F. Sierra and J. Pérez H p420
Stability of induction motor drive controlled by current-source inverter. R. Itoh B p83
Transient stability analysis of multimachine power systems by catastrophe theory. A.M. Mihirig and M.D. Wvong C p254

STEPPING MOTORS

Simplified approach to the dynamic modelling of variable-reluctance stepping motors. P.J. Clarkson and P.P. Acarnley B p1

SURFACE-ACOUSTIC-WAVE DEVICES (SAW)

Roughness scattering into substrate radiation modes of rib waveguides. .C. Hewson-Browne, P.C. Kendall and D.A. Quinney J p281

SWITCHED CAPACITOR FILTERS

Novel switched-capacitor integrator for high-frequency applications. E.I. El-Masry and E.G. Hix G p263
On the design of optimal switched-capacitor filters based on the use of lossy frequency-dependent negative-resistance prototype structures. A.T. Younis and R.E. Massara G p351
Systematic approach to the time multiplexing of stray-insensitive SC networks. T.S. Rathore and B.B. Bhattacharyya G e156

SYNCHRONOUS GENERATORS

Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques. S.E.M. de Oliveira C p264

SYNCHRONOUS MOTORS

Application of extended Luenberger observer for flux and rotor time-constant estimation in induction motor drives. T. Orlowska-Kowalska D p324
Effects of constructional asymmetries on the characteristics of 2-phase permanent magnet synchronous motors. A. Tozune and M. Sakamoto B p143

SYSTEM PROTECTION

Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright C p279

TELECOMMUNICATION

Range estimation for SSL HFDF systems by means of a multiquasiparabolic ionospheric model. D.C. Baker and S. Lambert H p120

TELECOMMUNICATION TRAFFIC

Integrating voice and data services in token rings. A. Pattavina E p456

TELEPHONE EXCHANGES AND NETWORKS

Application of the product graph to a large multiexchange digital network. J.M.F. Craveirinha and J.P. Sumner I p189
Dynamic planning model for urban telephone networks and its applications. J.M.B. Diogo, J.C.N. Climaco, P.M.N. Nordeste and J.M.F. Craveirinha I p324 I e324
Priority oriented channel access for cellular systems serving verticular and portable radio telephones. D. Hong and S.S. Rappaport I p339

TELEVISION

Colour Television; yesterday, today and tomorrow. T.B. McCrirrick A p1

THYRISTORS

Harmonic analysis of a high frequency square wave cycloconvertor system. P.D. Evans and M.R.D. Al-Mothafar B p19
Method of reducing computation in the analysis of PWM current-source GTO convertor. R. Itoh B p105
Steady-state and transient characteristics of a single-way step-down PWM GTO voltage-source convertor with sinusoidal supply currents. R. Itoh B p168
TCR and SR compensators in composite electromagnetic transient simulation. T.T. Nguyen and W.D. Humpage C p195

TORQUE

Simplified approach to the dynamic modelling of variable-reluctance stepping motors. P.J. Clarkson and P.P. Acarnley B p1
Transient and steady-state performance of a squirrel-cage induction motor. S.C. Ho, C.G. Hong and G.J. Hwang B p136

TRACTION

D-shaped toroidal cage inductors. P.N. Murgatroyd and D. Belahrache B p96
Fast accurate computation of the DC-side harmonics in a traction VSI drive. J.A. Taufiq and J. Xiaoping B p176
Input impedance of chopper equipment and its significance in low-frequency track circuits. B. Mellitt, J.A. Taufiq and J. Xiaoping B p37

TRANSDUCERS

Engine control system using a cylinder pressure sensor. Y. Hata, K. Ikeura, T. Morita and T. Abo D p84
Metrological gratings and moiré fringe detection methods for displacement transducers. J.T.M. Stevenson and J.R. Jordan A p243

TRANSFORMERS

Calculation of self and mutual impedances between sections of transformer windings. D.J. Wilcox, W.G. Hurley and M. Conlon C p308
Correction of power transformer no-load losses, measured under nonsinusoidal voltage waveforms. D. Slomovitz C p42
Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung C p391
General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities. E. Acha, J. Arrillaga, A. Medina and A. Semlyen C p271
Matching using double slug transformer and correction to transistor gain. J.R.G. Twisleton H p219
New one-cycle static blocking scheme for inrush in differential relay. B.T. Desai, H.O. Gupta and M.K. Vasantha C p48

TRANSIENTS

A high-voltage high-frequency voltage divider. W. Daum and A.C. Lynch A p254
Computer simulation of first pole-to-close multiple prestriking transients in motor systems. K.J. Cornick and A.N.D. Tleis B p213
Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current. A.G. Jack, L.G. Meng and T.J. Bedford C p206
New one-cycle static blocking scheme for inrush in differential relay. B.T. Desai, H.O. Gupta and M.K. Vasantha C p48
Power systems transient stability assessment using catastrophe theory. A.A. Sallam C p108

TRANSISTORS

Analysis and understanding of GaAs MESFET behaviour in power amplification. Y. Crosnier, H. Gerard and G. Salmer I e156
Current-forced single-phase reversible rectifier. J.T. Boys and A.W. Green B p205
Harmonic and intermodulation performance of differential source-coupled pair using scaled MOS transistors. M.T. Abuelma'atti G p95
Iterative solutions for highly doped emitters under illumination. R. Alcubilla, E. Blasco and X. Correig G p126
New cycloconvertor with static induction transistors. S. Miyazawa and F. Nakamura B p293
Variability reduction in CMOS operational amplifiers through layout modification. A.B. Bhattacharyya and S. Aggarwal G p79

TRANSMISSION AND DISTRIBUTION PLANT

Steady-state and transient analysis of self-excited induction generators. C. Grantham, D. Sutanto and B. Mismail B p61

TRANSMISSION LINES

Analysis of asymmetric TEM cell and its optimum design of electric field distribution. X.-D. Cai and Y.-Y. Li H p191
Equivalence of impedance and radiation properties of square and circular microstrip patch antennas. A.K. Bhattacharjee, S.R. Bhadra Chaudhuri, D.R. Poddar and S.K. Chowdhury H p338
Full-wave analysis of multiconductor coupled lines in MICs by the method of lines. Z. Chen and B. Gao H p399
Improved analytical method for computing unipolar DC corona losses. M.M. Aboelsaad, L. Shafai and M.M. Rashwan A p33
New time-domain model for active mode locking, based on the transmission line laser model. A.J. Lowery J p264
Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland C p341
Voltage contingency selection technique for security assessment. A. Mohamed and G.B. Jasmon C p24

TRANSPORTATION

Mainline electrification and locomotive-electric systems. M.C. Duffy A p279

TURBOGENERATORS

Application of system identification techniques to modelling a turbogenerator. E. Swidenbank and B.W. Hogg D p113
Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross C p361
Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current. A.G. Jack, L.G. Meng and T.J. Bedford C p206
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla C p331
Self-tuning controllers for turbogenerator excitation and governing systems. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p238

ULTRASONICS

Knowledge-based approach to the formulation of ultrasonic nondestructive testing procedures. A. McNab and H.S. Young A p134

VEHICLES AND TRANSPORTATION

Engine control system using a cylinder pressure sensor. Y. Hata, K. Ikeura, T. Morita and T. Abo D p84
Mainline electrification and locomotive-electric systems. M.C. Duffy A p279

VERY LARGE SCALE INTEGRATION

Advanced VLSI validated input security device employing data and hardware validation features. V. Iliev, S.S. Dlay, M.R. McLauchlan, A.M. Koelmans and D.J. Kinniment E p471
Design of algorithm-based fault-tolerant VLSI array processor. C.-M. Liu and C.-W. Jen E p539
Feasibility of analogue computation for image processing applications. Y. Papananos G p9
Modelling of crosstalk among the GaAs-based VLSI interconnections. A.K. Goel and Y.R. Huang G p361
Multipole approximation of capacitively loaded VLSI interconnection. M.T. Abuelma'atti G p118
Parallel VLSI algorithm for stable inversion of dense matrices. A. El-Amawy and K.R. Dharmarajan E p576
Systolic architecture for finite field exponentiation. A. Ghafoor and A. Singh E p465
Three-dimensional cellular automata and VLSI applications. Ph. Tsalides, P.J. Hicks and T.A. York E p490

VOCODERS

Classified vector excitation speech coding. S. Marlow and B. Buggy I p325
Speech processing techniques for HF radio security. E.V. Stansfield, D. Harmer and M.F. Kerrigan I p25

VOICE COMMUNICATION

Hamlet: a prototype of a voice-activated typewriter. J.J. Mariani I p162
Integrating voice and data services in token rings. A. Pattavina E p456

Speech processing techniques for HF radio security. E.V. Stansfield, D. Harmer and M.F. Kerrigan I p25

VOLTAGE REGULATORS

A high-voltage high-frequency voltage divider. W. Daum and A.C. Lynch A p254
Self-tuning automatic voltage regulators for a synchronous generator. A.S. Ibrahim, B.W. Hogg and M.M. Sharaf D p252

WAVEGUIDES AND WAVEGUIDE COMPONENTS

Analysis of T-junction between rectangular and circular waveguides by variational method. B.N. Das, P.V.D.S. Rao and A. Chakraborty H p475
Complex-valued functionals in variational analysis of waveguides with impedance boundaries. M.I. Oksanen and I.V. Lindell H p281
Dyadic Green's function of electric type for inhomogeneously loaded rectangular waveguides. J. Joubert and D.A. McNamara H p469
Edge mode effect in the operations of waveguide twin-slab ferrite phase shifter. J. Helszajn H p257
Ideal normal mode theory of a serpentine cylindrical waveguide. S.R. Seshadri H p480
New results for rib waveguide propagation constants. T.M. Benson, P.C. Kendall, M.S. Stern and D.A. Quinney J p97
Nonlinear static characteristics of monolithic active integrated-optic waveguides. R.F. Ormondroyd, P.N. Pennington and M.C. Perkins J p59
Open resonator for microwave application. G. Di Massa, D. Cuomo, A. Cutolo and G. Delle Cave H p159
Optical characterisation of Z-cut proton-exchanged $LiNbO_3$ waveguides fabricated using orthophosphoric and pyrophosphoric acid. A. Loni, R.W. Keys, R.M. De La Rue, M.A. Foad and J.M. Winfield J p297
Post-baking characteristics of single-mode and multimode silver/sodium exchanged waveguides. P.S. Chung and M.J. Millington J p103
Propagation and radiation from partly filled elliptical wave guide. G.L. James H p195
Reflection and transmission properties of annular slot covered by dielectric hemisphere. J.E. Wheeler and R.D. Nevels H p59
Roughness scattering into substrate radiation modes of rib waveguides. .C. Hewson-Browne, P.C. Kendall and D.A. Quinney J p281
Space-harmonic analysis of multidepth corrugated waveguides. M.I. Oksanen H p151
Transitions in open millimetre-wave waveguides. S.T. Peng, S.J. Xu and F.K. Schwering H p487
Uniqueness of numerical solutions to electric-, magnetic- and combined-field integral equations for open-ended circular waveguides. J.R. Parkinson and M.J. Mehler H 269
Using metallic post and inductive diaphragms to match symmetrical five-port waveguide junction. S.P. Yeo and S.S. Tan H p80